

# Republic of the Philippine TARLAC STATE UNIVERSITY

Romulo Blvd., San Vicente, Tarlac City Tel. No.: (045) 982 4630 Website: www.tsu.edu.ph

# **Bidding Documents**

(This Bidding Documents is in conformance with the Sixth Edition of the Philippine Bidding Documents for the Procurement of Goods)

## For the Project

Supply and Delivery of IT Equipment (APP 2023)

With an Approved Budget for the Contract (ABC) of Thirty Million Two Hundred Fifteen Thousand Pesos (₱ 30,215,000.00)

Invitation to Bid No. Goods 2023-031 PhilGeps Reference No.: 9911661

July 2020 6<sup>th</sup> Edition

## TABLE OF CONTENTS

Glossary of Acronyms, Terms, and Abbreviations	1
Section I. Invitation to Bid	4
Section II. Instructions to Bidders	6
1. Scope of Bid	6
2. Funding Information	6
3. Bidding Requirements	6
4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	6
5. Eligible Bidders	6
6. Origin of Goods	7
7. Subcontracts	7
8. Pre-Bid Conference	7
9. Clarification and Amendment of Bidding Documents	7
10. Documents Comprising the Bid: Eligibility and Technical Components	7
11. Documents Comprising the Bid: Financial Component	7
12. Bid Prices	8
13. Bid and Payment Currencies	8
14. Bid Security	8
15. Sealing and Marking of Bids	8
16. Deadline for Submission of Bids	9
17. Opening and Preliminary Examination of Bids	9
18. Domestic Preference	9
19. Detailed Evaluation and Comparison of Bids	9
20. Post Qualification	10
21. Signing of the Contract	10
Section III. Bid Data Sheet	11
Section IV. General Conditions of Contract	12
1. Scope of Contract	12
2. Advance Payment and Terms of Payment	12
3. Performance Security	12
4. Inspection and Tests	12
5. Warranty	12
6. Liability of the Supplier	13
Section V. Special Conditions of Contract	14
Section VI. Schedule of Requirements	16
Section VII. Technical Specifications	17
Section VIII. Checklist of Technical and Financial Documents	24
Section IX. Bidding Forms	25

## Glossary of Acronyms, Terms, and Abbreviations

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

CPI - Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – "Free Carrier" shipping point.

**FOB** – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

## **Section I. Invitation to Bid**



# Republic of the Philippine TARLAC STATE UNIVERSITY

Romulo Blvd., San Vicente, Tarlac City Tel. No.: (045) 982 4630 Website: www.tsu.edu.ph

### INVITATION TO BID

## For the Project

## **Supply and Delivery of IT Equipment (APP 2023)**

### Invitation to Bid No. Goods 2023-031

1. The Tarlac State University, through Regular Agency Fund (RAF) and Special Fund (SB) 2023 intends to apply the sum of **Thirty Million Two Hundred Fifteen Thousand Pesos** (**P** 30,215,000.00) to payments under the contracts for the project: **Supply and Delivery of IT Equipment (APP 2023).** 

Bids received in excess of the ABC shall be automatically rejected at bid opening.

- 2. The Tarlac State University now invites bids for the project: **Supply and Delivery of IT Equipment** (**APP 2023**). Delivery of the Goods is required within **ninety** (**90**) **calendar** days from the receipt of the Notice to Proceed. Bidders must have completed, within the last five (5) years prior to the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act".
  - Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.
- 4. Interested bidders may obtain further information from **Tarlac State University** and inspect the Bidding Documents at the address given below during Tuesday to Friday from 8:00 A.M. to 5:00 P.M:

### **BAC Secretariat**

Gender and Development Building Tarlac State University Romulo Blvd., San Vicente, Tarlac City Tel. No. (045) 606-8142 / 0998 846 0206

Email: bacsec@tsu.edu.ph

5. A complete set of Bidding Documents may be acquired by interested Bidders from **July 6, 2023 to July 25, 2023** from the aforementioned address upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of ₱ 17,000.00.

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

- 6. The Tarlac State University will hold a Pre-Bid Conference on **July 13, 2023 (2:00 P.M.)** at the Business Center Audio-Visual Room, 2nd Floor, Business Center Bldg., Tarlac State University, Romulo Blvd., San Vicente, Tarlac City, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat at the address below on or before **July 25**, **2023**, **(2:00 P.M.)**.

#### **BAC Secretariat**

Motorpool and Administration Building Tarlac State University Romulo Blvd., San Vicente, Tarlac City Tel. No. (045) 606-8142 / 0998 846 0206

Email: bacsec@tsu.edu.ph

- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on **July 25, 2023** at **2:00 P.M.**, at the Business Center Audio-Visual Room, 2nd Floor, Business Center Bldg., Tarlac State University, Romulo Blvd., San Vicente, Tarlac City. Bids will be opened in the presence of the bidders' representatives who choose to attend.
- 10. The Tarlac State University reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 Revised IRR of RA 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

Ms. Jhenna Micah A. Manankil/ Mr. Joshua Jonathan Jacinto BAC Secretariat
Motorpool and Administration Building
Tarlac State University
Romulo Blvd., San Vicente, Tarlac City
Tel. No. (045) 606-8142 / 0998 846 0206
Email: bacsec@tsu.edu.ph

(SGD) DR. MURPHY P. MOHAMMED BAC Chairperson

## **Section II. Instructions to Bidders**

### 1. Scope of Bid

- 1.1. The Tarlac State University wishes to receive Bids for the project **Supply and Delivery of IT Equipment (APP 2023),** with identification number Invitation to **Bid No: Goods 2023-031**.
- 1.2. The procurement project (referred to herein as "Project") is composed of thirteen items, the details of which are described in Section VII. Technical Specifications.

### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for **2023** in the amount of ₱ **30,215,000.00**
- 2.2. The source of funding is the Regular Agency Fund and Special Fund.

### 3. Bidding Requirements

- 3.1. The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.
- 3.2. Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or IB by the BAC through the issuance of a supplemental or bid bulletin.
- 3.3. The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

### 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder must have a SLCC that is similar to the Project, as described in the **BDS**, with a value, adjusted to current prices using the PSA's CPI, that is at least equivalent to fifty percent (50 %) of the ABC of the particular lot.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that subcontracting is not allowed

### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and at the address indicated in paragraph 6 of the **IB**.

### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

### 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII. Checklist of Technical and Financial Documents**.
- 10.2. The Bidder's **SLCC** as indicated in **ITB** Clause 5.3 should have been completed **within five** (5) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII. Checklist of Technical and Financial Documents**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the IB shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - ii. The price of other (incidental) services, if any, as listed in **Section VII. Technical Specifications**.

### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in Philippine Pesos.

### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **November 22, 2023**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

### 15. Sealing and Marking of Bids

- 15.1. Each Bidder shall submit one copy of the first and second components of its Bid.
- 15.2. The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.
- 15.3. If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be

digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

### 18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

### 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items are indicated in **Section VII. Technical Specifications**, and the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as one project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

### 20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

### 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

# **Section III. Bid Data Sheet**

ITB Clause	
5.3	For this purpose, contracts similar to the Project shall be the supply and delivery of similar goods comprising the Project.
7.1	No further instructions.
12	The price of the Goods shall be quoted DDP Tarlac City, Philippines or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	<ul> <li>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</li> <li>a. The amount of not less than two percent (2 %) of ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b. The amount of not less than five percent (5 %) of ABC if bid security is in Surety Bond.</li> </ul>
19.3	The ABC for the project is ₱ 30,215,000.00
20.2	No further requirements.
21.2	No further requirements.

### **Section IV. General Conditions of Contract**

### 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

### 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV. Technical Specifications shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

### 5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the

defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

# **Section V. Special Conditions of Contract**

GCC Clause	
1	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meaning assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	The delivery terms applicable to this Contract are delivered to Tarlac State University Romulo Blvd., San Vicente, Tarlac City. Risk and title will pass from the Supplier the Procuring Entity upon receipt and final acceptance of the Goods at their destination
	Delivery of the Goods shall be made by the Supplier in accordance with the term specified in Section VI. Schedule of Requirements.
	Packaging –
	The Supplier shall provide such packaging of the Goods as is required to prevent the damage or deterioration during transit to their final destination, as indicated in the Contract. The packaging shall be sufficient to withstand, without limitation, rough and ling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take intronsideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
	The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in an subsequent instructions ordered by the Procuring Entity.
	The outer packaging must be clearly marked on at least four (4) sides as follows:
	Name of the Procuring Entity Name of the Supplier
	Contract Description Final Destination Gross weight Any special lifting instructions
	Any special handling instructions Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be place on an accessible point of the outer packaging if practical. If not practical the packagin list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDI transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. **Intellectual Property Rights –** The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

The inspections and tests that will be conducted are: visual and sensory inspection and

4

# **Section VI. Schedule of Requirements**

The delivery date for the Goods covered by the Contract shall be within ninety (90) calendar days upon receipt of the Notice to Proceed.

# **Section VII. Technical Specifications**

Item	Description			
No. 1.	SWITCH 16-PORT MANAGED 10G POE+ GIGABIT SWITCH WITH SFP+			
	PORTS WITH 2PCS MFF MODULES,			
	Enclosure Characteristics; SGCC Steel; Total Non-Blocking Throughput: 160 Gbps;			
	Switching Capacity: 320 Gbps; Forwarding Rate: 238.10 Mpps; Max. DC Power			
	Consumption: 36W (Excludes SFP/SFP+ Modules); Power Method: AC DC; 100-			
	240VAC/50-60 Hz, Universal Input: DC 56W, 25 to 16V, with 2.5 mm DC Power			
	Inline Connector; Supported Voltage Range 100 to 240VAC: 25 to 16VDC; Power Supply: AC/DC, Internal, 56W DC;			
	LEDs Per Data Port: Speed/Link/Activity; Networking Interfaces: (12) 1/10 Gbps			
	SFP+ Ethernet Ports, (4) 1/10 Gbps RJ45 Ethernet Ports; Management Interface: (1)			
	RJ45 Serial Port, Ethernet In/Out Band; Rackmount: Yes, 1U High; ESD/EMP			
	Protection: Air: ± 24 kV, Contact: ± 24 kV; Shock and Vibration: ETSI300-019-1.4			
	Standard; Operating Temperature: -5 to 40° C (23 to 104° F); Operating Humidity: 5			
	to 95% Noncondensing; Certifications: CE, FCC, IC; Core Switching Features:			
	ANSI/TIA-1057: LLDP-Media Endpoint Discovery (MED):			
	• IEEE 802.1AB: Link Layer Discovery Protocol (LLDP)			
	<ul> <li>• IEEE 802.1D: Spanning Tree Compatibility</li> <li>• IEEE 802.1S: Multiple Spanning Tree Compatibility</li> </ul>			
	• IEEE 802.18: Multiple Spanning Tree Compatibility • IEEE 802.1W: Rapid Spanning Tree Compatibility			
	• IEEE 802.1Q: Virtual LANs with Port-Based VLANs			
	• IEEE 802.1p: Ethernet Priority with User Provisioning and Mapping:			
	• IEEE 802.1X: Port-Based Authentication with Guest VLAN Support			
	• IEEE 802.3ab: 1000BASE-T			
	• IEEE 802.3an-2006: 10GBASE-T			
	• IEEE 802.1ak: Virtual Bridged Local Area Networks - Amendment 07: Multiple			
	Registration Protocol			
	• IEEE 802.3ac: VLAN Tagging			
	• IEEE 802.3ad: Link Aggregation			
	<ul> <li>IEEE 802.3x: Flow Control</li> <li>IEEE 802.1D-2004: Generic Attribute Registration Protocol: Clause 12 (GARP)</li> </ul>			
	• IEEE 802.1D-2004: Generic Attribute Registration Flotocol. Clause 12 (GARF)  • IEEE 802.1D-2004: Dynamic L2 multicast registration: Clause 10 (GMRP)			
	• IEEE 802.1Q-2004: Dynamic L2 multicast registration: Clause 10 (GWRP)  • IEEE 802.1Q-2003: Dynamic VLAN registration: Clause 11.2 (GVRP)			
	• RFC 4541: Considerations for Internet Group Management Protocol (IGMP)			
	Snooping Switches			
	Advance 2Layer 2 features			
	Broadcast Storm Recovery			
	Broadcast/Multicast/Unknown Unicast Storm Recovery			
	• DHCP Snooping			
	• IGMP Snooping Querier			
	<ul><li>Independent VLAN Learning (IVL) Support</li><li>Jumbo Ethernet Frame Support</li></ul>			
	Port MAC Locking			
	• Port Mirroring • Protected Ports			
	• Static MAC Filtering			
	• TACACS+			
	Voice VLANs			
	Unauthenticated VLAN			
	• Internal 802.1X Authentication Server			
	Platform Specifications			
	DHCP Server Maximum Number of Pools: 128 Maximum Number of Leases (Total):			
	2048 • Routing Number of Routes: 16 Number of Routing Interfaces: 15			
	• VLANs: 4093			

- MAC Addresses: 16,384
- MSTP Instances: 4
- LAGs: 32
- ACLs: 100 with 10 Rules per Port
- Traffic Classes (Queues): 8

System Facilities

**Event and Error Logging Facility** 

- Run-Time and Configuration Download Capability
- PING Utility
- FTP/TFTP Transfers via IPv4/IPv6
- Malicious Code Detection
- BootP and DHCP
- RFC 2021: Remote Network Monitoring Management Information Base Version 2
- RFC 2030: Simple Network Time Protocol (SNTP)
- RFC 2819: Remote Network Monitoring Management Information Base
- RFC 2865: RADIUS Client
- RFC 2866: RADIUS Accounting
- RFC 2868: RADIUS Attributes for Tunnel Protocol Support
- RFC 2869: RADIUS Extensions
- RFC 3579: RADIUS Support for EAP
- RFC 3580: IEEE 802.1X RADIUS Usage Guidelines
- RFC 3164: BSD Syslog Protoco

Management

Web UI • Industry-Standard CLI

- IPv6 Management Password Management Auto install Support for Firmware Images and Configuration Files SNMP v1, v2, and v3 SSH 1.5 and 2.0
- SSL 3.0 and TLS 1.0 Telnet (Multi-Session Support) Layer 3 Routing: Static Routing QOS Access Control Lists (ACLs), Permit/Deny Actions for Inbound IP and Layer 2 Traffic Classification Based on: Time-Based ACL Source/Destination IP Address TCP/UDP Source/Destination Port

IP Protocol Type Type of Service (ToS) or Differentiated Services (DSCP) Field Source/Destination MAC Address Ether Type IEEE 802.1p User Priority VLAN ID RFC 1858: Security Considerations for IP Fragment Filtering

- Optional ACL Rule Attributes Assign Flow to a Specific Class of Service (CoS) Queue Redirect Matching Traffic Flows
- Differentiated Services (DiffServ) Classify IP DSCP-to-Queue Mapping

Configurable Interface Trust Mode (IEEE 802.1p, DSCP, or Untrusted)

Interface Egress Shaping Rate Strict Priority versus Weighted Scheduling per Queue Warranty: at least 1 year warranty Traffic Based on Same Criteria as ACLs Mark the IP DSCP or Precedence Header Fields, Optional

Police the Flow to a Specific Rate with Two-Color Aware Support

RFC 2474: Definition of the Differentiated Services Field (DS field) in the IPv4 and IPv6 Headers

RFC 2475: An Architecture for Differentiated Services RFC 2597: Assured Forwarding Per-Hop Behavior (PHB) Group

RFC 3246: An Expedited Forwarding PHB

RFC 3260: New Terminology and Clarifications for DiffServ

• Class of Service (CoS) Queue Mapping Configuration AutoVoIP: Automatic CoS Settings for VoIP

### 2. PRINTER, MULTIFUNCTION INKJET A3 WI-FI DUPLEX COLORED

Print Method Precision Core Printhead

Minimum Ink Droplet Volume 2.8 pl

Control Panel 4.3 " TFT Color LCD

Print Direction Bi-directional printing, Uni-directional printing

Nozzle Configuration 400 x 2 nozzles Black, 128 x 2 nozzles per color (Cyan,

Magenta, Yellow) Maximum Resolution 4,800 x 2,400 dpi (with Variable-Sized

Droplet Technology) Print Speed Draft, A4 (Black / Color): Up to 32 ppm / 20 ppm

Copy Speed ISO 29183, A4, Simplex (Black / Color): Up to 16 ipm / 8.8 ipm

Scanner Type Flatbed color image scanner Sensor Type CIS

Optical Resolution 1200 x 2400 dpi

Paper Feed Method Friction feed

Connectivity "USB: Hi-Speed USB 2.0

Network: Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct" Dimensions (+/- 10%)

(W x D x H): 666 x 486 x 418 mm Warranty 1 year warranty

#### 3. COMPUTER, DESKTOP FOR CAD LABORATORY,

Processor: Intel® Core<sup>TM</sup> i9 (8 Core, 16 threads 16MB Cache, 5.0Ghz, 5 Ghz Turbo OS: Pre-loaded OEM Windows 11 Pro 64bit English (Genuine Microsoft OS Media Kit CD Included) Memory: 16 GB, 2x8 GB, DDR4-2666 MHz, ECC/Non-ECCSDRAM Storage: 512GB NVMe Class 35 Solid State Drive Video Card: Cores "6144, Boost Clock 1.77Ghz, Base Clock 1.58Ghz, Standard Memory Config: 8GB GDDR6X, Memory Interface Width: 256-bit

Ports: 4 USB 2.0 Type A (2 Front / 2 Rear)

5 USB 3.1 Type A (5Gb) (1 Front / 4 Rear)

1 Front USB 3.1 Type C<sup>TM</sup> (10Gb), data only

1 Front Universal Audio Jack 1 Front Internal SD Card reader (Optional) 2 Rear PS2

2 Rear Display Port 1 Rear Optional Port (VGA, HMDI 2.0, DP++ 1.2, Type C<sup>TM</sup> w/DP-Alt mode)

1 Rear RJ45 Network Connector 1 Rear Serial 1 Rear Audio Line out Display: at least 21.5" Wide Screen Monitor with LED Back Light; Display Interface: Display Port (same brand as system unit and compatible to the unit's display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor UPS: Output Power Capacity:800W / 1.1kVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Battery Compatible to the unit, Expected Battery Life (years): 2 - 4, Surge Rating: 270+ Joules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w/ 5 years on-site repair / warranty on all labor and parts by an authorized technical support.

### 4. DESKTOP FOR LABORATORY,

Processor : Intel i5 11th Generation or latest Equivalent OS : Pre-loaded Genuine Windows 11 Pro 64bit

Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz

Storage: 512GB Solid State Drive + 1TB HDD

Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear)

1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/ 5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS

Line Interactive UPS Interface LED

On / Off button IEC C14 (Input cord is provided)

Data Line Protection (4) Universal outlets

Rating (VA/W): 1200VA/600W Format: Tower

Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V

Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided)

Outputs : (4) Universal Outlets Communication Ports : USB Warranty: 2 years Local Supplier Warranty

### **5.** DESKTOP, COMPUTER HIGH PERFORMANCE

Processor: Intel® Core<sup>TM</sup> i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory;

Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable stand (130MM), Tilt (-5° to 21°), Swivel (-45° to 45°),Pivot (-90° to 90°); Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port); Peripherals - Keyboard, Optical scroll mouse (must be same brand with system unit); Warranty: with 5 years on-site repair/ warranty on all labor and parts by an authorized technical support; UPS - rating: 1200VA /600 Watts, output voltage: 230V, output frequency auto sensing, 50 Hz Default Warranty: at least 2 years local supplier warranty

### **6.** COMPUTER, LAPTOP HIGH PERFORMANCE,

Processor - M1 Max chip with 10-core CPU, 32-core GPU, and 16-core Neural Engine Memory - 64GB unified memory

Storage - 1TB SSD storage

Graphics - 32-core GPU, and 16-core Neural Engine \* Operating System - MacOS Connectivity - Two thunderbolt / USB 4 ports with support for: - Charging - Display port - Thunderbolt 3 (up to 40Gbps) - USB 4 (up to 40Gbps) - USB 3.1 Gen 2 (up to 10 Gbps) WIFI Connectivity - 802.11ax WIFI 6 wireless networking IEEE 802.11 a/b/g/n/ac compatible Bluetooth 5.0 wireless technology

Display- Liquid Retina XDR display - 14.2-inch (diagonal) Liquid Retina XDR display 1 3024-by-1964 native, resolution at 254 pixels per inch \* Camera - 1080p FaceTime HD camera, Advance image signal processor with computational video \* Peripherals - Wireless Rechargeable magic mouse, Carrying bag

Warranty - with protection plan 3 years, repair or replacement coverage, both parts and labor, from authorized technicians or service centers

#### 7. SCANNER, HIGH SPEED

Device type : Scanner Category : Desktop

Color or mono : Color / Mono Document feeder (sheets) : 80

Interface: USB 3.2 Gen 1x1, USB 2.0 compatible Dual scan: Yes Scan resolution: 600 dpi Output format: Single and multi-page TIFF, JPEG, RTF, BMP, PNG, single and multi-page PDF, searchable PDF, Microsoft docx, xlsx

Scanner throughput speeds: Up to 50 ppm/100ipm at 200 and 300 dpi (b/w, grayscale/color) -Inclusive of Capture Software Professional Edition

- With Dongle Warranty : 1 year warranty, with optional extended warranty support up to 3 years.

### 8. WHITEBOARD, INTERACTIVE

"Interactive Whiteboard Screen size: 65 inches

Main body : Codec, camera, microphone array, and speaker CPU : Dual-chip 4-core@1.5 GHz + 4-core@1.8 GHz RAM : 12GB

Flash: 64GB Resolution: 4K Resolution

Multi-touch : 20 points Built-in Camera : Yes Resolution : 4K30 Auto voice tracking : Yes

Ultra-wide angle: 80 degrees Stereo audio: Yes Microphones: Yes Sound pickup distance: 8 meters Video input ports: 1 x built-in camera 1 x HDMI (4K 30 fps), 1 x HDMI (4K 30 fps, external cameras) 1 x optional OPS input (4K 30 fps) Video output ports: 1 x embedded monitor 1 x HDMI (1080p 60 fps)

Audio input ports: 1 x built-in speaker 1 x 3.5 mm LINE OUT 1 x HDMI (audio output) Audio output ports: 1 x built-in speaker 1 x 3.5 mm LINE OUT 1 x HDMI (audio output)

Wi-Fi: IEEE 802.11 a/b/g/n/ac/w, IEEE 802.1x, WPA2, Wi-Fi AP, and station mode

Inclusions: Projection Tool, Stylus Pens, Rolling Stand Warranty: at least 1 year onsite repair or hardware replacement warranty"

**9.** IP PHONE, MITEL IP420 (compatible to existing system)

130x28 pixels, backlit display Half-duplex speakerphone Audio Controls LED Indicator SIP protocol VLAN, DiffServ/ToS

G.711 uLaw/aLaw, G.722, G.723, G.726, G.729a, iLBC, Linear 16bit Built-in 10/100 Ethernet switch 802.3af PoE Class 1 (2.4W idle / 3.2W active / 3.9W max) DHCP, Static IP Addressing Local PoE Adapter w/ License Bundle, Essential On-site Warranty: at least 1-year warranty

#### 10. COMPUTER, SERVER

"1 x Trusted Platform Module – Trusted Platform Module 2.0

- 1 x Chassis Configuration Chassis with up to 8 x 3.5" SAS/SATA Hard Drives for 2CPU Configuration
- 1 x Processor Intel Xeon Gold 6226R 2.9G 16C/32T, 10.4GT/s, 22M Cache, Turbo, HT (150W) DDR4-2393
- 6 x Memory Capacity 64GB RDIMM 3200MT/S, Dual Rank
- 2x Hard Drives 480GB SSD SATA Mix Use 6Gbps 512 2.5in Hot-Plug AG Drive, 3.5in HYB CARR, 3 DWPD
- 6 x Hard Drives 16TB Hard Drive 7.2k SAS 12Gbps 512e 3.5 in Hot-Plug
- 1 x Network Card Broadcom 5720 Quad Port 1GbE BASE-T, rNDC
- 1 x Network Cards Broadcom 5720 Dual Port 1GbE BASE-T Adapter, PCIE Full Height

Warranty: w/ 5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support."

### 11. COMPUTER, DESKTOP FOR OFFICE

Processor: Intel i5 10th Gen or latest equivalent

OS: Pre-loaded OEM Windows 11 Pro 64bit English (Genuine Microsoft OS Media Kit CD Included, DVD or Flash drive from OEM, or document proof of OS genuity) Memory: 8 GB, 2X4GB DDR4, 2666 MHz, ECC/Non-ECCSDRAM

Storage: 512GB SSD Graphics: Integrated Graphics Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 21.5" Wide Screen Monitor with LED Back Light; Display Interface: Display Port; (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor Warranty: w/ 5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS With Automatic Voltage Regulation (AVR), UPS can ride through under & over voltage without utilizing battery Rely on batteries anytime: UPS can start up on batteries without mains (Cold Start) UPS is equipped with data line surge protection (internet/fax) to avoid back door damages coming through phone lines

Ease of connection to any equipment (PC, HD TV, internet gateway) with universal outlets Interface

**LED** 

On / Off button

IEC C14 (Input cord is provided)

Data Line Protection (4) Universal outlets

Rating (VA/W): 650VA/360W

Format: Tower

Technology: Line interactive

Input voltage ranges without using batteries: 160V - 290V

Output voltage: 230V

Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes

Input: IEC C14 (Input cord IEC C13 - BS1363 is provided)

Outputs: (4) Universal Outlets

Communication Ports: USB

Warranty: 2 years Local Supplier Warranty

w/ 1 unit of universal socket adapter

### 12. COMPUTER, LAPTOP FOR OFFICE

Processor - 8-core CPU with 4 performance cores and 4 efficiency cores,

Memory - 8GB unified memory

Storage - 256 SSD

Graphics - 8-core GPU, and 16-core Neural Engine

Operating OS - MacOS

Connectivity - Two Thunderbolt / USB 4 ports with Support for:

\* Charging \* Display port \* Thunderbolt 3 (up to 40 Gbps) \* USB 4 (up to 40 Gbps) \* USB 3.1 Gen 2 (up to 10 Gbps)

Wireless Connectivity - 802.11 ax WIFI 6 Wireless networking, IEEE 802.11

a/b/g/n/ac compatible Bluetooth 5.0 wireless technology

Display - 13.3 - inch (diagonal) LED-backlit display with IPS technology; 2560-by-1600 native resolution at 227 pixels per inch with Supported scaled resolutions: 1680 by 1050, 1440 by 900, 1024 by 640 500 nits brightness Wide color (P3) True Tone Technology

Camera - 720p FaceTime HD Camera

Peripherals - Carrying bag

Warranty - with protection plan for 3 years, repair or replacement coverage both parts and labor, from authorized technicians or service centers

### 13. SCANNER, PLANETARY

Application: Universal book scanner A2

Feature: Flat and V-shape scan

Max scan area : DIN A2+ (625 mm x 420 mm)

Scan resolution : - 300 dpi; A3 - 400 dpi; A4 - 550 dpi; A5+ (244 mm x 165 mm) - 600 dpi

Scan system: Integrated professional DSLR-camera 24MP sensor

Scan time: Full format: 0.5 sec capture, less than 4 sec per full scan-save cycle in continuous mode

t i i i i

Lighting: User adjustable LED-Lighting UV/IR free, selectable built-in centered of

side illumination

Side lights: Standard built-in

Dimensions: (DxWxH), mm: 900 x 780 x 1090

Warranty: 1 year warranty + 3 years extended parts warranty

Note: Bidders must state in the Statement of Compliance either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provision of ITB Clause 4.

## **Section VIII. Bid Documents Checklist**

This Bid Documents Checklist is provided to guide the Bidder in preparing his/her bid. The checklist may be used by the Bidder to verify if the Bid includes all the prescribed documents.

The Bidder, in submitting the required documents, must use the prescribed forms found in Section X. Bidding Forms. However, should a bidder choose to use a different formatting style for a required document, the bidder must ensure that the substance in the form given in Section X for that particular document is substantially captured in the equivalent document.

A. Eliş	gibility and Technical Documents (Contents of Envelope 1)
	1. Photocopy of valid PhilGEPS Certificate of Registration (Revised and updated in accordance with GPPB Resolution No. 15-2021)
	2. Statement of all on-going government and private contracts, including contracts awarded but not yet started, if any
	3. Statement of Single Largest Completed Contract (SLCC), similar to the contract to be bid, in accordance with ITB Clause 5.3
	4. NFCC computation
	5. <i>If applicable</i> , a valid Joint Venture Agreement (JVA), in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful
	6. Bid Securing Declaration or Bid Security, in the form, amount and validity period, as prescribed in ITB Clause 14.1
	7. Bidder's Compliance to the Technical Specifications
	8. Omnibus Sworn Statement, which shall be duly notarized
A. Fina	ancial Documents (Contents of Envelope 2)
	1. Financial Bid Form in the prescribed form
	2. Schedule of Prices

# **Section IX. Bidding Forms**

## TABLE OF CONTENTS

A.	Elig	gibility and Technical Documents	
	2.	Statement of all on-going government and private contracts, including contracts awarded but not yet started, if any	25
	3.	Statement of Single Largest Completed Contract (SLCC), similar to the contract to be bid, in accordance with ITB Clause 5.3	26
	4.	NFCC computation	27
	6.	Bid Securing Declaration or Bid Security, in the form, amount and validity period, as prescribed in ITB Clause 14.1	28
	7.	Bidder's Compliance to the Technical Specifications	30
	8.	Omnibus Sworn Statement, which shall be duly notarized	36
В.	Fina	ancial Documents	
	1.	Financial Bid Form	38
	2.	Schedule of Prices	39

<i>Date</i>
-------------

To: Tarlac State University Re: Invitation to Bid No.

### List of All Ongoing Government and Private Contracts, Including Contracts Awarded But Not Yet Started

Row 1: Name of Contract Row 2: Location of Project Row 3: Contract Price	Row 1: Procuring Entity Row 2: Contact Person/Address Row 3: Telephone No.	Description of Goods	Row 1: Date of Award Row 2: Date Started Row 3: Contract Duration	Value of Outstanding Goods

Attached herewith are the following documents: Notice of Award, Notice to Proceed, and Official Receipts/Invoices, as evidences in support of the foregoing information.

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[Signature]
[Name of Bidder or Authorized Representative]
[Position or Title]

Daie
------

To: Tarlac State University Re: Invitation to Bid No.

### Statement of Single Largest Completed Contract Similar to the Contract to be Bid

Row 1: Name of Contract Row 2: Location	Contract Price	Row 1: Procuring Entity Row 2: Address Row 3: Contact Person/Tel. No.	Description of Goods	Date of Award	Date Completed

Attached herewith are the following documents: Contract Agreement, Notice of Award, Notice to Proceed, Official Receipt/Invoice, Certificate of Final Inspection, and Certificate of Acceptance, as evidences in support of the foregoing information.

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[Signature]
[Name of Bidder or Authorized Representative]
[Position or Title]

[Date]

To: Tarlac State University Re: Invitation to Bid No.

### NET FINANCIAL CONTRACTING CAPACITY

Based on our Income Tax Return and Audited Financial Statement for the Fiscal Year [YEAR], duly submitted to the Bureau of Internal Revenue, and which form part of our Bid, the summary of our firm's financial condition is as given below:

		Year [YEAR]
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	

Based on the aforementioned data and the Value of Outstanding Works from the Statement of All Ongoing Government and Private Contracts, which also form part of our Bid, our Net Financial Contracting Capacity (NFCC) is:

**NFCC** = [(current asset minus current liabilities) ( $\underline{15}$ )] minus [value of all outstanding or uncompleted portions of the projects under ongoing contracts including awarded contracts yet to be started coinciding with the contract to be bid].

NFCC =

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[Signature]
[Name of Bidder or Authorized Representative]
[Position or Title]

### **Bid-Securing Declaration**

Republic of the Philippines City/Municipality Of
XX
Invitation to Bid [Insert reference number]
To: Tarlac State University
I/We, the undersigned, declare that:
1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1 (f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid-Securing Declaration shall cease to be valid on the following circumstances:
<ul> <li>Upon expiration of the bid validity period, or any extension thereof pursuant to your request;</li> </ul>
b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and
i) I/we failed to timely file a request for reconsideration or
ii) I/we filed a waiver to avail of said right;
c. I am/we are declared as the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.
<b>IN WITNESS WHEREOF</b> , I/We have hereunto set my/our hand/s this day of [month] [year] at [place of execution].

[Signature]
[Name of Bidder's Authorized Representative
[Signatory's legal capacity]
Affiant

<b>SUBSCRIBED AND SWORN</b> to before me this day of [month] [year] at [place of execution]. Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no
Witness my hand and seal this day of [month] [year].
[Name and Signature of Notary Public]
Serial No. of Commission
Notary Public for until
Roll of Attorneys No
PTR No, [date issued], [place issued]
IBP No, [date issued], [place issued]
Doc. No
Page No
Book No
Series of .

[Date]

To: Tarlac State University Re: Invitation to Bid No.

### Compliance to the Technical Specifications

Item No.	Description (SWITTERLAND REPORT OF REAL PROPERTY OF REPORT OF REAL PROPERTY OF REAL PROPERT	Bidder's Compliance State "Comply" below if your offer is complying with the specifications, otherwise state "We are offering the same goods with the following specifications [State the complete specifications of the alternative offer]
	SWITCH 16-PORT MANAGED 10G POE+ GIGABIT SWITCH WITH SFP+ PORTS WITH 2PCS MFF MODULES, Enclosure Characteristics; SGCC Steel; Total Non-Blocking Throughput: 160 Gbps; Switching Capacity: 320 Gbps; Forwarding Rate: 238.10 Mpps; Max. DC Power Consumption: 36W (Excludes SFP/SFP+ Modules); Power Method: AC DC; 100-240VAC/50-60 Hz, Universal Input: DC 56W, 25 to 16V, with 2.5 mm DC Power Inline Connector; Supported Voltage Range 100 to 240VAC: 25 to 16VDC; Power Supply: AC/DC, Internal, 56W DC; LEDS Per Data Port. Speed/Link/Activity; Networking Interfaces: (12) 1/10 Gbps SFP+ Ethernet Ports, (4) 1/10 Gbps R145 Ethernet Ports; Management Interface: (1) R145 Serial Port, Ethernet In/Out Band; Rackmount: Yes, 1U High; ESD/EMP Protection: Air: ± 24 kV, Contact: ± 24 kV; Shock and Vibration: ETS1300-019-1.4 Standard; Operating Temperature: -5 to 40° C (23 to 104° F); Operating Humidity: 5 to 95% Noncondensing: Certifications: CE, FCC, IC; Core Switching Features: ANSI/TIA-1057: LLDP-Media Endpoint Discovery (MED):  **IEEE 802.1D: Spanning Tree Compatibility*  **IEEE 802.1D: Spanning Tree Compatibility*  **IEEE 802.1S: Multiple Spanning Tree Compatibility*  **IEEE 802.1P: Ethernet Priority with User Provisioning and Mapping:*  **IEEE 802.1P: Ethernet Priority with User Provisioning and Mapping:*  **IEEE 802.1AB: Virtual LANs with Port-Based VLANS*  **IEEE 802.1ab: Unity Provision (1) GBASE-T*  **IEEE 802.1ab: Virtual Bridged Local Area Networks - Amendment 07: Multiple Registration Protocol*  **IEEE 802.3ab: 1000BASE-T*  **IEEE 802.3ab: Link Aggregation*  **IEEE 802.3ab: Link Aggregation*  **IEEE 802.1D-2004: Generic Attribute Registration Protocol: Clause 12 (GARP)*  **IEEE 802.1D-2004: Generic Attribute Registration: Clause 10 (GMRP)*  **IEEE 802.1D-2004: Dynamic VLAN registration: Clause 10 (GMRP)*  **IEEE 802.1D-2004: Dynamic L2 multicast registration: Clause 10 (GMRP)*  **IEEE 802.1D-2004: Dynamic L2 multicast registration: Clause 10 (GMRP)*  **IEEE 802.1D-2004: Dynamic L2 multicast registration: Clause 10 (GMRP)*  *	

- Voice VLANs
- Unauthenticated VLAN
- Internal 802.1X Authentication Server

**Platform Specifications** 

DHCP Server Maximum Number of Pools: 128 Maximum Number of Leases (Total): 2048 • Routing Number of Routes: 16 Number of Routing Interfaces: 15

- VLANs: 4093
- MAC Addresses: 16,384
- MSTP Instances: 4
- LAGs: 32
- ACLs: 100 with 10 Rules per Port
- Traffic Classes (Queues): 8

**System Facilities** 

Event and Error Logging Facility

- Run-Time and Configuration Download Capability
- PING Utility
- FTP/TFTP Transfers via IPv4/IPv6
- Malicious Code Detection
- · BootP and DHCP
- RFC 2021: Remote Network Monitoring Management Information Base Version 2
- RFC 2030: Simple Network Time Protocol (SNTP)
- RFC 2819: Remote Network Monitoring Management Information Base
- RFC 2865: RADIUS Client
- RFC 2866: RADIUS Accounting
- RFC 2868: RADIUS Attributes for Tunnel Protocol Support
- RFC 2869: RADIUS Extensions
- RFC 3579: RADIUS Support for EAP
- RFC 3580: IEEE 802.1X RADIUS Usage Guidelines
- RFC 3164: BSD Syslog Protocol

Management

Web UI • Industry-Standard CLI

- IPv6 Management Password Management Auto install Support for Firmware Images and Configuration Files SNMP v1, v2, and v3 SSH 1.5 and 2.0
- SSL 3.0 and TLS 1.0 Telnet (Multi-Session Support) Layer 3 Routing: Static Routing QOS Access Control Lists (ACLs), Permit/Deny Actions for Inbound IP and Layer 2 Traffic Classification Based on: Time-Based ACL Source/Destination IP Address TCP/UDP Source/Destination Port

IP Protocol Type Type of Service (ToS) or Differentiated Services (DSCP) Field Source/Destination MAC Address Ether Type IEEE 802.1p User Priority VLAN ID RFC 1858: Security Considerations for IP Fragment Filtering

- Optional ACL Rule Attributes Assign Flow to a Specific Class of Service (CoS) Queue Redirect Matching Traffic Flows
- Differentiated Services (DiffServ) Classify IP DSCP-to-Queue Mapping Configurable Interface Trust Mode (IEEE 802.1p, DSCP, or Untrusted)

Interface Egress Shaping Rate Strict Priority versus Weighted Scheduling per Queue Warranty: at least 1 year warranty Traffic Based on Same Criteria as ACLs Mark the IP DSCP or Precedence Header Fields, Optional

Police the Flow to a Specific Rate with Two-Color Aware Support

RFC 2474: Definition of the Differentiated Services Field (DS field) in the IPv4 and IPv6 Headers

RFC 2475: An Architecture for Differentiated Services RFC 2597: Assured Forwarding Per-Hop Behavior (PHB) Group

RFC 3246: An Expedited Forwarding PHB

RFC 3260: New Terminology and Clarifications for DiffServ

• Class of Service (CoS) Queue Mapping Configuration AutoVoIP: Automatic CoS Settings for VoIP

### 2. PRINTER, MULTIFUNCTION INKJET A3 WI-FI DUPLEX COLORED

Print Method Precision Core Printhead

Minimum Ink Droplet Volume 2.8 pl

Control Panel 4.3 " TFT Color LCD

Print Direction Bi-directional printing, Uni-directional printing

Nozzle Configuration 400 x 2 nozzles Black, 128 x 2 nozzles per color (Cyan, Magenta, Yellow) Maximum Resolution 4,800 x 2,400 dpi (with Variable-Sized Droplet Technology) Print Speed Draft, A4 (Black / Color): Up to 32 ppm / 20 ppm Copy Speed ISO 29183, A4, Simplex (Black / Color): Up to 16 ipm / 8.8 ipm Scanner Type Flatbed color image scanner Sensor Type CIS Optical Resolution 1200 x 2400 dpi

Paper Foed Method Friction feed Connectivity "USB H-Speed USB 2.0 Network: Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct" Dimensions (+/- 10%) (W. N. D. H): 666 x 486 x 418 mm Warranty   year warranty    3. COMPUTER, DESKTOP FOR CAD LABORATORY, Processor: Intel® Core® 19 (8 Core, 16 threads 16MB Cache, 5.0Ghz, 5 Ghz Turbo OS: Pre-loaded OEM Windows 11 Pro 64bit English (Genuine Microsoft OS Media Kit CD Included) Memory: 16 GB, 288 GB, DDR4-2666 MHz, ECC/Non- ECCSDRAM Storage: 512GB NVMe Class 35 Solid State Drive Video Card: Cores "6144, Boost Clock 1.77Ghz, Base Clock 1.58Ghz, Standard Memory Config: 8GB GDDR6X, Memory Interface Withlt: 256-bit Ports: 4 USB 2.0 Type A CFmrt / 2 Rear) 5 USB 3.1 Type A (5Gb) (1 Front / 4 Rear) 1 Front Universal Audio Jack 1 Front Internal SD Card reader (Optional) 2 Rear PS2 2 Rear Display Port 1 Rear Optional Port (VGA, 11MD) 2.0, DP++ 1.2, Type CTM w/DP-All mode) 1 Rear R45 Network Connector 1 Rear Serial 1 Rear Audio Line out Display: at least 21.5" Wide Sereen Monitor with LED Back Light; Display Interface: Display Port (same brand as system unit and companible to the unit's display output port) Peripherals: Keyboard, Optical seroll mouse (must be same brand with system unit) Form Factor: Small Form Factor USS Coupter Power Capacity; 800W / LikVA, Nominal Output Voltage: 230V. Nominal Input Voltage: 230V, Battery type: Maintenance-free sealed Lead-Acid battery with suspended electorly: leakproof, Replacement Battery: Battery Compatible to the unit. Expected Battery Life (years): 2 - 4, Surge Rating: 270 Joulee Rolfs Compliant, Height: 21.5 cm x Wilth: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w 5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY, Processor: Intel i5 11 Int Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 288 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + 1TB HDD Or / Off Dutton IEC C14 (Input cord is provided) Data Line Protection (4) Unive		D E 1M (1 1 E' (' C 1	
Network: Bithernet, Wi-Fi ITEET 802.11b/g/n, Wi-Fi Direct* Dimensions (4/-10%) (W.x. D.x. H): 666 x 486 x 418 mm Warranty   year warranty   3. COMPUTER, DESKTOP FOR CAD LABORATORY, Processor: Intel® Core® 1/9 (8 Core, 16 threads 16MB Cache, 5.0Ghz, 5 Ghz Turbo OS: Pre-loaded OEM Windows 11 Pro 64bit English (Genuine Microsoft OS Media Kir CD Included) Memory: 16 GB, 2x8 GB, DDR4-2666 MHz, ECCNon- ECCSDRAM Storage: 512GB NVMe Class 35 Solid State Drive Video Card: Cores "6144, Boost Clock 1.77Ghz, Base Clock 1.88Ghz, Stundard Memory Config: 8GB GDDR6X, Memory Interface Width: 256-bit Ports: 4 USB 2.071pps 4.2 (Front / 2 Rear) 5 USB 3.17ype A (5Gb) (1 Front / 4 Rear) 1 Front USB 3.17ype A (5Gb) (1 Front / 4 Rear) 1 Front USB 3.17ype A (5Gb) (1 Front / 4 Rear) 2 Rear Display Port 1 Rear Optional Port (VGA, HMDI 2.0, DP+ 1.2, Type Crow WDP-All mode) 1 Rear R45 Network Connector 1 Rear Serial 1 Rear Audio Line out Display; at least 21.5" Wide Screen Monitor with LED Back Light Display Interface: Display Port (same brand as system unit and compatible to the units display output port) Peripheralis: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor UPS: Output Power Capacity:800W / 1.1kVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery Uppe: Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Statery Compatible to the unit. Supected Battery Life (years): 2 - 4, Surge Rating: 270+ Joules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, wis 5 years on site repair / warranty on all labor and parts by an authorized technical support.  4 DESKCTOP FOR LABORATORY, Processor: Intel 51 Hth Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz.  4 Least 17.4-5 port 10/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear		•	
GW x D x H): 666 x 480 x 418 mm Warranty   your warranty		•	
3. COMPUTER, DESKTOP FOR CAD LABORATORY, Processor: Intel® Core, 19/18 (Score, I thereads I folds Cache, 5.0Giz, 5 Ghz Turbo OS: Pro-louded OFM Windows 11 Pro 64bit English (Genuine Microsoft OS Media Kit CD Included). Memory: 16 GB, 288 GB, DDR4-2666 MHz, ECCNon- ECCSDRAM Storrage: 51.2GB NVMc Class 35 Solid State Drive Video Card: Cores "6144, Boost Closk 1.7Gfb, Pass Closk 1.85Ghz, Standard Memory Config: 8GB GDDR6X, Memory Interface Width: 256-bit Ports: 4 USB 2.0 Type, 4 (Front / 4 Rear) 5 USB 3.1 Type A (5Gb) (1 Front / 4 Rear) 1 From Universal Audio fack 1 Front thernal SD Card reader (Optional) 2 Rear PS1 1 From Universal Audio fack 1 Front internal SD Card reader (Optional) 2 Rear PS2 2 Rear Display Port 1 Rear Optional Port (VGA, HMDI 2.0, DI*+1.2, Type Cfb w/DP-All mode) 1 Rear R45 Network Connector 1 Rear Serial 1 Rear Audio Line out Display; at least 21.5" Wide Screen Monitor with LED Back Light; Display Interface: Display Port (same brand as system unit and compatible to the unit's display output port) Peripherals: Keyboard, Optical scroll moses (musb es sume brand with system unit) Form Factor: Small Form Factor UPS: Output Power Capacity;800W 7.1.1kVA, Nominal Output Volage: 230V. Nominal Input Volage: 230V. Battery (ype) Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof, Replacemen Battery: Battery Compatible to the unit. Expected Battery Life (years): 2 - 4, Surge Rating: 2704- Joules RoHS Complaint, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, wis 5 years on site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LaBORATORY, Processor: Intel 51 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 132GB Solid State Drive + 1TB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 17.45 port 100107000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack			
Processor: Intel® Core™ 19 (8 Core, 16 threads 16 MB Cache, 5.0Ghz, 2 Ghz Turbo OS: Pre-loaded CDW windows 11 Pro 64 bit English (Geniume Microson OS Media Kit CD Included) Memory: 16 GB, 2x8 GB, DDR4-2666 MHz, ECCNon- ECCSDRAM Storage: 15.1GB NVMc Class 35 Solid Stare Drive Video Card: Cores "6144, Boost Clock 1.77Ghz, Base Clock 1.88Ghz, Standard Memory Config: 8GB GDDR6N, Memory Interface Width: 25-65-bit Ports: 4 USB 2.0 Type A (2 Front / 2 Rear) 1 From USB 3.1 Type A (2 Grby) (1 Front / 4 Rear) 1 From Universal Audo Jack 1 Front Internal SD Card reader (Optional) 2 Rear PS2 2 Rear Display Port 1 Rear Optional Port (VGA, HMDI 2.0, DI++ 1.2, Type C™ wDP-All mode) 1 Rear R43 Network Connector 1 Rear Serial 1 Rear Audio Line out Display: at least 21.5" Wide Sercen Monitor with LED Back Light; Display Interface: Display Port (Same brand as system unit and compatible to the unit's display output port) Peripherats: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor USS: Output Power Capacity, 800W / 1.1kVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte; leakproof, Replacement Battery: Battery Compatible to the unit, Expected Battery Life (years): 2 - 4, Surge Rating: 270+ Joules Rolfs Compliant, Height 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w 5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DFSKTOP FOR LABORATORY. Processor: Intel is 11 His Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + TTB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 174 days output ports (rear) Display rof (same brand as system unit and compatible to the unit's primary display output ports (rear) Display rof (same brand as system unit and compatible to the unit's primary display output por		(W x D x H): 666 x 486 x 418 mm Warranty 1 year warranty	
OS: Pre-loaded OEM Windows 11 Pro 64bit English (Genuine Microsoft OS Media Kir CD Included) Memory: 16 GB, 2x8 GB, DDR4-2666 MHz, ECC/Non-ECCSDRAM Storage: 512GB NVMc Class 35 Solid State Drive Video Card: Cores "6144, Boost Clock 1.77Glbz, Base Clock 1.58Ghz, Standard Memory Config: 8GB GDDR&X, Memory Interface Width: 256-bit Ports 4. USB 2.0 Type A C2 Front / 2 Rear)  5 USB 3.1 Type C™ (106b), data only  1 Front USB 3.1 Type C™ (106b), data only  1 Front USB 3.1 Type C™ (106b), data only  1 Front USB 3.1 Type C™ (106b), data only  1 Front USB 3.1 Type C™ (106b), data only  1 Front USB 3.1 Type C™ (106b), data only  1 Rear RJ45 Network Connector 1 Rear Serial 1 Rear Audio Line out Display: at least 21.5" Wide Screen Monitor with LED Back Light; Display Interface: Display Port (same brand as system unit and compatible to the unit's display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit)  Form Factor: Small Form Factor UPS: Output Power Capacity;800W / 1.1kVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Battery Compatible to the unit: Expected Battery Life (years): 2 - 4, Surge Rating: 270+ Joules RoHS Compliant. Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w/5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOF POR LABORATORY, Processor: Intel is 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Fro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz  Storage: 512GB Solid State Drive + 1TB HDD  Video Card: at least with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear)  1 Universal Andio Jack (front) Line-out re-tasking Line-in andio port (rear) with Display Output proft with 6GB or Video Memory.  6 Dr. Stropper Control 17 12 Line-out re-tasking	3.		
OS: Pre-loaded OEM Windows 11 Pro 64bit English (Genuine Microsoft OS Media Kir CD Included) Memory: 16 GB, 2x8 GB, DDR4-2666 MHz, ECC/Non-ECCSDRAM Storage: 512GB NVMc Class 35 Solid State Drive Video Card: Cores "6144, Boost Clock 1.77Glbz, Base Clock 1.58Ghz, Standard Memory Config: 8GB GDDR&X, Memory Interface Width: 256-bit Ports 4. USB 2.0 Type A C2 Front / 2 Rear)  5 USB 3.1 Type C™ (106b), data only  1 Front USB 3.1 Type C™ (106b), data only  1 Front USB 3.1 Type C™ (106b), data only  1 Front USB 3.1 Type C™ (106b), data only  1 Front USB 3.1 Type C™ (106b), data only  1 Front USB 3.1 Type C™ (106b), data only  1 Rear RJ45 Network Connector 1 Rear Serial 1 Rear Audio Line out Display: at least 21.5" Wide Screen Monitor with LED Back Light; Display Interface: Display Port (same brand as system unit and compatible to the unit's display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit)  Form Factor: Small Form Factor UPS: Output Power Capacity;800W / 1.1kVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Battery Compatible to the unit: Expected Battery Life (years): 2 - 4, Surge Rating: 270+ Joules RoHS Compliant. Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w/5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOF POR LABORATORY, Processor: Intel is 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Fro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz  Storage: 512GB Solid State Drive + 1TB HDD  Video Card: at least with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear)  1 Universal Andio Jack (front) Line-out re-tasking Line-in andio port (rear) with Display Output proft with 6GB or Video Memory.  6 Dr. Stropper Control 17 12 Line-out re-tasking		Processor: Intel® Core <sup>TM</sup> i9 (8 Core, 16 threads 16MB Cache, 5.0Ghz, 5 Ghz Turbo	
Kii CD Included) Memory: 16 GB, 288 GB, DDR4-2666 MHz, ECC/Non-ECCSDRAM Storage S12GB NVMc Class 35 Solid State Drive Video Card: Cores "6144, Boost Clock 1.77Ghz, Base Clock 1.58Ghz, Standard Memory Config: 8GB GDDR6X, Memory Interface Width: 26-6bit Dorts: 4 USB 2.0 Type A (2 Front / 2 Rear)  5 USB 3.1 Type A (550) of Front / 4 Rear)  1 Front USB 3.1 Type CPM (10Gb), data only 1 Front UNIVERSIA Audio Jack 1 Front Internal SD Card reader (Optional) 2 Rear PS2 2 Rear Dsplgx) Port 1 Rear Optional Port (VGiA, HMDI 2.0, DP++1.2, Type CPM wDP-Alt mode)  1 Rear R45 Network Connector 1 Rear Serial 1 Rear Audio Line out Display: at least 21.5" Wide Screen Monitor with LED Back Light: Display Interface: Display Port (same brand as system unit and compatible to the unit's display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor UES: Output Power Capacity:800W / 1.1kVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free scaled Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Battery Compatible to the unit, Expected Battery Life (years): 2-4, Surge Rating: 270+ Joules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w. 5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY, Processor: Intel is 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit. Memory: 16 GB, 238 GB, DDR4, 2666 MHz Storage, 512GB Solid State Drive + 1TB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear)  1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand saysysem unit and compatible to the unit's primary			
ECCSDRAM Storages: 512GB NVMe Class 35 Solid State Drive Video Card: Cores  °6144, Boost Clock, 1.77Ghz, Base Clock 1.58Ghz, Standard Memory Config: 8GB GIDDR6X, Memory Interface Width: 256-bit Ports: 4 USB 2.0 Type A (2 Front / 2 Rear)  5 USB 3.1 Type A (5Gb) (1 Front / 4 Rear)  1 Front Universal Audio Jack 1 Front Internal SD Card reader (Optional) 2 Rear PS2  2 Rear Display Port 1 Rear Optional Port (VGA, HMDI 2.0, DP++1.2, Type C™  w/DP-Alt mode)  1 Rear RJ45 Network Connector 1 Rear Serial 1 Rear Audio Line out Display: at least 21.5° Wide Screen Monitor with LFD Back Light; Display Interface: Display Port (same brand as system unit and compatible to the unit's display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor UPS: Output Power Capacity;800W / 1.1kVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Battery Compatible to the unit. Expected Battery Life (years): 2 - 4, Surge Rating: 270+ Ioules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, wf 5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY; Processor: Intel is 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Fro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512CB Solid State Drive + ITB HDD Video Card: at less with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) Line-out re-tasking Line-in audio port (rear) with Display Output ports with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (Front) Line-out re-tasking Line-in audio port (rear) with Displa			
"6144, Boost Clock 1.77G/Lz, Base Clock 1.58G/Lz, Standard Memory Config: 8GB GDDR6X, Memory Interface Width: 26-6bit Ports: 4 USB 2.0 Type A (2 Front 1 2 Rear)  5 USB 3.1 Type A (SGb) (1 Front 1 4 Rear)  1 Front USB 3.1 Type CTM (10Gb), data only  1 Front USB 3.1 Type CTM (10Gb), data only  1 Front USB 3.1 Type CTM (10Gb), data only  1 Front USB 3.1 Type CTM (10Gb), data only  1 Front USB 3.1 Type CTM (10Gb), data only  1 Rear P345 Network Connector 1 Rear Serial 1 Rear Audio Line out Display: at least 21.5° Wide Screen Monitor with LED Back Light; Display Interface: Display Port Came brand as system unit and compatible to the unit's display output port)  Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit)  Form Factor: Small Form Factor US: Output Power Capacity; 8000W / 1.1kVA,  Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance free sealed Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Battery Compatible to the unit, Expected Battery Life (years): 2 - 4, Surge Rating: 2704- Joules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Waranty: 2 years, wf 5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY,  Processor: Intel 15 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro-64bit  Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz  Storage: 512GB Solid State Drive + 1TB HDD  Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1B-45 port 10/100/1000 Mps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear)  1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24° Wide Screen IPS Monitor; Display Interface: Display Port (same brand with system unit) Warranty, w/ 5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS  Line Interactive UPS Interfac		· · · · · · · · · · · · · · · · · · ·	
GDDRoX, Memory Interface Width: 256-bit Ports: 4 USB 2.0 Type A (2 Front / 2 Rear) 5 USB 3.1 Type A (5Gb) (1 Front / 4 Rear) 1 Front Universal Audio Jack 1 Front Internal SD Card reader (Optional) 2 Rear PS2 2 Rear Display Port 1 Rear Optional Port (VGA, HMDI 2.0, DP++ 1.2, Type CPM w/DP-Alt mode) 1 Rear RJ45 Network Connector 1 Rear Serial 1 Rear Audio Line out Display: at least 21.57 Wide Screen Monitor with LED Back Light; Display Interface: Display Port (same brand as system unit and comparible to the unit's display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor UPS: Output Power Capacity:800W / 1.1kVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Battery Compatible to the unit. Expected Battery Life (years): 2 - 4, Surge Rating: 270+ Joules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w 5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY, Processor: Intel is 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + 1TB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1R-45 port 10/100/1000 Mbps (rear) at least 18 cm 18 cm 50 prots (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24* Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/ 5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On			
Souss 3.1 Type A (2 Front / 2 Rear)  5 USB 3.1 Type A (5 G5b) (1 Front / 4 Rear)  1 Front USB 3.1 Type C™ (10Gb), data only  1 Front Universal Audio Jack 1 Front Internal SD Card reader (Optional) 2 Rear PS2  2 Rear Display Port 1 Rear Optional Port (VGA, 11MDl 2.0, DP++ 1.2, Type C™ w/DP-Att mode)  1 Rear R145 Network Connector 1 Rear Serial 1 Rear Audio Line out Display: at least 21.5" Wide Screen Monitor with LED Back Light: Display Interface: Display Port (same brand as system unit and compatible to the unit's display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor UPS: Output Power Capacity:800W / 1.1kVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrobyte: leakproof, Replacement Battery: Battery Compatible to the unit, Expected Battery Life (years): 2 - 4, Surge Rating: 270+ Joules RoHS Compliant, Height: 21.3 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w/5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY,  Processor: Intel 15 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit  Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz  Storage: 512GB Solid State Drive + 1TB HDD  Video Card: at lest with 66B of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear)  1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS  Line Interactive		· · ·	
S USB 3.1 Type A (5Gb) (1 Front / 4 Rear) 1 Front USB 3.1 Type C™ (10Gb), data only 1 Front Universal Audio Jack 1 Front Internal SD Card reader (Optional) 2 Rear PS2 2 Rear Display Port 1 Rear Optional Port (VGA, HIMDI 2.0, DP++ 1.2, Type C™ w/DP-Alt mode) 1 Rear R145 Network Connector 1 Rear Serial 1 Rear Audio Line out Display: at least 21.5" Wide Screen Monitor with LED Back Light; Display Interface: Display Port (same brand as system unit and compatible to the unit's display output port) Peripherals: Keyboard, Optical Scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor UPS: Output Power Capacity:800W / 1.1kVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Battery Compatible to the unit, Expected Battery Lite (years): 2-4, Surge Rating: 270+ Joules ROHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w/5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY, Processor: Intel 51 Ith Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + 1TB HDD Video Cari: at lest with 66B of Video Memory, 192-bit interface width Ports: at least 1 kJ-45 port 10700/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC CI4 (Input cord			
1 Front USB 3.1 Type C™ (10Gb), data only 1 Front Universal Audio Jack 1 Front Internal SD Card reader (Optional) 2 Rear PS2 2 Rear Display Port 1 Rear Optional Port (VGA, HMDI 2.0, DP++ 1.2, Type C™ w/DP-Att mode) 1 Rear R145 Network Connector 1 Rear Serial 1 Rear Audio Line out Display: at least 21.5" Wide Screen Monitor with LED Back Light: Display Interface: Display Port (same brand as system unit and compatible to the unit's display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor USP: Output Power Capacity:800W / 11kVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Battery Compatible to the unit, Expected Battery Life (years): 2 - 4, Surge Rating: 270+ Joules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w/5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY, Processor: Intel i5 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + 1TB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit) Warranty, w/5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interface: Display Port (same brand as system unit) darranty, w/5 years next business day on-site repair / warranty or all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input			
1 Front Universal Audio Jack 1 Front Internal SD Card reader (Optional) 2 Rear P82 2 Rear Display Port 1 Rear Optional Port (VGA, HMDI 2.0, DP++ 1.2, Type CIM w/DP-Alt mode)  1 Rear R145 Network Connector 1 Rear Serial 1 Rear Audio Line out Display: at least 21.5" Wide Screen Monitor with LED Back Light; Display Interface: Display Port (same brand as system unit and compatible to the unit's display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor UPS: Output Power Capacity:800W / 1.1kVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Battery Compatible to the unit. Expected Battery Life (veas): 2 - 4, Surge Rating: 270+ Joules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w/5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY, Processor: Intel 51 III deneration or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage; 512GB Solid State Drive + 1TB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear)  1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in- audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA-W): 1200VA/6			
2 Rear Display Port I Rear Optional Port (VGA, HMDI 2.0, DP++ 1.2, Type CPM w/DP-Alt mode)  1 Rear R145 Network Connector 1 Rear Serial 1 Rear Audio Line out Display: at least 21.5" Wide Screen Monitor with LED Back Light; Display Interface: Display Port (same brand as system unit and compatible to the unit's display output port)  Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit)  Form Factor: Small Form Factor UPS: Output Power Capacity:800W / 1.1kVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Battery Compatible to the unit, Expected Battery Life (years): 2 - 4, Surge Rating: 270+ Joules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w/5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY, Processor: Intel is 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows: 11 Pro-64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz  Storage: 512GB Solid State Drive + 1TB HDD  Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ.45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear)  1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output port) (rear) bisplay: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS  Line Interactive UPS Interface LED  On / Off button IEC C14 (Input cord is provided)  Output: (:4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE  Pr			
w/DP-Alt mode)  1 Rear RI45 Network Connector 1 Rear Serial 1 Rear Audio Line out Display; at least 21.5" Wide Screen Monitor with LED Back Light; Display Interface: Display Port (same brand as system unit and compatible to the unit's display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor UPS: Output Power Capacity:800W / 1.1kVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Battery Compatible to the unit, Expected Battery Life (years): 2 · 4, Surge Rating: 270+ Joules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w/ 5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY, Processor: Intel is 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + 1TB HDD  Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 R1-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear)  1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the units primary display output port) Peripherals: Keyboard, Optical secoll mouse (must be same brand with system unit) Warranty, w/5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On/Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing,			
l Rear RJ45 Network Connector 1 Rear Serial 1 Rear Audio Line out Display: at least 21.5" Wide Screen Monitor with LED Back Light; Display Interface: Display Port (same brand as system unit and compatible to the unit's display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor UPS: Output Power Capacity:800W / LikVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Battery Compatible to the unit, Expected Battery Life (years): 2 - 4, Surge Rating: 270+ Joules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w/5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY.  Processor: Intel i5 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + 17B HDD Video Card: at least with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Da			
least 21.5" Wide Screen Monitor with LED Back Light; Display Interface: Display Port (same brand as system unit and compatible to the unit's display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor UPS: Output Power Capacity:800W / 1.1kVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Battery Compatible to the unit, Expected Battery Life (years): 2 - 4, Surge Rating: 270+ Joules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty; 2 years, w/5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY, Processor: Intel is 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + 1TB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 R1-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical secoll mouse (must be same brand with system unit) Warranty, w/5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Output: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Onfi			
Port (same brand as system unit and compatible to the unit's display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor UPS: Output Power Capacity:800W / 1.1kVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free scaled Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Battery Compatible to the unit, Expected Battery Life (years): 2 - 4, Surge Rating: 270+ Joules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w/ 5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY, Processor: Intel i5 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + 1TB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24* Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/ 5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports:		± •	
Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor UPS: Output Power Capacity:800W / 1.1kVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Battery Compatible to the unit, Expected Battery Life (years): 2 - 4, Surge Rating: 270+ Joules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w' 5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY, Processor: Intel is 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512CB Solid State Drive + 1TB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical seroll mouse (must be same brand with system unit) Warranty, w' 5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VAW): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (14) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplice Warranty  5. DESKTOP. COMPUTER HIGH PERFORMAN			
Form Factor: Small Form Factor UPS: Output Power Capacity:800W / 1.1kVA, Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Battery Compatible to the unit. Expected Battery Life (years): 2 - 4, Surge Rating: 2704 Joules RoHS Compliant, Height: 12.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w' 5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY, Processor: Intel is 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 464bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz. Storage: 512GB Solid State Drive + 1TB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (from and rear)  1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w' 5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory;			
Nominal Output Voltage: 230V, Nominal Input Voltage: 230V, Battery type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Battery Compatible to the unit, Expected Battery Life (years): 2 - 4, Surge Rating: 270+ Joules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w'5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY, Processor: Intel is 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + ITB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output porty Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory: Storage: 1TB SSD; Graphics: Dedicated Graphics Card, Boost Clock; at least 1,			
Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof, Replacement Battery: Battery Compatible to the unit, Expected Battery Life (years): 2 - 4, Surge Rating: 270+ Joules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w/5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY, Processor: Intel is 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64-bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + 1TB HDD Video Card: at lest with 60B of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (intermet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core <sup>TM</sup> 17 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192		· · · · · · · · · · · · · · · · · · ·	
Replacement Battery: Battery Compatible to the unit. Expected Battery Life (years):  2 - 4, Surge Rating: 270+ Joules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w' 5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY, Processor: Intel i5 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + ITB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 5 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/ 5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/el/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core <sup>TM</sup> i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory: Storage: 1TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1.785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerS			
Replacement Battery: Battery Compatible to the unit. Expected Battery Life (years):  2 - 4, Surge Rating: 270+ Joules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w' 5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY, Processor: Intel i5 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + ITB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 5 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/ 5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/el/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core <sup>TM</sup> i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory: Storage: 1TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1.785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerS		Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof,	
2 - 4, Surge Rating: 270+ Joules RoHS Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6 cm, Warranty: 2 years, w/5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY, Processor: Intel is 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + 1TB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 R1-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear)  1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24° Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2 gort, 2 USB 2.0 ports with smart Power On 3 Disp		Replacement Battery: Battery Compatible to the unit, Expected Battery Life (years):	
x Depth: 33.6 cm, Warranty: 2 years, w/5 years on-site repair / warranty on all labor and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY, Processor: Intel i5 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + 1TB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 R1-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 22 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 Dis			
and parts by an authorized technical support.  4. DESKTOP FOR LABORATORY, Processor: Intel i5 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + 1TB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 R1-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24° Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 gort, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 R145 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card, Display - at least 24° Wide Screen IPS moni			
4. DESKTOP FOR LABORATORY, Processor: Intel is 11 Ith Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + 1TB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200V A/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-our/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments:		· · · · · · · · · · · · · · · · · · ·	
Processor: Intel is 11th Generation or latest Equivalent OS: Pre-loaded Genuine Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + 1TB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24* Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - B81363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24* Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjusta	4.		
Windows 11 Pro 64bit Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + 1TB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ -45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rea: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rea: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide S			
Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz Storage: 512GB Solid State Drive + 1TB HDD Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/ 5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W) : 1200VA/600W Format : Tower Technology : Line interactive Input voltage ranges without using batteries : 160V - 290V Output voltage : 230V Output frequency : Auto sensing, 50Hz default Data line surge protection (internet/tel/fax) : Yes Input : IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs : (4) Universal Outlets Communication Ports : USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 3.2 Gen 2 port, 1 USB 3.2 Gen 2 x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjusta		<u> •</u>	
Storage: 512GB Solid State Drive + 1TB HDD  Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear)  1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/ 5 years next business day on-site repair /warranty on all labor and parts by an authorized technical support. UPS  Line Interactive UPS Interface LED  On / Off button IEC C14 (Input cord is provided)  Data Line Protection (4) Universal outlets  Rating (VA/W): 1200VA/600W Format: Tower  Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V  Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided)  Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE  Processor: Intel® Core <sup>TM</sup> i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory;  Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit;  OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port;  WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear)  1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFT Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 Page 10 ports 10 postition Adjustments: Height-adjustable			
least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear)  1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/5 years next business day on-site repair /warranty on all labor and parts by an authorized technical support. UPS  Line Interactive UPS Interface LED  On / Off button IEC C14 (Input cord is provided)  Data Line Protection (4) Universal outlets  Rating (VA/W): 1200VA/600W Format: Tower  Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V  Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided)  Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE  Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory;  Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
(front and rear)  1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED  On / Off button IEC C14 (Input cord is provided)  Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V  Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided)  Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable		· · · · · · · · · · · · · · · · · · ·	
1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/ 5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 R145 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
Display Output ports (rear) Display: at least 24" Wide Screen IPS Monitor; Display Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w' 5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS  Line Interactive UPS Interface LED  On / Off button IEC C14 (Input cord is provided)  Data Line Protection (4) Universal outlets  Rating (VA/W): 1200VA/600W Format: Tower  Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V  Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided)  Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE  Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory;  Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2 x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity: Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
Interface: Display Port (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/ 5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Warranty, w/ 5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
same brand with system unit) Warranty, w/ 5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
/ warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
Line Interactive UPS Interface LED On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
On / Off button IEC C14 (Input cord is provided) Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
Data Line Protection (4) Universal outlets Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
Rating (VA/W): 1200VA/600W Format: Tower Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
Technology: Line interactive Input voltage ranges without using batteries: 160V - 290V  Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided)  Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
<ul> <li>290V Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty</li> <li>5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable</li> </ul>			
Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable		290V	
provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable		Output voltage: 230V Output frequency: Auto sensing, 50Hz default Data line surge	
provided) Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable		protection (internet/tel/fax): Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is	
Outputs: (4) Universal Outlets Communication Ports: USB Warranty: 2 years Local Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
Supplier Warranty  5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable		•	
5. DESKTOP, COMPUTER HIGH PERFORMANCE Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
Processor: Intel® Core™ i7 12th Generation; Memory: 16GB 2x8GB DDR4 Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable	5.	**	
Memory; Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
Storage: 1 TB SSD; Graphics: Dedicated Graphics Card, Boost Clock: at least 1,785 Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
Mhz, Standard Memory Config: 6GB GDDR6, Memory Interface Width 192-bit; OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable		• •	
OS: Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
USB 2.0 port, 1 USB 3.2 Gen 2x2 Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
3.2 Gen 1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
DisplayPort 1.4 Ports 1 re-tasking line-out/line-in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
WIFI Connectivity - Yes built-in WiFi Card; Display - at least 24" Wide Screen IPS monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
monitor, 1920 x 1080 resolution, Display Position Adjustments: Height-adjustable			
stand (120MM) Tile ( 50 to 210) C			
stand (130MM), Tilt (-5° to 21°), Swivel (-45° to 45°), Pivot (-90° to 90°); Display			
Interface: Display Port (same brand as system unit and compatible to the unit's			
primary display output port); Peripherals - Keyboard, Optical scroll mouse (must be			
same brand with system unit); Warranty: with 5 years on-site repair/ warranty on all			
labor and parts by an authorized technical support; UPS - rating: 1200VA/600 Watts,		labor and parts by an authorized technical support; UPS - rating: 1200VA /600 Watts,	

	output voltage: 230V, output frequency auto sensing, 50 Hz Default Warranty: at least 2 years local supplier warranty	
6.	COMPUTER, LAPTOP HIGH PERFORMANCE,	
	Processor - M1 Max chip with 10-core CPU, 32-core GPU, and 16-core Neural	
	Engine	
	Memory - 64GB unified memory	
	Storage - 1TB SSD storage	
	Graphics - 32-core GPU, and 16-core Neural Engine * Operating System - MacOS	
	Connectivity - Two thunderbolt / USB 4 ports with support for: - Charging - Display	
	port - Thunderbolt 3 (up to 40Gbps) - USB 4 (up to 40Gbps) - USB 3.1 Gen 2 (up to 10 Gbps) WIFI Connectivity - 802.11ax WIFI 6 wireless networking IEEE 802.11	
	a/b/g/n/ac compatible Bluetooth 5.0 wireless technology	
	Display- Liquid Retina XDR display - 14.2-inch (diagonal) Liquid Retina XDR	
	display 1 3024-by-1964 native, resolution at 254 pixels per inch * Camera - 1080p	
	FaceTime HD camera, Advance image signal processor with computational video *	
	Peripherals - Wireless Rechargeable magic mouse, Carrying bag	
	Warranty - with protection plan 3 years, repair or replacement coverage, both parts	
	and labor, from authorized technicians or service centers	
7.	SCANNER, HIGH SPEED	
	Device type : Scanner Category : Desktop	
	Category: Desktop Color or mono: Color / Mono	
	Document feeder (sheets): 80	
	Interface: USB 3.2 Gen 1x1, USB 2.0 compatible Dual scan: Yes Scan resolution:	
	600 dpi Output format : Single and multi-page TIFF, JPEG, RTF, BMP, PNG, single	
	and multi-page PDF, searchable PDF, Microsoft docx, xlsx	
	Scanner throughput speeds: Up to 50 ppm/100ipm at 200 and 300 dpi (b/w,	
	grayscale/color) -Inclusive of Capture Software Professional Edition	
	- With Dongle Warranty: 1 year warranty, with optional extended warranty support	
8.	up to 3 years.  WHITEBOARD, INTERACTIVE	
0.	"Interactive Whiteboard Screen size : 65 inches	
	Main body: Codec, camera, microphone array, and speaker CPU: Dual-chip 4-	
	core@1.5 GHz + 4-core@1.8 GHz RAM : 12GB	
	Flash: 64GB Resolution: 4K Resolution	
	Multi-touch: 20 points Built-in Camera: Yes Resolution: 4K30 Auto voice tracking	
	: Yes	
	Ultra-wide angle: 80 degrees Stereo audio: Yes Microphones: Yes Sound pickup	
	distance: 8 meters Video input ports: 1 x built-in camera 1 x HDMI (4K 30 fps), 1 x HDMI (4K 30 fps, external cameras) 1 x optional OPS input (4K 30 fps) Video	
	output ports: 1 x embedded monitor 1 x HDMI (1080p 60 fps)	
	Audio input ports: 1 x built-in speaker 1 x 3.5 mm LINE OUT 1 x HDMI (audio	
	output)	
	Audio output ports : 1 x built-in speaker 1 x 3.5 mm LINE OUT 1 x HDMI (audio	
	output)	
	Wi-Fi: IEEE 802.11 a/b/g/n/ac/w, IEEE 802.1x, WPA2, Wi-Fi AP, and station mode	
	Inclusions: Projection Tool, Stylus Pens, Rolling Stand Warranty: at least 1 year on-	
9.	site repair or hardware replacement warranty"  IP PHONE, MITEL IP420 (compatible to existing system)	
J.	130x28 pixels, backlit display Half-duplex speakerphone Audio Controls LED	
	Indicator SIP protocol VLAN, DiffServ/ToS	
	G.711 uLaw/aLaw, G.722, G.723, G.726, G.729a, iLBC, Linear 16bit Built-in	
	10/100 Ethernet switch 802.3af PoE Class 1 (2.4W idle / 3.2W active / 3.9W max)	
	DHCP, Static IP Addressing Local PoE Adapter w/ License Bundle, Essential On-	
10	site Warranty : at least 1-year warranty	
10.	COMPUTER, SERVER "1 x Trusted Platform Module – Trusted Platform Module 2.0	
	1 x Chassis Configuration – Chassis with up to 8 x 3.5" SAS/SATA Hard Drives for	
	2CPU Configuration	
	1 x Processor – Intel Xeon Gold 6226R 2.9G 16C/32T, 10.4GT/s, 22M Cache, Turbo,	
	HT (150W) DDR4-2393	
	6 x Memory Capacity – 64GB RDIMM 3200MT/S, Dual Rank	
	2x Hard Drives – 480GB SSD SATA Mix Use 6Gbps 512 2.5in Hot-Plug AG Drive,	
	3.5in HYB CARR, 3 DWPD  6 v. Hand Drives 16TB Hand Drives 7.2k S.A.S. 12Chms 512s 2.5 in Hot Dlye	
	6 x Hard Drives – 16TB Hard Drive 7.2k SAS 12Gbps 512e 3.5 in Hot-Plug 1 x Network Card – Broadcom 5720 Quad Port 1GbE BASE-T, rNDC	
	1 x Network Card – Broadcom 5720 Quad Port 1GbE BASE-1, FNDC 1 x Network Cards – Broadcom 5720 Dual Port 1GbE BASE-T Adapter, PCIE Full	
	Height	
	Warranty: w/ 5 years next business day on-site repair / warranty on all labor and parts	
	by an authorized technical support."	

### 11. COMPUTER, DESKTOP FOR OFFICE

Processor: Intel i5 10th Gen or latest equivalent

OS: Pre-loaded OEM Windows 11 Pro 64bit English (Genuine Microsoft OS Media Kit CD Included, DVD or Flash drive from OEM, or document proof of OS genuity)

Memory: 8 GB, 2X4GB DDR4, 2666 MHz, ECC/Non-ECCSDRAM

Storage: 512GB SSD Graphics: Integrated Graphics Ports: at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal Audio Jack (front) 1 Line-out re-tasking Line-in audio port (rear) with Display Output ports (rear) Display: at least 21.5" Wide Screen Monitor with LED Back Light; Display Interface: Display Port; (same brand as system unit and compatible to the unit's primary display output port) Peripherals: Keyboard, Optical scroll mouse (must be same brand with system unit) Form Factor: Small Form Factor Warranty: w/ 5 years next business day on-site repair / warranty on all labor and parts by an authorized technical support. UPS Line Interactive UPS With Automatic Voltage Regulation (AVR), UPS can ride through under & over voltage without utilizing battery Rely on batteries anytime: UPS can start up on batteries without mains (Cold Start) UPS is equipped with data line surge protection (internet/fax) to avoid back door damages coming through phone lines

Ease of connection to any equipment (PC, HD TV, internet gateway) with universal outlets Interface

LED

On / Off button

IEC C14 (Input cord is provided)

Data Line Protection (4) Universal outlets

Rating (VA/W): 650VA/360W

Format: Tower

Technology: Line interactive

Input voltage ranges without using batteries: 160V - 290V

Output voltage: 230V

Output frequency: Auto sensing, 50Hz default Data line surge protection (internet/tel/fax): Yes

Input: IEC C14 (Input cord IEC C13 - BS1363 is provided)

Outputs : (4) Universal Outlets Communication Ports : USB

Warranty: 2 years Local Supplier Warranty w/ 1 unit of universal socket adapter

### 12. COMPUTER, LAPTOP FOR OFFICE

Processor - 8-core CPU with 4 performance cores and 4 efficiency cores,

Memory - 8GB unified memory

Storage - 256 SSD

Graphics - 8-core GPU, and 16-core Neural Engine

Operating OS - MacOS

Connectivity - Two Thunderbolt / USB 4 ports with Support for:

\* Charging \* Display port \* Thunderbolt 3 (up to 40 Gbps) \* USB 4 (up to 40 Gbps)

\* USB 3.1 Gen 2 (up to 10 Gbps)

Wireless Connectivity - 802.11 ax WIFI 6 Wireless networking, IEEE 802.11 a/b/g/n/ac compatible Bluetooth 5.0 wireless technology

Display - 13.3 - inch (diagonal) LED-backlit display with IPS technology; 2560-by-1600 native resolution at 227 pixels per inch with Supported scaled resolutions: 1680 by 1050, 1440 by 900, 1024 by 640 500 nits brightness Wide color (P3) True Tone Technology

Camera - 720p FaceTime HD Camera

Peripherals - Carrying bag

Warranty - with protection plan for 3 years, repair or replacement coverage both parts and labor, from authorized technicians or service centers

### 13. | SCANNER, PLANETARY

Application: Universal book scanner A2

Feature: Flat and V-shape scan

Max scan area : DIN A2+ (625 mm x 420 mm)

Scan resolution :  $\,$  -  $\,300$  dpi; A3 -  $\,400$  dpi; A4 -  $\,550$  dpi; A5+ (244 mm x  $\,165$  mm) -

600 dpi

Scan system: Integrated professional DSLR-camera 24MP sensor

Scan time: Full format: 0.5 sec capture, less than 4 sec per full scan-save cycle in

continuous mode

Lighting: User adjustable LED-Lighting UV/IR free, selectable built-in centered of

side illumination

Side lights : Standard built-in

Dimensions: (DxWxH), mm: 900 x 780 x 1090

Warranty: 1 year warranty + 3 years extended parts warranty

Attached herewith are the manufacturer's product literature(s) and certification(s) that we are authorized to sell the goods.

We certify that the foregoing information and the supporting documents are true and correct.

[Signature]
[Name of Authorized Signatory]
[Position/Title of Authorized Signatory]

#### **Omnibus Sworn Statement**

REPUBLIC OF THE PHILIPPINES	)	
CITY/MUNICIPALITY OF	)	S.S.

#### **AFFIDAVIT**

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

#### 1. Select one, delete the other:

- b. *If a sole proprietorship:* I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[address of Bidder]*;
- c. *If a partnership, corporation, cooperative, or joint venture:* I am the duly authorized and designated representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

### 2. Select one, delete the other:

- a. If a sole proprietorship: As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;
- b. If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];
- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

### 6. Select one, delete the rest:

- a. *If a sole proprietorship:* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;
- b. *If a partnership or cooperative:* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of

the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- c. *If a corporation or joint venture:* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;
- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:
  - a. Carefully examine all of the Bidding Documents;
  - b. Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract:
  - c. Made an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to delivery certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

amended, or the Revised Penal Co	ode.
IN WITNESS WHEREOF, I have he Philippines.	reunto set my hand this day of, 20 at,
	Bidder's Representative/Authorized Signatory
execution], Philippines. Affiant/s is/are p competent evidence of identity as define SC). Affiant/s exhibited to me his/her [in	to before me this day of [month] [year] at [place of personally known to me and was/were identified by me through ed in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-nsert type of government identification card used], with his/her eon, with no and his/her Community Tax Certificate day of [month] [year].
Doc. No	NAME OF NOTARY PUBLIC  Serial No. of Commission  Notary Public for until  Roll of Attorneys No  PTR No [date issued], [place issued]  IBP No [date issued], [place issued]
Page No	

Book No. \_\_\_\_\_ Series of \_\_\_\_\_

[Date]

#### FINANCIAL BID FORM

To: Tarlac State University Re: Invitation to Bid No.

Dated this

Having examined the Bidding Documents [insert if any or delete, if none: including Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged], we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said Bidding Documents for the sum of [total Bid amount in words and figures] or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

If our Bid is accepted, we commit to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we undertake to provide a performance security in the form, amounts, and within the times specified in the Bidding Documents.

We agree to abide by this Bid for the Bid Validity Period specified in **ITB** Clause 14.2 and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements as per **ITB** Clause 5 of the Bidding Documents.

We likewise certify/confirm that the undersigned, [for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of [Bidder], has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the [Name of Project] of the Tarlac State University] [for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the [Bidder], to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for [Name of Project] of the Tarlac State University.

We acknowledge that failure to sign each and every page of this Financial Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

20

	day or	
[signatur	re]	[in the capacity of]
Duly authorized to si	gn Bid for and on behalf of	

day of

[Date]

To: Tarlac State University Re: Invitation to Bid No.

### **SCHEDULE OF PRICES**

Item No.	Description	Qty.	Unit	Unit Price	Total Price
1.	SWITCH 16-PORT MANAGED 10G POE+ GIGABIT	4	рс		
	SWITCH WITH SFP+ PORTS WITH 2PCS MFF				
	MODULES,				
	Enclosure Characteristics; SGCC Steel; Total Non-				
	Blocking Throughput: 160 Gbps; Switching Capacity: 320				
	Gbps; Forwarding Rate: 238.10 Mpps; Max. DC Power				
	Consumption: 36W (Excludes SFP/SFP+ Modules); Power				
	Method: AC DC; 100-240VAC/50-60 Hz, Universal				
	Input: DC 56W, 25 to 16V, with 2.5 mm DC Power Inline				
	Connector; Supported Voltage Range 100 to 240VAC:				
	25 to 16VDC; Power Supply: AC/DC, Internal, 56W DC;				
	LEDs Per Data Port: Speed/Link/Activity; Networking				
	Interfaces: (12) 1/10 Gbps SFP+ Ethernet Ports, (4) 1/10				
	Gbps RJ45 Ethernet Ports; Management Interface: (1) RJ45				
	Serial Port, Ethernet In/Out Band; Rackmount: Yes, 1U				
	High; ESD/EMP Protection: Air: ± 24 kV, Contact: ± 24				
	kV; Shock and Vibration: ETSI300-019-1.4 Standard;				
	Operating Temperature: -5 to 40° C (23 to 104° F);				
	Operating Humidity: 5 to 95% Noncondensing;				
	Certifications: CE, FCC, IC; Core Switching Features:				
	ANSI/TIA-1057: LLDP-Media Endpoint Discovery				
	(MED):				
	• IEEE 802.1AB: Link Layer Discovery Protocol (LLDP)				
	• IEEE 802.1D: Spanning Tree Compatibility				
	• IEEE 802.1S: Multiple Spanning Tree Compatibility				
	• IEEE 802.1W: Rapid Spanning Tree Compatibility				
	• IEEE 802.1Q: Virtual LANs with Port-Based VLANs				
	• IEEE 802.1p: Ethernet Priority with User Provisioning				
	and Mapping:  • IEEE 802.1X: Port-Based Authentication with Guest				
	VLAN Support				
	• IEEE 802.3ab: 1000BASE-T				
	• IEEE 802.3an-2006: 10GBASE-T				
	• IEEE 802.1ak: Virtual Bridged Local Area Networks -				
	Amendment 07: Multiple Registration Protocol				
	• IEEE 802.3ac: VLAN Tagging				
	• IEEE 802.3ad: Link Aggregation				
	• IEEE 802.3x: Flow Control				
	• IEEE 802.1D-2004: Generic Attribute Registration				
	Protocol: Clause 12 (GARP)				
	• IEEE 802.1D-2004: Dynamic L2 multicast registration:				
	Clause 10 (GMRP)				
	• IEEE 802.1Q-2003: Dynamic VLAN registration: Clause				
	11.2 (GVRP)				
	• RFC 4541: Considerations for Internet Group				
	Management Protocol (IGMP) Snooping Switches				
	Advance 2Layer 2 features				
	Broadcast Storm Recovery				
	Broadcast/Multicast/Unknown Unicast Storm Recovery				
	• DHCP Snooping				
	• IGMP Snooping Querier				
	• Independent VLAN Learning (IVL) Support				
	Jumbo Ethernet Frame Support				

- Port MAC Locking
- Port Mirroring Protected Ports
- Static MAC Filtering
- TACACS+
- Voice VLANs
- Unauthenticated VLAN
- Internal 802.1X Authentication Server

**Platform Specifications** 

DHCP Server Maximum Number of Pools: 128 Maximum Number of Leases (Total): 2048 • Routing Number of Routes: 16 Number of Routing Interfaces: 15

- VLANs: 4093
- MAC Addresses: 16,384
- MSTP Instances: 4
- LAGs: 32
- ACLs: 100 with 10 Rules per Port
- Traffic Classes (Queues): 8

System Facilities

Event and Error Logging Facility

- Run-Time and Configuration Download Capability
- PING Utility
- FTP/TFTP Transfers via IPv4/IPv6
- Malicious Code Detection
- · BootP and DHCP
- RFC 2021: Remote Network Monitoring Management Information Base Version 2
- RFC 2030: Simple Network Time Protocol (SNTP)
- RFC 2819: Remote Network Monitoring Management Information Base
- RFC 2865: RADIUS Client
- RFC 2866: RADIUS Accounting
- RFC 2868: RADIUS Attributes for Tunnel Protocol Support
- RFC 2869: RADIUS Extensions
- RFC 3579: RADIUS Support for EAP
- RFC 3580: IEEE 802.1X RADIUS Usage Guidelines
- RFC 3164: BSD Syslog Protoco

Management

Web UI • Industry-Standard CLI

- IPv6 Management Password Management Auto install Support for Firmware Images and Configuration Files SNMP v1, v2, and v3 SSH 1.5 and 2.0
- SSL 3.0 and TLS 1.0 Telnet (Multi-Session Support) Layer 3 Routing : Static Routing QOS Access Control Lists (ACLs), Permit/Deny Actions for Inbound IP and Layer 2 Traffic Classification Based on: Time-Based ACL Source/Destination IP Address TCP/UDP Source/Destination Port

IP Protocol Type Type of Service (ToS) or Differentiated Services (DSCP) Field Source/Destination MAC Address Ether Type IEEE 802.1p User Priority VLAN ID RFC 1858: Security Considerations for IP Fragment Filtering

- Optional ACL Rule Attributes Assign Flow to a Specific Class of Service (CoS) Queue Redirect Matching Traffic Flows
- Differentiated Services (DiffServ) Classify IP DSCP-to-Queue Mapping

Configurable Interface Trust Mode (IEEE 802.1p, DSCP, or Untrusted)

Interface Egress Shaping Rate Strict Priority versus Weighted Scheduling per Queue Warranty : at least 1 year warranty Traffic Based on Same Criteria as ACLs Mark the IP DSCP or Precedence Header Fields, Optional

Police the Flow to a Specific Rate with Two-Color Aware Support

RFC 2474: Definition of the Differentiated Services Field (DS field) in the IPv4 and IPv6 Headers

			ı	1	T
	RFC 2475: An Architecture for Differentiated Services				
	RFC 2597: Assured Forwarding Per-Hop Behavior (PHB)				
	Group				
	RFC 3246: An Expedited Forwarding PHB				
	RFC 3260: New Terminology and Clarifications for				
	9.				
	DiffServ				
	• Class of Service (CoS) Queue Mapping Configuration				
	AutoVoIP: Automatic CoS Settings for VoIP				
2.	PRINTER, MULTIFUNCTION INKJET A3 WI-FI	1	рс		
	DUPLEX COLORED		1		
	Print Method Precision Core Printhead				
	Minimum Ink Droplet Volume 2.8 pl				
	Control Panel 4.3 " TFT Color LCD				
	Print Direction Bi-directional printing, Uni-directional				
	printing				
	Nozzle Configuration 400 x 2 nozzles Black, 128 x 2				
	nozzles per color (Cyan, Magenta, Yellow) Maximum				
	Resolution 4,800 x 2,400 dpi (with Variable-Sized Droplet				
	Technology) Print Speed Draft, A4 (Black / Color): Up to				
	32 ppm / 20 ppm Copy Speed ISO 29183, A4, Simplex				
	(Black / Color): Up to 16 ipm / 8.8 ipm Scanner Type				
	Flatbed color image scanner Sensor Type CIS				
	Optical Resolution 1200 x 2400 dpi				
	Paper Feed Method Friction feed				
	Connectivity "USB: Hi-Speed USB 2.0				
	Network: Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct"				
	Dimensions (+/- 10%) (W x D x H): 666 x 486 x 418 mm				
	Warranty 1 year warranty				
3.	COMPUTER, DESKTOP FOR CAD LABORATORY,	70	set		
	Processor: Intel® Core <sup>TM</sup> i9 (8 Core, 16 threads 16MB)				
	Cache, 5.0Ghz, 5 Ghz Turbo				
	OS: Pre-loaded OEM Windows 11 Pro 64bit English				
	_				
	(Genuine Microsoft OS Media Kit CD Included) Memory:				
	16 GB, 2x8 GB, DDR4-2666 MHz, ECC/Non-				
	ECCSDRAM Storage: 512GB NVMe Class 35 Solid State				
	Drive Video Card: Cores " 6144, Boost Clock 1.77Ghz,				
	Base Clock 1.58Ghz, Standard Memory Config: 8GB				
	GDDR6X, Memory Interface Width: 256-bit				
	Ports: 4 USB 2.0 Type A (2 Front / 2 Rear)				
	5 USB 3.1 Type A (5Gb) (1 Front / 4 Rear)				
	1 Front USB 3.1 Type C <sup>TM</sup> (10Gb), data only				
	1 Front Universal Audio Jack 1 Front Internal SD Card				
	reader (Optional) 2 Rear PS2				
	2 Rear Display Port 1 Rear Optional Port (VGA, HMDI 2.0,				
	DP++ 1.2, Type C <sup>TM</sup> w/DP-Alt mode)				
	1 Rear RJ45 Network Connector 1 Rear Serial 1 Rear Audio				
	Line out Display: at least 21.5" Wide Screen Monitor with				
	LED Back Light; Display Interface: Display Port (same				
	brand as system unit and compatible to the unit's display				
	output port) Peripherals: Keyboard, Optical scroll mouse				
	(must be same brand with system unit) Form Factor: Small				
	The state of the s				
	Form Factor UPS: Output Power Capacity:800W / 1.1kVA,				
	Nominal Output Voltage: 230V, Nominal Input Voltage:				
	230V, Battery type: Maintenance-free sealed Lead-Acid				
	battery with suspended electrolyte: leakproof, Replacement				
	Battery: Battery Compatible to the unit, Expected Battery				
	Life (years): 2 - 4, Surge Rating: 270+ Joules RoHS				
	Compliant, Height: 21.5 cm x Width: 13 cm x Depth: 33.6				
	cm, Warranty: 2 years, w/ 5 years on-site repair / warranty				
	on all labor and parts by an authorized technical support.	100			
4.	DESKTOP FOR LABORATORY,	102	set		
	Processor: Intel i5 11th Generation or latest Equivalent OS				
	: Pre-loaded Genuine Windows 11 Pro 64bit				
	Memory: 16 GB, 2x8 GB, DDR4, 2666 MHz				
	Storage: 512GB Solid State Drive + 1TB HDD				
	Video Card: at lest with 6GB of Video Memory, 192-bit				
	Video Card: at lest with 6GB of Video Memory, 192-bit interface width Ports: at least 1 RJ-45 port 10/100/1000				

	Miles (see ) at least CHGD Days (HGD 2 0/2 0) Days (for a			T	
	Mbps (rear) at least 6 USB Ports (USB 2.0/3.0) Ports (front				
	and rear)				
	1 Universal Audio Jack (front) 1 Line-out re-tasking Line-				
	in audio port (rear) with Display Output ports (rear)				
	Display: at least 24" Wide Screen IPS Monitor; Display				
	Interface: Display Port (same brand as system unit and				
	compatible to the unit's primary display output port)				
	Peripherals: Keyboard, Optical scroll mouse (must be same				
	brand with system unit) Warranty, w/5 years next business				
	day on-site repair / warranty on all labor and parts by an authorized technical support. UPS				
	Line Interactive UPS Interface LED				
	On / Off button IEC C14 (Input cord is provided)				
	Data Line Protection (4) Universal outlets				
	Rating (VA/W): 1200VA/600W Format: Tower				
	Technology: Line interactive Input voltage ranges without				
	using batteries: 160V - 290V				
	Output voltage: 230V Output frequency: Auto sensing,				
	50Hz default Data line surge protection (internet/tel/fax):				
	Yes Input: IEC C14 (Input cord IEC C13 - BS1363 is				
	provided)				
	Outputs: (4) Universal Outlets Communication Ports: USB				
	Warranty: 2 years Local Supplier Warranty	<u></u>	<u></u>		<u>                                       </u>
5.	DESKTOP, COMPUTER HIGH PERFORMANCE	14	set		
	Processor: Intel® Core <sup>TM</sup> i7 12th Generation; Memory:				
	16GB 2x8GB DDR4 Memory;				
	Storage: 1 TB SSD; Graphics: Dedicated Graphics Card,				
	Boost Clock: at least 1,785 Mhz, Standard Memory Config:				
	6GB GDDR6, Memory Interface Width 192-bit; OS:				
	Windows 11 Pro 64-bit; Connectivity: Front: 1 usb 2.0 port				
	with PowerShare, 1 USB 2.0 port, 1 USB 3.2 Gen 2x2				
	Type-C® port, 1 universal audio Jack Rear: 3 USB 3.2 Gen				
	1 ports, 1 USB 3.2 Gen 2 port, 2 USB 2.0 ports with smart				
	Power On 3 DisplayPort 1.4 Ports 1 re-tasking line-out/line-				
	in audio port 1 RJ45 Ethernet port; WIFI Connectivity - Yes				
	built-in WiFi Card; Display - at least 24" Wide Screen IPS				
	monitor, 1920 x 1080 resolution, Display Position				
	Adjustments: Height-adjustable stand (130MM), Tilt (-5° to				
	21°), Swivel (-45° to 45°), Pivot (-90° to 90°); Display				
	Interface: Display Port (same brand as system unit and				
	compatible to the unit's primary display output port);				
	Peripherals - Keyboard, Optical scroll mouse (must be same				
	brand with system unit); Warranty: with 5 years on-site				
	repair/ warranty on all labor and parts by an authorized				
	technical support; UPS - rating: 1200VA /600 Watts, output				
	voltage: 230V, output frequency auto sensing, 50 Hz				
	Default Warranty: at least 2 years local supplier warranty				
6.	COMPUTER, LAPTOP HIGH PERFORMANCE,	4	pc		
	Processor - M1 Max chip with 10-core CPU, 32-core GPU,				
	and 16-core Neural Engine				
	Memory - 64GB unified memory				
	Storage - 1TB SSD storage  Graphics 32 core GPIL and 16 core Neural Engine *				
	Graphics - 32-core GPU, and 16-core Neural Engine * Operating System - MacOS				
	Connectivity - Two thunderbolt / USB 4 ports with support				
	for: - Charging - Display port - Thunderbolt 3 (up to				
	40Gbps) - USB 4 (up to 40Gbps) - USB 3.1 Gen 2 (up to 10				
	Gbps) WIFI Connectivity - 802.11ax WIFI 6 wireless				
	networking IEEE 802.11 a/b/g/n/ac compatible Bluetooth				
	5.0 wireless technology				
	Display- Liquid Retina XDR display - 14.2-inch (diagonal)				
	Liquid Retina XDR display 1 3024-by-1964 native,				
	resolution at 254 pixels per inch * Camera - 1080p				
	FaceTime HD camera, Advance image signal processor				
	with computational video * Peripherals - Wireless				
	Rechargeable magic mouse, Carrying bag				
	Warranty - with protection plan 3 years, repair or				
	replacement coverage, both parts and labor, from				
	authorized technicians or service centers		l		I

			1	1	1
7.	SCANNER, HIGH SPEED	1	рс		
	Device type: Scanner		1		
	Category: Desktop				
	Color or mono : Color / Mono				
	Document feeder (sheets): 80				
	Interface: USB 3.2 Gen 1x1, USB 2.0 compatible Dual				
	scan: Yes Scan resolution: 600 dpi Output format: Single				
	and multi-page TIFF, JPEG, RTF, BMP, PNG, single and				
	multi-page PDF, searchable PDF, Microsoft docx, xlsx				
	Scanner throughput speeds: Up to 50 ppm/100ipm at 200				
	and 300 dpi (b/w, grayscale/color) -Inclusive of Capture				
	Software Professional Edition				
	- With Dongle Warranty: 1 year warranty, with optional				
	extended warranty support up to 3 years.				
8.	WHITEBOARD, INTERACTIVE	1	pc		
	"Interactive Whiteboard Screen size: 65 inches				
	Main body : Codec, camera, microphone array, and speaker				
	CPU: Dual-chip 4-core@1.5 GHz + 4-core@1.8 GHz				
	RAM: 12GB				
	Flash: 64GB Resolution: 4K Resolution				
	Multi-touch: 20 points Built-in Camera: Yes Resolution:				
	4K30 Auto voice tracking: Yes			İ	
	Ultra-wide angle: 80 degrees Stereo audio: Yes				
	e e				
	Microphones: Yes Sound pickup distance: 8 meters Video				
	input ports: 1 x built-in camera 1 x HDMI (4K 30 fps), 1 x				
	HDMI (4K 30 fps, external cameras) 1 x optional OPS input				
	(4K 30 fps) Video output ports : 1 x embedded monitor 1 x				
	HDMI (1080p 60 fps)				
	Audio input ports: 1 x built-in speaker 1 x 3.5 mm LINE				
	OUT 1 x HDMI (audio output)				
	Audio output ports : 1 x built-in speaker 1 x 3.5 mm LINE				
	OUT 1 x HDMI (audio output)				
	Wi-Fi: IEEE 802.11 a/b/g/n/ac/w, IEEE 802.1x, WPA2,				
	Wi-Fi AP, and station mode				
	Inclusions: Projection Tool, Stylus Pens, Rolling Stand				
	Warranty: at least 1 year on-site repair or hardware				
	replacement warranty"				
9.	IP PHONE, MITEL IP420 (compatible to existing system)	11	pc		
	130x28 pixels, backlit display Half-duplex speakerphone				
	r				
	DiffServ/ToS				
	G.711 uLaw/aLaw, G.722, G.723, G.726, G.729a, iLBC,				
	Linear 16bit Built-in 10/100 Ethernet switch 802.3af PoE				
	Class 1 (2.4W idle / 3.2W active / 3.9W max) DHCP,				
	Static IP Addressing Local PoE Adapter w/ License				
	• • •				
	Bundle, Essential On-site Warranty: at least 1-year				
	warranty				
10.	COMPUTER, SERVER	1	ne		
10.	· · · · · · · · · · · · · · · · · · ·	1	pc		
	"1 x Trusted Platform Module – Trusted Platform Module				
	2.0				
	1 x Chassis Configuration – Chassis with up to 8 x 3.5"				
	SAS/SATA Hard Drives for 2CPU Configuration				
	1 x Processor – Intel Xeon Gold 6226R 2.9G 16C/32T,				
	10.4GT/s, 22M Cache, Turbo, HT (150W) DDR4-2393				
	6 x Memory Capacity – 64GB RDIMM 3200MT/S, Dual			İ	
	Rank				
	2x Hard Drives – 480GB SSD SATA Mix Use 6Gbps 512				
	2.5in Hot-Plug AG Drive, 3.5in HYB CARR, 3 DWPD				
	6 x Hard Drives – 16TB Hard Drive 7.2k SAS 12Gbps 512e				
	3.5 in Hot-Plug				
	e e e e e e e e e e e e e e e e e e e				
	1 x Network Card – Broadcom 5720 Quad Port 1GbE				
	BASE-T, rNDC				
	1 x Network Cards – Broadcom 5720 Dual Port 1GbE				
	BASE-T Adapter, PCIE Full Height				
	Warranty: w/ 5 years next business day on-site repair /				
	warranty on all labor and parts by an authorized technical				
	support."				
4.4		107			
11.	COMPUTER, DESKTOP FOR OFFICE	105	set		
	Processor: Intel i5 10th Gen or latest equivalent				
			_		

			1	Т	
	OS: Pre-loaded OEM Windows 11 Pro 64bit English				
	(Genuine Microsoft OS Media Kit CD Included, DVD or				
	Flash drive from OEM, or document proof of OS genuity)				
	Memory: 8 GB, 2X4GB DDR4, 2666 MHz, ECC/Non-				
	ECCSDRAM				
	Storage: 512GB SSD Graphics: Integrated Graphics Ports:				
	at least 1 RJ-45 port 10/100/1000 Mbps (rear) at least 6 USB				
	Ports (USB 2.0/3.0) Ports (front and rear) 1 Universal				
	Audio Jack (front) 1 Line-out re-tasking Line-in audio port				
	(rear) with Display Output ports (rear) Display: at least				
	21.5" Wide Screen Monitor with LED Back Light; Display				
	Interface: Display Port; (same brand as system unit and				
	compatible to the unit's primary display output port)				
	Peripherals: Keyboard, Optical scroll mouse (must be same				
	brand with system unit) Form Factor: Small Form Factor				
	Warranty: w/ 5 years next business day on-site repair /				
	warranty on all labor and parts by an authorized technical				
	support. UPS Line Interactive UPS With Automatic				
	Voltage Regulation (AVR), UPS can ride through under &				
	over voltage without utilizing battery Rely on batteries				
	anytime: UPS can start up on batteries without mains (Cold				
	Start) UPS is equipped with data line surge protection				
	(internet/fax) to avoid back door damages coming through				
	phone lines				
	Ease of connection to any equipment (PC, HD TV, internet				
	gateway) with universal outlets Interface				
	LED				
	On / Off button				
	IEC C14 (Input cord is provided)				
	Data Line Protection				
	(4) Universal outlets				
	Rating (VA/W): 650VA/360W				
	Format: Tower				
	Technology: Line interactive				
	Input voltage ranges without using batteries: 160V - 290V				
	Output voltage: 230V				
	Output frequency: Auto sensing, 50Hz default				
	Data line surge protection (internet/tel/fax): Yes				
	Input: IEC C14 (Input cord IEC C13 - BS1363 is provided)				
	Outputs : (4) Universal Outlets				
	Communication Ports : USB				
	Warranty: 2 years Local Supplier Warranty				
	w/ 1 unit of universal socket adapter				
12.	COMPUTER, LAPTOP FOR OFFICE	27	pc		
	Processor - 8-core CPU with 4 performance cores and 4				
	efficiency cores,				
	Memory - 8GB unified memory				
	Storage - 256 SSD				
	Graphics - 8-core GPU, and 16-core Neural Engine				
	Operating OS - MacOS				
	Connectivity - Two Thunderbolt / USB 4 ports with Support				
	for:				
	* Charging * Display port * Thunderbolt 3 (up to 40 Gbps)				
	* USB 4 (up to 40 Gbps) * USB 3.1 Gen 2 (up to 10 Gbps)				
	Wireless Connectivity - 802.11 ax WIFI 6 Wireless				
	networking, IEEE 802.11 a/b/g/n/ac compatible Bluetooth				
	5.0 wireless technology				
	Display - 13.3 - inch (diagonal) LED-backlit display with				
	IPS technology; 2560-by-1600 native resolution at 227				
	pixels per inch with Supported scaled resolutions: 1680 by				
	1050, 1440 by 900, 1024 by 640 500 nits brightness Wide				
	color (P3) True Tone Technology				
	Camera - 720p FaceTime HD Camera				
	Peripherals - Carrying bag				
	Warranty - with protection plan for 3 years, repair or				
	replacement coverage both parts and labor, from authorized				
	technicians or service centers				
13.	SCANNER, PLANETARY	1	pc		
	Application: Universal book scanner A2				
1	Feature: Flat and V-shape scan		1		
	Teatare : That and Testape Sean				

Max scan area: DIN A2+ (625 mm x 420 mm) Scan resolution: -300 dpi; A3 - 400 dpi; A4 - 550 dpi; A5+ (244 mm x 165 mm) - 600 dpi Scan system: Integrated professional DSLR-camera 24MP sensor Scan time: Full format: 0.5 sec capture, less than 4 sec per full scan-save cycle in continuous mode Lighting: User adjustable LED-Lighting UV/IR free, selectable built-in centered of side illumination Side lights: Standard built-in Dimensions: (DxWxH), mm: 900 x 780 x 1090	
Warranty: 1 year warranty + 3 years extended parts warranty	
	Total Bid Price

[Signature]
[Name of Authorized Signatory]
[Position/Title of Authorized Signatory]