

Republic of the Philippine TARLAC STATE UNIVERSITY Romulo Blvd., San Vicente, Tarlac City Tel. No.: (045) 982 4630 Website: www.tsu.edu.ph

Bidding Documents

(This Bidding Documents is in conformance with the Sixth Edition of the Philippine Bidding Documents for the Procurement of Infrastructure Projects)

For the Project

Renovation of MIS Office Hardware Unit and Comfort Room

With an Approved Budget for the Contract (ABC) of Two Million Seven Hundred Twenty-Three Thousand Seven Hundred Eight and 04/100 Pesos (₱ 2,723,708.04)

Invitation to Bid No. Infra 08-013-2023 PhilGeps Reference No.: 10107827

July 2020 6th Edition

TABLE OF CONTENTS

Glossary of Terms, Abbreviations, and Acronyms	1
Section I. Invitation to Bid	3
Section II. Instructions to Bidders	5
1. Scope of Bid	5
2. Funding Information	5
3. Bidding Requirements	5
4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	5
5. Eligible Bidders	5
6. Origin of Associated Goods	6
7. Subcontracts	6
8. Pre-Bid Conference	6
9. Clarification and Amendment of Bidding Documents	6
10. Documents Comprising the Bid: Eligibility and Technical Components	6
11. Documents Comprising the Bid: Financial Component	7
12. Alternative Bids	7
13. Bid Prices	7
14. Bid and Payment Currencies	7
15. Bid Security	7
16. Sealing and Marking of Bids	8
17. Deadline for Submission of Bids	8
18. Opening and Preliminary Examination of Bids	8
19. Detailed Evaluation and Comparison of Bids	8
20. Post Qualification	8
21. Signing of the Contract	9
Section III. Bid Data Sheet	10
Section IV. General Conditions of Contract	12
1. Scope of Contract	12
2. Sectional Completion of Works	12
3. Possession of Site	12
4. The Contractor's Obligations	12
5. Performance Security	12
6. Site Investigation Reports	13
7. Warranty	13
8. Liability of the Contractor	13
9. Termination for Other Causes	13
10. Dayworks	13

11. Program of Works	13
12. Instructions, Inspections, and Audits	14
13. Advance Payment	14
14. Progress Payments	14
15. Operating and Maintenance Manuals	14
Section V. Special Conditions of Contract	15
Section VI. Specifications	16
Section VII. Drawings	37
Section VIII. Bill of Quantities	38
Section IX. Checklist of Technical and Financial Documents	41
Section X. Bidding Forms	42

Glossary of Terms, Abbreviations, and Acronyms

ABC – Approved Budget for the Contract.

ARCC – Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

CDA – Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

Contractor – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

CPI – Consumer Price Index.

DOLE – Department of Labor and Employment.

DTI – Department of Trade and Industry.

Foreign-funded Procurement or Foreign-Assisted Project – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

GFI – Government Financial Institution.

GOCC - Government-owned and/or -controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses

or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

UN – United Nations.

Section I. Invitation to Bid



Republic of the Philippine TARLAC STATE UNIVERSITY Romulo Blvd., San Vicente, Tarlac City Tel. No.: (045) 982 4630 Website: www.tsu.edu.ph

INVITATION TO BID

For the Project

Renovation of MIS Office Hardware Unit and Comfort Room

Invitation to Bid No. Infra 08-013-2023

 The Tarlac State University, through Special Budget (SB) 2023 intends to apply the sum of Two Million Seven Hundred Twenty-Three Thousand Seven Hundred Eight and 04/100 Pesos (₱ 2,723,708.04) to payments under the contract for the project: Renovation of MIS Office Hardware Unit and Comfort Room.

Bids received in excess of the ABC shall be automatically rejected at bid opening.

- 2. The Tarlac State University now invites bids for the aforementioned Project. Completion of the Works is required within **one hundred twenty** (120) calendar days. Bidders should have completed a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using non- discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
- 4. Interested bidders may obtain further information regarding the bidding and inspect the Bidding Documents from 8:00 A.M. to 5:00 P.M., Tuesday to Friday starting on **September 8, 2023** at this address:

Motorpool and Administration Building Tarlac State University Romulo Blvd., San Vicente, Tarlac City Tel. No. (045) 606-8142 / 0998 846 0206 Email: **<u>bacsec@tsu.edu.ph</u>**

5. A complete set of Bidding Documents may be acquired by interested Bidders from **September 8**, **2023 to September 27**, **2023** from the aforementioned address upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of ₱ 5,000.00.

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

- 6. The Tarlac State University will hold a Pre-Bid Conference on **September 15, 2023** (**10:00 A.M.**) at the Business Center Audio-Visual Room, 2nd Floor, Business Center Bldg., Tarlac State University, Romulo Blvd., San Vicente, Tarlac City which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat at the address below on or before **September 27**, **2023** (10:00 A.M.). Late bids shall not be accepted.

Motorpool and Administration Building Tarlac State University Romulo Blvd., San Vicente, Tarlac City Tel. No. (045) 606-8142 / 0998 846 0206 Email: <u>bacsec@tsu.edu.ph</u>

- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on **September 27, 2023**, at **10:00 A.M.**, at the Business Center Audio-Visual Room, 2nd Floor, Business Center Bldg., Tarlac State University, Romulo Blvd., San Vicente, Tarlac City. Bids will be opened in the presence of the bidders' representatives who choose to attend.
- 10. The Tarlac State University reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 Revised IRR of RA 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

Ms. Jhenna Micah A. Manankil / Mr. Joshua Jonathan S. Jacinto BAC Secretariat Motorpool and Administration Building Tarlac State University Romulo Blvd., San Vicente, Tarlac City Tel. No. (045) 606-8142 / 0998 846 0206 Email: <u>bacsec@tsu.edu.ph</u>

hap-1

DR. MURPHY P. MOHAMMED BAC Chairperson

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, **Tarlac State University** invites Bids for the project: **Renovation of MIS Office Hardware Unit and Comfort Room**, with Project Identification Number: Invitation to Bid No. **Infra 08-013-2023**.

The Procurement Project (referred to herein as "Project") is for the construction of Works, as described in Section VI. Specifications.

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for **2023** in the amount of **₱** 2,723,708.04
- 2.2. The source of funding is the **Special Budget**.

3. Bidding Requirements

- 3.1. The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.
- 3.2. Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.
- 3.3. The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA's CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be "similar" to the contract to be bid if it has the major categories of work stated in the **BDS**.

5.3. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

7. Subcontracts

7.1. The Procuring Entity has prescribed that subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at the address indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. ForContracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.3. A valid PCAB License is required, and in case of joint ventures, a valid special PCAB License, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.

- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.
- 10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

11. Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

13. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

14. Bid and Payment Currencies

- 14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 14.2. Payment of the contract price shall be made in Philippine Pesos.

15. Bid Security

- 15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 15.2. The Bid and bid security shall be valid until **January 25, 2024**. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

16. Sealing and Marking of Bids

- 16.1. Each Bidder shall submit one copy of the first and second components of its Bid.
- 16.2. The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.
- 16.3. If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

18. Opening and Preliminary Examination of Bids

18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the IB. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the BDS shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by ITB Clause 16 shall be submitted for each contract (lot) separately.
- 19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its

latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

ITB Clause 5.2 For this purpose, contracts similar to the Project refer to contracts for the supply, delivery, installation, and commissioning of an elevator. 7.1 No further instructions. 10.3 No additional requirements. 10.4 The minimum work experience requirements for key personnel are the following: Key Personnel **Qualification and Experience** Must be a licensed Architect/ Civil Engineer Project Architect/Engineer With at least 3 years of experience in construction project supervision **DOLE** accredited Construction • **Occupation Safety Officer** Safety Officer With at least 1 or 2 years of experience as a safety officer in construction. With at least 5 years of experience as Foreman foreman in building construction project **Registered Electrical** • With at least 1 year of experience in Engineer / Registered construction. Master Electrician 10.5 The minimum major equipment requirements are the following: Equipment Min. Capacity Min. Quantity 300 A 1 Welding Machine 2 Tons 1 Mini Elf Truck Bidder must state and show proof that the equipment to be pledged for the project are owned or leased. 12 No further instructions. 15.1 The bid security shall be in the form of a Bid Securing Declaration or any of the following forms and amounts: 1. The amount of not less than ₱ 54,474,16 (2 % of ABC), if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit. 2. The amount of not less than ₱ 136,185.40 (5 % of ABC) if bid security is in Surety Bond.

Section III. Bid Data Sheet

letter of credit.
2. The amount of not less than ₱ 136,185.40 (5 % of ABC) if bid security is in Surety Bond.
19.2 Partial bid is not allowed. The project is packaged in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.

21	The winning bidder shall submit the following documents, which shall form
	part of the Contract documents:
	1. Construction Schedule and S-Curve,
	2. Manpower Schedule,
	3. Construction Methods
	4. Equipment Utilization Schedule
	5. Construction Safety and Health Program approved by the Department
	of Labor and Employment, and
	6. PERT/CPM.

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

2. Sectional Completion of Works

If sectional completion is specified in the **Special Conditions of Contract (SCC)**, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

3. Possession of Site

- 3.1. The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the SCC, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.
- 3.2. If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

4. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

5. Performance Security

5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.

5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the **SCC** supplemented by any information obtained by the Contractor.

7. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the **SCC**.

8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the **SCC**, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in **ITB** Clause 4.

10. Dayworks

Subject to the guidelines on Variation Order in Annex "E" of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the **SCC**, the Dayworks rates in the Contractor's Bid shall be used for small additional amounts of work only when the Procuring Entity's Representative has given written instructions in advance for additional work to be paid for in that way.

11. Program of Work

- 11.1. The Contractor shall submit to the Procuring Entity's Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the SCC.
- 11.2. The Contractor shall submit to the Procuring Entity's Representative for approval an updated Program of Work at intervals no longer than the period stated in the **SCC.** If the

Contractor does not submit an updated Program of Work within this period, the Procuring Entity's Representative may withhold the amount stated in the **SCC** from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

13. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the **SCC**, subject to the requirements in Annex "E" of the 2016 revised IRR of RA No. 9184.

14. Progress Payments

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity's Representative/Project Engineer. Except as otherwise stipulated in the **SCC**, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

15. Operating and Maintenance Manuals

- 15.1. If required, the Contractor will provide "as built" Drawings and/or operating and maintenance manuals as specified in the SCC.
- 15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity's Representative's approval, the Procuring Entity's Representative may withhold the amount stated in the **SCC** from payments due to the Contractor.

Section V – Special Conditions of Contract

GCC Clause	
2	Not applicable.
4.1	Upon acknowledgement of receipt of the Notice to Proceed.
6	The site investigation reports are: as indicated in the Technical
7.2	Specifications.
7.2	As prescribed in Section 62.2.3.2 of the 2016 revised IRR of R.A. 9184.
10	No dayworks are applicable to the contract.
11.1	The Contractor shall submit the Program of Work to the Procuring Entity's Representative within five (5) days of delivery of the Notice of Award.
11.2	The amount to be withheld for late submission of an updated Program of Work is ten percent (10 %) of the amount of progress billing for the period.
13	The amount of the advance payment shall not exceed fifteen percent (15%) of the contract price.
14	Materials and equipment delivered on the site but not completely put in place shall be included for payment.
15.1	The date by which operation and maintenance manuals are required is within ten (10) days after the final inspection.
	The date by which "as built" drawings are required is ten (10) days after the final inspection.
15.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required is ten percent (10 %) of the final billing.

Section VI - Specifications

SECTION 1 – GENERAL CONDITIONS AND REQUIREMENTS

1.1 SCOPE OF WORK

- 1.1 The project shall comprise the complete **RENOVATION OF MIS OFFICE HARDWARE UNIT AND COMFORT ROOM** which shall include the supervision and furnishing of labor, supplies, materials, equipment, and other incidental services that are essential to properly implement and produce the desired work output.
- 1.2 The inclusion of the gender perspective in the planning process was taken into consideration. Observation and analysis in the planning stage turned understanding into patterns of behavior; involvement and participation in the activities of men and women; and how the language of space can promote equality between them to ensure effectivity and efficiency of the building design. The identified differences between the roles of men and women demand various design approaches. It, therefore, provides an answer to how gender issues should be addressed in the project.

1.2 CONTRACT DRAWINGS

- 1.2.1 Details and extent of work are shown in the Drawings accompanying these specifications.
- 1.2.2 Sketches and other details not shown in the Drawings shall be furnished by the Architect/Engineer during the pace of construction.

1.3 PARTS OF THE SPECIFICATIONS

1.3.1 These Specifications include the following parts whose applicable provisions are binding on this contract:

SECTION

DESCRIPTION

1	GENERAL CONDITIONS AND REQUIREMENTS	
2	LITION, HAULING, DISPOSAL, AND REPAIR WORKS	
3	ARCHITECTURAL WORKS	
4	ELECTRICAL WORKS	
5	PLUMBING WORKS	

1.3.2 These Specifications are intended to supplement the provisions of the General Building Code to provide the proper construction. These specifications shall govern in case of a difference between plans and specifications. The Contractor must examine carefully, compare, and verify dimensions and data furnished by the TSU in the case of discrepancy between figures and drawings, the matter should be immediately brought to the Architect/Engineer before any adjustment shall be made by the Contractor.

1.4 WORKMANSHIP

1.4.1 All operations required under any and all parts of the specifications shall be undertaken neat, and in a workmanlike manner. Only skilled personnel with sufficient experience in similar operations shall be allowed to undertake the same.

1.5 INSPECTION OF THE SITE

1.5.1 The Bid may be deemed to have been based on data, regarding physical conditions at the sites. The Contractor acknowledges and warrants that he has inspected and examined the site and its surroundings and has satisfied himself by submission of his Tender as to the nature of the work and materials necessary for the completion of the works, and the means of access to the sites, the accommodation he may require and that he has obtained for himself all necessary information as to risks, contingencies and other circumstances which may have influenced or affected his Tender. No increase in cost or extension of time will be considered for failure to inspect and examine the site condition.

1.6 VARIATIONS

1.6.1 The Engineer/Architect reserves the right to make slight changes in details of work or materials as he may deem advisable. These changes may include revision or modifications of shapes and dimensions of elements that may involve additional expenses to the Contractor shall be covered by appropriate adjustment of the contract price.

1.7 CONFLICT BETWEEN PLANS AND SPECIFICATIONS

- 1.7.1 Should there be any conflict between indications on drawings and provisions in specifications, same shall be referred to the Architect/Engineer of TSU for resolution.
- 1.7.2 Any omission in the specifications of work or works to be undertaken but necessary for the completion of work, shall be undertaken by the Contractor as if indicated on drawings, without extra compensation. Such work shall be done in the usual manner required for the quality of materials and workmanship.

1.8 **REJECTIONS**

1.8.1 Materials or workmanship not in reasonable conformance with the provision of these specifications shall be rejected at any time during the progress of the work. The Contractor shall receive copies of reports of rejection of materials and workmanship made by the authorized technical representative of TSU. Any part of the work that he has done and is not of the quality required by reasonable interpretation of the plans and specifications shall be torn down or removed immediately and rebuild or otherwise remedy such work in accordance with the requirements of the plans and specifications.

1.9 MOBILIZATION AND DEMOBILIZATION

- 1.9.1 Upon receipt and acceptance of the Notice to Proceed, the Contractor shall immediately mobilize the workforce, equipment, and materials, and take possession and secure the project site.
- 1.9.2 Upon completion of the work, the Contractor shall commence the demobilization of the workforce, equipment, and materials and turn over the project site to TSU.

1.10 CONSTRUCTION OCCUPATION SAFETY AND HEALTH

- 1.10.1 The Contractor shall be responsible for ensuring the safety and health of the personnel assigned at the project site and other parties who may be affected by the project implementation.
- 1.10.2 The Contractor shall submit to TSU a copy of the Construction Occupation Safety and Health Program for the project that is duly approved by the Department of Labor and Employment before commencing with the work.
- 1.10.3 The Contractor shall designate a competent and qualified Safety Officer for the whole duration of the project.
- 1.10.4 The Contractor shall establish and implement safety procedures for all relevant jobs, tasks, and operations.

- 1.10.5 All personnel assigned to the project are expected to report for work in their proper uniforms, basic safety gear (helmets, boots, or shoes), and identification cards (IDs). The uniforms, basic safety gear, and IDs shall be provided by the Contractor at his/her own expense.
- 1.10.6 The Contractor shall maintain, at the project site, ample supplies of expendable materials for the safety and health of its personnel and other affected parties such as safety tape, first-aid kits, safety gloves, dust masks, etc., the cost of which shall be included in the contract price.
- 1.10.7 The Contractor shall keep a record of all incidents (near-miss or accident) and report the same to the TSU Architect/Engineer.

1.11 BILLBOARD

1.11.1 Upon possession of the project site, the Contractor shall immediately erect the Billboard, showing the relevant details of the project, at the location and position designated by the TSU and of the dimensions and materials approved by the TSU.

SECTION 2 – DEMOLITION, HAULING, DISPOSAL, AND REPAIR WORKS

2.1 SCOPE OF WORKS

2.1.1. Demolition, hauling, disposal, and repair works shall include the removal and repair of all affected structures needed to complete the project.

2.2 HAULING AND DISPOSAL

2.2.1. All unusable materials and debris resulting from the performance of work shall be removed from the premises and disposed of in the location and manner that shall be approved by TSU. All materials that can be reused shall be hauled and arranged properly by the Contractor before turning them over to TSU.

SECTION 3– ARCHITECTURAL WORKS

3.1 MASONRY AND PLASTERING WORKS

3.1.1 SCOPE

3.1.1.1 The work includes the furnishing of all materials, labor, equipment, and the performing of all necessary operations in connection with masonry and plastering works.

3.1.2 MATERIALS

- 3.1.2.1 All masonry units shall be approved quality, sound, free from cracks and other imperfections.
- 3.1.2.2 Non-load Bearing Concrete Hollow blocks shall be used with a minimum compressive strength of 500 psi. Method of sampling for quality test shall be one (1) quality test for every 10,000 units or fraction thereof, with three (3) specimens for compression test.
- 3.1.2.3 Reinforcing steel bars shall conform to ASTM Designation A-615-68 specifications for the structural grade.
- 3.1.2.4 Concrete Aggregates Shall conform to "Specifications for Aggregates" (ASTM G33 latest revision). Sand and gravel shall be well graded and free from any deleterious materials. Sand and gravel shall be washed and crushed, respectively.

3.1.2.5 Cement and aggregates shall be stored in a manner as to prevent their deterioration or the intrusion of foreign matter Materials of deteriorated quality or which has been damaged shall not be used for concrete. Cement whose quality is questionable shall be tested by standard mortar test to determine its suitability for use.

3.1.3 MASONRY AND PLASTERING

- 3.1.3.1 Mortar of cells of CHB's shall consist of one (1) part to cement to three (3) parts sand by volume with sufficient water. It shall be workable cement-sand mixture attaining a 28th day compressive strength of 1500 psi.
- 3.1.3.2 Vertical and horizontal reinforcements shall be provided in masonry. CHB walls shall be reinforced as follows:

Thickness	Horizontal Reinforcement	Vertical Reinforcement
100mm	10mmΦ @ 400mm O.C.	10mmΦ @ 400mm O.C

3.1.3.3 Mortar for plastering shall be proportioned one (1) part cement to two (2) parts sand with sufficient water.

3.1.4 WORKMANSHIP

- 3.1.4.1 CHB's shall be laid plumbed and leveled accurately. Laid units of blocks shall be wetted before laying another unit or layer. Damaged units shall not be used. Units shall be cut accurately to fit all plumbing ducts, opening for electrical works; all holes shall be neatly patched.
- 3.1.4.2 Units shall be placed while the mortar is soft and plastic and shall be used within two and a half (2.5) hours of initial mixing. Mortar that has stiffened should not be used. Any unit disturbed to the extent that the initial bond is broken after initial positioning shall be removed and re-laid in fresh mortar. All cells of CHB units shall be fully grouted.
- 3.1.4.3 Where CHB walls adjoin columns, beams and walls, dowels with the same size as the vertical or horizontal reinforcement shall be provided.
- 3.1.4.4 No construction support shall be attached to the CHB wall except where specifically permitted by the Architect/Engineer.

3.2 CEILING WORKS

3.2.1 CEILING

- 3.2.1.1 SCOPE OF WORK
 - 3.2.1.1.1 This section shall include all materials, labor, materials, tools, equipment, and services necessary to complete the ceiling works in strict accordance with the drawings.

3.2.1.2 SUBMITTAL

3.2.2.1.1 Submit product information from manufacturers for each type of product specified to include brochures, catalogs, samples, and certificates of test reports, quality compliance, and accreditation from foreign manufacturers for authenticity of locally distributed materials.

3.2.1.3 DELIVERY, STORAGE, AND HANDLING

- 3.2.1.3.1 Deliver materials in manufacturer's original unopened packages clearly marked with identifying information. Protect materials as recommended by the manufacturer.
- 3.2.1.3.2 Store materials, keep them dry and protect against damage from weather, direct sunlight, surface contamination, corrosion, construction traffic, and other causes.

3.2.1.4 MATERIAL

- 3.2.1.4.1 6mm thick Fiber Cement Board Ceiling. Approved brand and quality.
- 3.2.1.4.2 Wall Angle shall (Baked White) be 0.40 mm thick 22 x 22 mm.
- 3.2.1.4.3 Metal Furring shall be 0.40mm thick x 19mm x 50mm spaced at 400mm (max.).
- 3.2.1.4.4 Furring C-Channel 0.60mm thick x 12 mm x 38 mm spaced at 600 mm (max.).
- 3.2.1.4.5 Complete with screws, double U-clip, and complete accessories.
- 3.2.1.4.6 Adhesives for joints, fillers, and fastener concealment shall be of the types recommended in writing by the board manufacturer and as approved for the following uses.
- 3.2.1.4.7 Embedding compounds for first and second coats.
- 3.2.1.4.8 Finishing compound for the final coat.

3.2.1.5 INSTALLATION

- 3.2.1.5.1 Framing for furred ceilings shall be installed at the locations indicated and shall conform to the standards.
- 3.2.1.5.2 Ceiling framing shall be suspended plumb from the structural slab or steel roof frame by hanger wires or straps, spaced at not less than 1.20 m on centers. Hanger wires shall be wrapped around the reinforcing bars, of the supporting concrete-slab construction with twists before concrete is placed or shall be shaped into 100mm diameter loops and embedded at least 50 mm in the concrete or shall be attached to approve inserts. Hanger wires shall be looped around the bottom chord of the openweb steel joist and shall receive three full turns around itself, or around structural steel members, or to attach beam clamps and shall receive three full turns around itself. Hanger Strap shall be hung plumb and connected with 10 mm galvanized bolts and nuts to anchors made of hanger strap set in the concrete or shall be looped around structural framing and connected to itself with 10 mm galvanized bolts and nuts.
- 3.2.1.5.3 Where channels are spliced, the ends shall be overlapped not less than 300 mm with flanges of channels interlocked and securely fastened with screws.
- 3.2.1.5.4 Framing is not required for ceilings attached to structural members, except for framing openings as specified. Furring as hereinafter specified shall be attached directly to structural members.
- 3.2.1.5.5 Steel channels shall be provided where steel furring is indicated for screw attachment of boards.
- 3.2.1.5.6 Furring shall be spliced with 200 mm nested laps securely tied near each end of lap, with two loops of 1.0 mm tie wire. Splices shall be staggered.
- 3.2.1.5.7 Where board abuts dissimilar wall materials, perimeter of ceilings shall be finished with an edge bead trim strip applied to wall and accurately aligned with the finished ceiling. Board edges adjoining walls shall be laid on the horizontal leg of the trim strip against a continuous bead of approved type sealant.
- 3.2.1.5.8 Support members shall be provided at ceiling openings such as required for access panels, recessed light fixtures, and air supply or exhaust. Support members of not less

than 38 mm main runner channels and suspension wires or straps shall be located to provide at least the minimum support specified herein for furring and board attachment.

- 3.2.1.5.9 Board shall be applied with the separate boards in moderate contact but not forced into place at internal and external corners cut edges of the boards shall be concealed by the overlapping covered edges of the abutting boards. The boards shall be so staggered that the corners of any boards will not meet a common point except in vertical corners.
- 3.2.1.5.10 Board shall be applied to the ceilings with the long dimension of the board, at right angles to the furring members. Board may be applied with the long dimension parallel to furring members that are spaced 0.40 m on centers when attachment members are provided at end joints.

3.2.1.6 CLEANING AND PROTECTION

- 3.2.1.6.1 Promptly remove any residual joint compound from adjacent surfaces not indicated to receive texture.
- 3.2.1.6.2 Provide final protection and maintain conditions, in a manner acceptable to the Installer, that ensures gypsum board assemblies are without damage or deterioration at the time of construction completion.

3.3 DRYWALL WORKS

3.3.1 For Dry Wall Partition: Boards must be 9.0mm thick Fiber Cement Board fastened with screw, framed with 50mm x 100mm x 0.5mm thick metal studs on horizontal and vertical framing. Use self-drilling screws to install drywall boards or as indicated or instructed by the TSU Architect/Engineer. Use 1" concrete nail to fasten top, bottom and wall base track.

3.4 FLOOR AND WALL FINISHES AND WATERPROOFING WORKS

3.2.1.1 SCOPE OF WORK

3.4.1.1 The work covered under this section includes the complete labor, and the supply materials, equipment and necessary to properly conduct and produce the desired work product.

3.2.1.2 GENERAL

3.4.2.1 Prepare the floors and walls to install directly to their corresponding surfaces. Deliver materials to the job in the manufacturer's unopened containers with the manufacturer's brand and name clearly marked thereon.

3.4.3 WORKMANSHIP

3.4.3.1 All work to be done under this section shall be done as shown in plans and specified herein, in a workman like manner by skilled worker.

3.4.4 MATERIALS AND PREPARATION

- 3.4.4.1 Porcelain Tiles and Non-skid Porcelain Tiles- All cement surfaces to receive tiles or similar finish shall be structurally sound, plumb, level and true, free from dust, dirt, grease, calcimine water or other foreign matter.
- 3.4.4.2 Vinyl Tiles-Platform surface must be smooth, level free from dust, grit, grease, thoroughly dry and in proper conditions to receive flooring. No laying of flooring shall be done until all indications on platform have been eliminated. Adhesive as recommended by tile manufacturer should be used.

- 3.4.4.3 Elevated Platform should be made of 18.75mm thick Marine Plywood with 150mm x 900mm Vinyl Tiles, Rubber Nosing Strip and steel framing made of 50mm x 100mm x 1.5mm C-Purlins.
- 3.4.4.4 Rubber Strip Nosing shall be 45mm x 25mm x 0.50mm thick.



3.4.5 TILE INSTALLATION

- 3.4.5.1 Lay in patterns and cover from wall to wall. Install tile in such a manner that each tile is in contact with each adjacent tile and that the entire under- surface of each tile will be securely bonded.
- 3.4.5.2 Layout the field from the midpoint of the axis of the room so that the opposite end tile will be equal in width. Width of the tile shall be subject to the variation required by the dimensions of the room and the size of the tile used. Scribe end tile to the wall and cut in a manner that will insure clean sharp edges.
- 3.4.5.3 Apply adhesive in accordance with manufacturer's recommendations. Secure cove base to wall with adhesive as specified for floor tiles.

3.2.6 WATERPROOFING

- 3.2.6.1 Toilet slab shall be provided with cementitious water proofing.
- 3.2.7 CLEANING
 - 3.2.7.1 Sweep scattered small debris then use a damp mop to clean the surface. Do not use abrasive cleaners, bleach, or wax to maintain the floor.

3.2.8 PROTECTION

3.2.8.1 After cleaning, protect the floor until acceptance of the building.

3.2.9 GUARANTEE

3.2.9.1 Floors shall be guaranteed by the manufacturer against defects in its floor tiles and by the Contractor against defects in workmanship for a period of one year from the date of completion.

3.5 PAINTING WORKS

3.5.1 SCOPE OF WORK

3.5.1.1 The Contractor shall furnish all materials, labor, equipment, and services required to complete the entire painting work herein called for. Painting work shall include the painting and repainting of all interior walls, columns, beams, etc. of the expansion and existing building as specified hereinafter and required thereto.

3.5.1.2 The Contractor shall furnish all tools, brushes, spraying equipment, pails, and other equipment required to complete the entire painting work.

3.5.2 MATERIAL

- 3.5.2.1 The brand of painting materials to be used shall be approved by the TSU Architect/Engineer.
- 3.5.2.2 All paint materials shall be delivered to the job site in their original containers with labels and sealed unbroken.
- 3.5.2.3 Except for ready-mixed materials in original containers all mixing shall be done at the job site. No materials are to be reduced or changed except as specified by the manufacturer of the said materials. The use of white zinc (lithopone) will not be allowed.

3.5.3 COLORS

- 3.5.3.1 All colors of paints and varnishes shall be in accordance with the color scheme approved by the TSU Architect/Engineer.
- 3.5.3.2 Samples of the color to be used shall be submitted and those approved shall be strictly followed. No painting shall be started before these color schemes are approved by the Architect/Engineer.
- 3.5.3.3 Finishes for the different portions of the work shall be specifically indicated in the Schedule of Specifications.

3.5.4 CONSTRUCTION REQUIREMENTS

3.5.4.1 The Contractor before the commencement of the work shall examine the surfaces to be applied with paints not to jeopardize the quality and appearance of a painting of finishing work.

3.5.5 SURFACE EXAMINATION AND PREPARATION

- 3.5.5.1 No painting shall be done under conditions that may jeopardize the quality or appearance of the painting or finishing.
- 3.5.5.2 All surfaces to receive paint should be cleaned and in proper condition.

3.5.6 SURFACE CONDITIONING

- 3.5.6.1 Apply topcoat on existing concrete and masonry surfaces.
- 3.5.6.2 Hairline cracks and unevenness shall be patched and sealed with approved putty or patching compound. After all, defects are corrected, apply the finish coats as specified in the Plan by the approved color scheme.
- 3.5.6.3 Metals shall be clean, dry, and free from mill scale and rust. Remove all grease and oil from surfaces. Wash unprimed galvanized metal with the etching solution and allow it to dry.
- 3.5.6.4 Metal surfaces shall be primed with epoxy primer.

3.5.7 IN ADDITION, THE CONTRACTOR SHALL UNDERTAKE THE FOLLOWING

3.5.7.1 Voids, cracks, and all other kinds of defects shall be repaired with proper patching materials and finished flush surrounding surfaces.

3.5.8 APPLICATION

- 3.5.8.1 Paints, when applied by brush, shall be non-fluid; thick enough to lay down an adequate film of wet paint. Brush marks shall be flawed out after the application of paint.
- 3.5.8.2 Paints prepared for application by roller must be similar to brushing paint. It must be nonsticky when thinned to spray viscosity to break up easily into droplets.

3.5.9 WORKMANSHIP

- 3.5.9.1 All work shall be performed by experienced and skilled craftsmen to assure finished work of first-class quality, appearance, and durability.
- 3.5.9.2 All paints and other coatings shall be mixed and applied strictly in accordance with the manufacturer's printed instructions.

3.5.10 MIXING AND THINNING

- 3.5.10.1 At the time of application, paint shall show no sign of deterioration. Paint shall be thoroughly stirred, strained, and kept at a uniform consistency during application.
- 3.5.10.2 When thinning is necessary, this may be done immediately before application in accordance with the manufacturer's directions, but not over 1 pint of suitable thinner per gallon of paint.
- 3.5.10.3 Kerosene shall not be used as paint thinner. Paints from the different manufacturers shall not be mixed.

3.5.11 STORAGE

- 3.5.11.1 All materials to be used for this Item shall be stored in a single place designated by the Architect and such place shall always be kept neat and clean.
- 3.5.11.2 Necessary precautions to avoid fire must be observed by removing oily rags, waste, etc. at the end of daily work.

3.5.12 CLEANING

- 3.5.12.1 All clothes and cotton waste which is a fire hazard shall be placed in a metal container or destroyed at the end of daily work.
- 3.5.12.2 Upon completion of the work, all staging, scaffolding, and paint containers shall be removed and disposed of.
- 3.5.12.3 Paint drips, oil, or stains on adjacent surfaces shall be removed and the entire job left clean and acceptable to the supervising TSU Architect/Engineer.

3.6 DOORS AND WINDOWS

3.6.1 SCOPE OF WORK

3.6.1.1 The Contractor shall furnish all materials, labor, equipment, tools, and services necessary to complete all work herein specified and shown on drawings.

3.6.2 DOORS

- 3.6.2.1 Where so shown in drawings, doors shall be of the following type unless otherwise specifically noted in the Schedule of Specifications with complete necessary hardware.
- 3.6.2.2 Tanguile Wood Door and Jambs: Single Swing Panel Door (Dark walnut stain finish), S4S Kiln Dried Wood. Approved brand and quality.
- 3.6.2.3 Sliding Door: White powder-coated Aluminum Frame with 6mm thick clear tempered glass with frosted tint and complete accessories.
- 3.6.2.4 ³/₄'' thick marine plywood w/ ¹/₂'' x ³/₄'' wood edging walnut wood stain finish with heavy duty concealed hinges.
- 3.6.2.5 Hinges: Heavy duty
- 3.6.2.6 Dome Type Doorknob: Approved brand and quality.
- 3.6.2.7 12mm thick waterproof compact laminated board with complete accessories.

3.6.3 WINDOWS

- 3.6.3.1 Type: Window types will be as shown on the Schedule of Doors and Windows or specified on the Schedule of Specifications.
- 3.6.3.2 White Powder Coated Aluminum Awning and fixed windows shall be 6mm thick reflective bronze glass. See schedule of windows in the plan. Approved brand and quality.
- 3.6.3.3 Steel Casement Window shall be 6mm thick reflective bronze glass. See schedule of windows in the plan. Approve brand and quality.
- 3.6.3.4 All glasses shall be accurately cut to fit and with equal bearing on the entire width of pane. A thin layer of putty shall be applied to the rebate and set glass; pressing until an even bed is secured. Remove excess putty from each side flush with the edge of rebate.
- 3.6.3.5 Hardware and Operation: All hardware and other attachments necessary to ensure proper operation of ventilators shall be as per the manufacturer's specifications. These must affect the tight closure of vents when locked. Locking handles, catch keepers, etc.

3.6.4 SHOP FINISH

3.6.4.1 Unless otherwise specified in the Schedules of Specifications all steel doors, windows, and frames will be bonderized.

3.6.5 DIMENSION TO BE VERIFIED

3.6.5.1. All dimensions of opening as shown on drawings must be verified by the Contractor at the job site before fabrication of doors and windows.

3.7 FURNISHING AND ACCESSORIES

3.7.1 SCOPE OF WORK

3.7.1.1 The work covered under this section shall include the complete labor, and the supply materials, equipment, and necessary to properly conduct and produce a desired work product.

- 3.7.1.2 All furnishings to be installed must be approved by the TSU Architect/Engineer and End-User.
- 3.7.2 GENERAL
 - 3.7.2.1 Deliver the materials to the job in the manufacturer's unopened containers with the manufacturer's brand and name clearly marked thereon.

3.7.3 MATERIALS

3.7.3.1 OFFICE CUBICLE

- 3.7.3.1.1 White powder coated aluminum with 6mm thick tempered clear glass with frosted tint.
- 3.7.3.1.2 Formica Laminate Sheets on ³/₄" thick Marine Plywood.



3.7.3.1.3 Cabinet drawer soft closed drawer guide.



3.7.3.1.4 Heavy duty soft closed concealed hinges.



3.7.3.1.5 Heavy duty drawer handle.



SECTION 4 – ELECTRICAL WORKS

4.1 SCOPE OF WORK

- 4.1.1 The work under this section shall include the furnishing of labor, materials, equipment, and services required to construct and install the new electrical system which includes, but is not limited to, the following main items:
- 4.1.2 Complete refurbishment of lighting system for the MIS Office.
- 4.1.3 Complete refurbishment of power system for the MIS Office.
- 4.1.4 Complete refurbishment of air-conditioning system for the MIS Office.
- 4.1.5 Rough-ins of structured cabling system for the MIS Office.
- 4.1.6 Complete testing of all electrical system.
- 4.1.7 Optional items of work.
- 4.1.8 All tapping shall be executed inside the ceiling unless indicated in the plan and on the mounting type of equipment.
- 4.1.9 If anything has been omitted in any items of work on materials usually furnished, which are necessary for the completion of the Electrical Works as outlined herein before, then such must be and are hereby included in this section of the work.

4.2 CODES, REGULATIONS, AND ORDINANCES

4.2.1 The electrical item under this contract is to be installed according to the requirements of the latest Philippines Electrical Code, the rules and regulations of the Authority concerned and the requirements of the Power Company. Nothing contained in these specifications or shown on the drawings shall be construed as to conflict with the National and Local Ordinances or Laws governing the installation of electrical work, and all laws and ordinances are hereby made part of these specifications. The Contractor is required to meet the requirements thereof.

4.3 PLANS AND DRAWINGS

- 4.3.1 The Contract Drawings, which constitute an integral part of this contract, shall serve as workings drawings. They indicate the general layout of the complete electrical system and show arrangements of feeders, circuits, outlets, switches, control panel boards, service equipment, fixtures, and other works.
- 4.3.2 The Contractor shall check architectural, structural, and plumbing plans to avoid possible installation conflicts. Should drastically changes from original plans be necessary to resolve such conflicts, the Contractor shall notify the Engineer/Architect and shall secure from him written

approval and agreement concerning necessary changes and adjustments before altered installation work is started.

4.4 SAMPLES AND DRAWINGS

- 4.4.1 The Contractor shall submit to the Engineer/Architect for approval samples of conduit, wire, wiring devices finished plates and of any item as may be required by the Engineer/Architect.
- 4.4.2 Prepared and submit for approval shop drawings or catalogs of equipment appliances and fixtures.

4.5 MINOR MODIFICATIONS

4.5.1 The plans as drawn are based upon architectural plans and details show conditions as accurately as is possible to indicate them in scale. The plans are diagrammatical and do not necessarily show all fittings, etc., necessary to fit the conditions. The locations of lighting fixtures, convenience outlets, air conditioning outlets and switches shown on the plans are approximate. The Contractor shall be responsible for the proper location in order to make them fit with architectural details.

4.6 STANDARD OF MATERIALS

- 4.6.1 All materials shall be new and shall conform to the standards specified in the Philippine Electrical Codes and other such as IEEE, AIA, IEEA, and NEMA, for every case where such standard has been established for the materials in question.
- 4.6.2 All materials on all systems shall comply with the following specifications unless specifically accepted, and all materials that were not specified shall be of the best of their respective kind.
- 4.6.3 Samples of all materials shall be submitted for approval as required by the Engineer/Architect.

4.7 INSTALLATION REQUIREMENTS

- 4.7.1 GROUND TESTS
 - 4.7.1.1 The entire installation shall be free from improper grounds and from short circuits.
 - 4.7.1.2 Ground testing shall be performed and shall meet the standard resistance required by the NFPA, IEEE, and PEC.
 - 4.7.1.3 Grounding of convenience outlets and acu outlets shall be connected to ground bus bar located in the plan. The bus bar then connected to a ground rod buried under the ground. Grounding wire of convenience outlets and acu shall be 5.5mm² THHN/THWN Cu. Ground wire.

4.7.1.3.1 5/8' x 10' Grounding rod copper bonded steel.



4.7.1.4 Ground bus bar shall be enclosed in a NEMA 3R. Grounding wire from ground bus bar to grounding rod will be 8.0 mm² THHN/THWN Cu. Ground wire.

4.7.2 PERFORMANCE TEST

4.7.2.1 It shall be the responsibility of the Contractor to test all systems of the entire electrical installation for proper operational conditions. These conditions shall apply to the power and lighting installations as well as the fire alarm system and motors.

4.7.3 WIRE AND CABLE

4.7.3.1 Wires shall be color coded as follows:

Line 1 Red	Line 2 Yellow
Line 3 Blue	Ground Green

- 4.7.3.2 All wires shall be copper, soft-drawn, and annealed, shall be of 98% conductivity, shall be smooth and fine and of a cylindrical form and shall be within 1% of the actual size called for.
- 4.7.3.3 All wires and cables shall comply with the requirements as to the usage.
- 4.7.3.4 All wires and cables for lighting and power system shall be moisture and heat resistant rubber or thermoplastic insulate. It must be in conformity with the Philippine Electrical Code when used in damp or unit location. Wires shall be stranded for sizes #12 AWG.
- 4.7.3.5 For lighting, power, and air-conditioning systems, no wire shall be smaller than #12 AWG shall be used.
- 4.7.3.6 All wires and cables to be used shall be approved brand.

4.7.4 PIPES

- 4.7.4.1 Wiring shall be done in PVC Pipe for embedded and in RSC or EMT for run exposed; it shall be Schedule 40.
- 4.7.4.2 No tubing shall be used in any system smaller than ¹/₂" electric trade size, nor shall have more than four 90-degree bends in any one run, and where necessary pull boxes shall be provided as directed.
- 4.7.4.3 No wire shall be pulled into any conduit until the conduit system is complete in all details and in the case of concealed work until all rough plastering or masonry has been completed in every detail.
- 4.7.4.4 The ends of all conduits shall be tightly plugged to exclude plaster, dust, and moisture while the building is in the process of construction. All conduit ends shall be reamed to remove all burrs.
- 4.7.4.5 Wirings of convenience outlets and LAN outlet in each cubicle shall be concealed by 1 in. x 8 ft. upvc moulding. Power and lan shall be in separate upvc moulding.



4.7.4.6 Provide proper hanger and support for conduits which will be hung over the ceiling and shall be free from sagging. 250x100mm metal wire way shall be provided with a powder coat finish, with coupling and cover.



4.7.4.7 The support shall be 250x150x4mm stainless steel angle bracket.



4.7.5 OUTLETS BOXES AND FITTINGS

- 4.7.5.1 All outlets of whatever kind for all systems shall be provided by a suitable fitting, which shall be either a box or other device especially designed to receive the type of fitting to be mounted thereon.
- 4.7.5.2 The Contractor shall consult with the Contracting Officer as to the nature of the various fittings to be used before installing his outlet fittings and shall conform strictly in the use of fittings to the nature of the compliance to be mounted on them, so that the work, when completed will be finished design.
- 4.7.5.3 All outlets on exposed conduit work shall be provided by galvanized pressed steel outlet boxes of standard make. The boxes shall be especially designed for apparatus required.
- 4.7.5.4 All outlets on concealed conduit work shall be provided by PVC outlet boxes of standard make. The boxes shall be especially designed for apparatus required.
- 4.7.6 JUNCTION AND PULL BOXES
 - 4.7.6.1 Weatherproof junction and pull boxes shall be provided as indicated or as required for facilitating and pulling of wire and cables. Pull boxes in finished places shall be located and installed with the permission and to the satisfaction of the contracting officer.

4.7.7 WALL SWITCHES

4.7.7.1 Wall switches shall be rated at 15 amperes, 250 volts, one way or as required. Switches shall be with LED, quiet and automatic action type, silver contact, feather touch operation, colored matte black. Switches to be used shall be approved brand by the Engineer/Architect.

1	-
	1

4.7.8 POWER RECEPTACLES

4.7.8.1 Receptacle's outlet shall be for flush mounting duplex rated at 10 ampere, 250 volts "T" slot socket-outlet, white. Receptacles to be used shall be approved brand by the Engineer/Architect.



4.7.8.2 Outlet in the kitchen/pantry shall be GFCI.



4.7.9 PLATES

4.7.9.1 All switch and receptacle plates shall be of Bakelite white finish, and of approved brand.

4.7.10 PANELS

4.7.10.1 Circuit breaker outdoor shall be enclosed in a NEMA 3R Enclosure.



4.7.11 LIGHTING SYSTEM AND OTHER FIXTURES

- 4.7.11.1 The lighting system and other fixtures shall be complete in every aspect, all indicated on the plan or specified.
- 4.7.11.2 All work for the lighting system inside the ceiling shall be done utilizing knob and tube work and lighting circuits shall be balanced at the panels.
- 4.7.11.3 Mounting heights of devices shall be as follows.

Local Switches:	1.4m from FFL.
Convenience Outlet:	0.30m above floor or above counters, or as directed by the TSU Architect/Engineer.
A.C. Outlets:	At convenient height near the equipment.

- 4.7.11.4 Install all lighting fixtures and lamps as specified or at locations shown in plans or as directed by the Engineer/Architect.
- 4.7.11.5 Submit samples of each fixture to the Engineer/Architect for approval prior to installation.
- 4.7.11.6 All lighting fixtures shall be selected by the Engineer/Architect.

4.7.11.6.1 2 - 18 Watts T8 LED Tube Light with Prismatic Louver & Housing

: 2 - 18 Watts

- Wattage
 - Luminous flux : 1,800 lumens
 - Color temp. : 6,500K (Daylight)
 - Input voltage : 220-240 VAC, 50/60 Hz
 - Application : Surface Mount



4.7.11.6.2 12 Watts Square Panel Light

- Wattage : 12 Watts
 - Luminous flux
 - Color temp.
- Input voltage Application
- : 6,000K 6,500K (Daylight)
- : 85 VAC 265 VAC, 50/60 Hz
- : Surface Mount

: 1,200 lumens



4.7.12 FDAS, CCTV SYSTEM AND STRUCTURED CABLING SYSTEM

- 4.7.12.1 All equipment and cabling devices shall be unsupplied; hence, rough ins shall be installed for all locations shown on the CCTV and structured cabling layouts for future installation of the devices.
- 4.7.12.2 1/2" dia. PVC pipe with G.I. wire inside shall be installed as a conduit for future installation of Category 6 cables.
- 4.7.12.3 5" x 5" PVC square box shall be used as pullbox for future installation of Category 6 cables and Thermoplastic Fixture wire.

5.7.12.6.1 Duplex CAT6 LAN Outlet.



4.7.13 CONSUMABLE HARDWARE

- 4.7.13.1 Other materials needed as an accessory to finish installing electrical and electronic fixtures shall be considered as consumable hardware.
- 4.7.13.2 Conduit hangers, PVC connectors, G.I. wires, cable tie, brackets, electrical tape, tox and screw shall be considered as consumable hardware.

SECTION 5 – PLUMBING WORKS

5.1 SCOPE OF WORK

- 5.1.1 Furnish all materials, labor, tools, equipment and other facilities and the satisfactory performance of all work necessary for the complete installation, testing and operation of the plumbing system in accordance with the applicable drawings and this section of the specifications consisting of, but not necessarily limited to the following.
 - 5.1.1.1 Disinfection, pressure, leakage testing of water distribution system.
 - 5.1.1.2 Installation of plumbing fixtures fittings, trims and accessories.
 - 5.1.1.3 Waterproofing of Toilets and 0.10m height on edge of interior wall and slab ledges (surface preparation, application of 5 coats of cementitious waterproofing). Approved brand and quality of admixture for waterproofing shall be used.
- 5.1.2 The Plumbing Contractor is required to refer to all architectural, structural, and electrical plans, including this specification. The Contractor shall investigate all possible interference and existing site conditions affecting his work for the complete installation and operation of the proposed plumbing system.
- 5.1.3 The drawings show the pipes, valves, and appliances to be used and installed in the project. All other items, whether specifically mentioned or not indicated on the drawings, shall be furnished, and installed if necessary to complete the system in accordance with the best practice of the plumbing trade and to the satisfaction of the Architect/Engineer.
- 5.1.4 The Plumbing Contractor shall assume the cost of the entire responsibility for any change in the work shown on the Contract Drawings which may be occasioned by the approval of materials other than those specified.

5.2 PLUMBING FIXTURES AND ACCESSORIES

- 5.2.1 All plumbing fixtures and accessories shall be Philippine standard with the following specifications:
 - 5.2.1.1 Water Closet Dual Flush, push button type w/ heavy duty stainless bidet faucet and complete accessories– 4/6 liters standard or equal water closet pan and cistern complete with heavy duty soft closing seat and cover. Approved type, quality, and brand.



5.2.1.2 Under the Counter Lavatory with manual shutoff single handle type faucet S304 stainless finish and complete accessories (valve, p-trap, etc.). Approved type, quality, and brand.



5.2.1.3 Double Bowl Stainless Under-Mount Kitchen- (780mm x 445mm x 180mm) with manual shutoff single gooseneck handle type faucet S304 stainless finish and complete accessories (valve, p-trap, etc.). Approved type, quality, and brand.



5.2.1.4 25mmØ Hose Bibb should be a heavy-duty stainless S304 body with thread. Approved type, quality, and brand.



5.2.1.5 4" x 4" S304 Floor Drain: Approved type, quality, and brand.



- 5.2.1.6 Waterline pipes and fittings shall be Polypropylene Random Copolymer (PPR) PN20 pipes.
- 5.2.1.7 Gate Valve shall be heavy-duty brass valves. Approved type, quality and brand.



5.2.1.8 Angle Valve shall be heavy-duty stainless chrome plated valves (1-way and 2-way valve): Approved type, quality, and brand.



5.2.1.9 Telephone shower with 2-way Hose Bibb 25mmØ should be a heavy-duty stainless S304 body with thread. Approved type, quality, and brand.



5.3 INSTALLATION

- 5.3.1 The piping shall be extended to all fixtures, outlets and equipment from the gate valves installed in the branch near the riser.
- 5.3.2 The water supply piping at each fixture shall be provided with a shutoff valve and union, whether indicated on the drawings or not, which will permit isolation and disconnection of each item without disturbing the remainder of the system.
- 5.3.3 All pipes shall be cut accurately to measurement and shall be worked into place without springing or facing. Care shall be taken so as not to weaken the structural portions of the building.
- 5.3.4 Changes in sizes shall be made with reducing fittings.

5.4 DEFECTIVE WORK

- 5.4.1 If the inspection or test shows any defect, such defective work or material shall be replaced, and the test shall be repeated until satisfactory to the Project-In-Charge.
- 5.4.2 All repairs to piping shall be made with new materials at the expense of the Contractor.
- 5.4.3 No caulking of screwed joints or holes will be accepted.

5.5 PERFORMANCE TEST

4.2.1 It is the responsibility of the Contractor to test all systems of the entire plumbing installation for proper operational condition. The test shall be conducted in the presence of the TSU.

Section VII. Drawings Please refer to the PDF file named "Drawings" in the folder "Renovation of MIS Office Hardware Unit and Comfort Room" at the TSU website: <u>www.tsu.edu.ph/</u> <u>https://www.tsu.edu.ph/opportunities/bid-opportunities/2023-bid-opportunities/</u>

Section VIII. Bill of Quantities

1. General

- 1.1. The Bill of Quantities (BOQ) shall be read and construed in conjunction with the Conditions of Contract, Specifications, and Drawings and the Bidder shall provide the prices for the full scope of the work covered by the Contract. No claim for variations shall be considered on account of the Bidder's failure to comply with this provision.
- 1.2. Although the BOQ was prepared with due diligence, all quantities given therein shall be deemed to be estimated quantities and are not guaranteed to be actual and correct. The Bidder shall be deemed to have checked and verified the quantities in the preparation of his/her Bid. Any claim whatsoever for any positive variation in the actual quantities furnished versus the BOQ shall not be accepted, unless stipulated elsewhere in the Contract. Upon award of the Contract, the priced BOQ shall be used solely for evaluating work accomplishment payments due to the Contactor.
- 1.3. The Bidder shall check that each copy of the BOQ is complete in the number of pages and in the reproduction of each page.
- 1.4. The descriptions in the Bill of Quantities may not be complete and the Bidder must refer to the Specifications and Drawings.
- 1.5. The Bidder shall not change any description or specification, and remove or omit any of the item, or part of any of the item of the BOQ without the proper notification of the authorized person of TSU.
- 1.6. Prices shall be given in Philippine Peso taken to two decimal places. A comma shall be used to separate triple digits and a point or dot to separate the decimal portion (e.g., 1,355,076.45)
- 1.7. Identical work items occurring in separate sections shall not be priced at different rates, unless it is the deliberate intention.

2. Units

Symbol	Unit	Description
lot	lot	Although not a standard unit of measure, in this BOQ it shall be construed as a collection of all the materials (accessory, fitting, fixture, consumable, etc.) required for a particular scope of work
m ²	square meter	Area; it shall be construed as the coverage area or surface area
m ³	cubic meter	Volume
pc	piece	Used for discrete or countable materials
set	set	Although not a standard unit of measure, in this BOQ it shall be construed as the complete set of the major material component and its auxiliaries or accessories to be operational or functional

3. Rates

Rates and Prices shall be all inclusive, comprehensive, and include the following:

- 3.1. All obligations imposed by the Contract,
- 3.2. Complying in every respect with the requirements and the considerations of the Specifications and Drawings,
- 3.3. Labor for all scope of works and all associated costs,
- 3.4. Materials and goods and all associated costs,
- 3.5. Use of equipment and tools,
- 3.6. Any additional labor usually associated with measured items.
- 3.7. All necessary protection of the Works and removal of all temporary coverings and supports,
- 3.8. All utilities such as electricity, water, etc.,
- 3.9. Repair works on all damaged portions affected by the Works,
- 3.10. Cleaning of site, cleaning, and hauling of debris,
- 3.11. All safety and health aspects of the Works,
- 3.12. All required materials tests and its associated costs,
- 3.13. All applicable taxes, duties, charges, and relevant permits,
- 3.14. Overhead & profit.

4. Bidder's Priced Bill of Quantities

- 12. The Bidder shall present the detailed breakdown of the Bid Price using the form Bill of Quantities in Microsoft Excel format which should be downloaded from the File Folder "Renovation of MIS Office Hardware Unit and Comfort Room" with the file name "Bill of Quantities", from the TSU website: <u>https://www.tsu.edu.ph/opportunities/bid-opportunities/2023-bid-opportunities/</u>
 - 4.1. The Bidder shall provide the following information or data in the spaces provided
 - 4.1.1. [Bidder's Letterhead],
 - 4.1.2. [Date],
 - 4.1.3. [Signature],
 - 4.1.4. [Name of Authorized Signatory], and
 - 4.1.5. [Title/Position of Authorized Signatory].
 - 4.2. The contents of the following columns shall not be altered or removed: Column Heading (column number)
 - 4.2.1. Item No. (1),
 - 4.2.2. Work Description (2)

4.2.3. Quantity. (3), and

4.2.4. Unit (4).

- 4.3. For the rows with entries in the columns **5** and **6**, the Bidder shall provide the following prices, in Philippine peso, in the appropriate columns: Column Heading (column number)
 - 4.3.1. Direct Cost (5) the aggregate cost of materials, labor, and equipment utilization,
 - 4.3.2. Indirect Cost (6) the sum of overhead cost, contingency, miscellaneous, and profit,
 - 4.3.3. Total Direct & Indirect Cost (7) the sum of the values in columns (5) and (6),
 - 4.3.4. Value Added Tax (8) the tax to be charged for the work item,
 - 4.3.5. Total Cost (9) the sum of the values in columns (7), and (8), and
- 4.4. The Sub-Total for every work cluster shall be the sum of all priced items included in that section.
- 4.5. The Total Bid Price shall be the sum of all the total cost for the priced work items and shall be stated in words and figures in the spaces provided at the bottom row of the table.
- 4.6. The Bid shall be deemed "**non-responsive**" if a price is required for a work item, but no price is indicated. Placing a zero (0) or a dash (-) in the cells that requires prices shall be interpreted to mean that the work item is being offered at no cost or for free by the Bidder.
- 4.7. The printed Priced BOQ shall be duly signed and all pages must bear the signature or initial of the authorized signatory of the Bidder.

5. Detailed Estimate

- 13. The specific costs (Material, Labor & Equipment, etc.) for the work items in the Priced BOQ shall be obtained from the detailed estimates using the form for **Detailed Unit Price Analysis**, in Microsoft Excel format which should be downloaded from the File Folder "**Renovation of MIS Office Hardware Unit and Comfort Room**" with the file name "**DUPA**", from the TSU website: <u>https://www.tsu.edu.ph/opportunities/bid-opportunities/2023-bid-opportunities/</u>
 - 5.1. The unit Man-Days used in the DUPA shall mean the number of days for one man to complete the task or for the number of men required to complete the task in one day (e.g., 8 Man-Days = 1 Man x 8 Days = 2 Men x 4 Days = 4 Men x 2 Days = 8 Men x 1 Day).

6. Bidder's Responsibility

6.1. It shall be the responsibility of the Bidder to verify that the unit and quantity indicated in the DUPA for a particular work item are the same as those in the Bill of Quantities for the same work item.

Section IX. Checklist of Technical and Financial Documents

This Checklist of Technical and Financial Documents is provided to guide the Bidder in preparing his/her bid. The checklist may be used by the Bidder to verify if the Bid includes all the prescribed documents.

The Bidder, in submitting the required documents, must use the prescribed forms found in Section X. Bidding Forms. However, should a bidder choose to use a different formatting style for a required document, the bidder must ensure that the substance in the form given in Section X for that particular document is substantially captured in the equivalent document.

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

(a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; <u>and</u>
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided under the rules; **and**
- (d) Special PCAB License in case of Joint Ventures <u>and</u> registration for the type and cost of the contract to be bid; <u>and</u>
- (e) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission <u>or</u> original copy of Notarized Bid Securing Declaration; <u>and</u>
 - (f) Project Requirements, which shall include the following:
 - a. Organizational chart for the contract to be bid;
 - b. List of contractor's key personnel (*e.g.*, Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data;
 - c. List of contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be; **and**
- (g) Original duly signed Omnibus Sworn Statement (OSS) <u>and</u> if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

(h) The bidder's computation of Net Financial Contracting Capacity (NFCC).

Class "B" Documents

(i) If applicable, duly signed joint venture agreement (JVA) in accordance with RA No. 4566 and its IRR in case the joint venture is already in existence or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

(j) Original of duly signed and accomplished Financial Bid Form; and

Other documentary requirements under RA No. 9184

- (k) Original of duly signed Bid Prices in the Bill of Quantities; and
-] (l) Duly accomplished Detailed Estimates Form, including a summary shee indicating the unit prices of construction materials, labor rates, and equipmen rentals used in coming up with the Bid; **and**
- (m) Cash Flow by Quarter.

Section X. Bidding Forms

TABLE OF CONTENTS

I. Eligib	Dility and Technical Documents	
0	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid;	38
c.	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided under the rules	39
	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission <u>or</u> original copy of Notarized Bid Securing Declaration	40
f.	Organizational chart for the contract to be bid	
	Note : There is no TSU prescribed form. The Bidder may follow any appropriate format. However, the required Key Personnel must be reflected in the Chart, and it shall be duly signed.	42
	List of contractor's key personnel (<i>e.g.</i> , Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data;	43
	List of contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be	44
g.	Original duly signed Omnibus Sworn Statement (OSS) <u>and</u> if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.	46
h.	The bidder's computation of Net Financial Contracting Capacity (NFCC).	48
II. Fina	ncial Documents	
j.	Financial Bid Form	49
k.	Bid Prices in the Bill of Quantities	
	Note: Bidder should download and use the Bill of Quantities in Microsoft Excel format provided in the File Folder "Renovation of MIS Office Hardware Unit and Comfort Room" with the file name "Bill of Quantities" from the TSU website: <u>www.tsu.edu.ph</u> .	
1.	Detailed estimates, including a summary sheet indicating the unit prices of construction materials, labor rates, and equipment rentals used in coming up with the Bid.	
	Note: Bidder should download and use the Detailed Unit Price Analysis in Microsoft Excel format provided in the File Folder " Renovation of MIS Office Hardware Unit and Comfort Room " with the file name " DUPA " from the TSU website: <u>www.tsu.edu.ph</u> .	
m.	Cash Flow by quarter or payment schedule	
	Note: There is no TSU prescribed form. The Bidder may use any appropriate form which must be duly signed.	

Section VII. Drawings Please refer to the PDF file named "Drawings" in the folder "Renovation of MIS Office Hardware Unit and Comfort Room" at the TSU website: <u>www.tsu.edu.ph/</u> <u>https://www.tsu.edu.ph/opportunities/bid-opportunities/2023-bid-opportunities/</u>

Section VIII. Bill of Quantities

7. General

- 7.1. The Bill of Quantities (BOQ) shall be read and construed in conjunction with the Conditions of Contract, Specifications, and Drawings and the Bidder shall provide the prices for the full scope of the work covered by the Contract. No claim for variations shall be considered on account of the Bidder's failure to comply with this provision.
- 7.2. Although the BOQ was prepared with due diligence, all quantities given therein shall be deemed to be estimated quantities and are not guaranteed to be actual and correct. The Bidder shall be deemed to have checked and verified the quantities in the preparation of his/her Bid. Any claim whatsoever for any positive variation in the actual quantities furnished versus the BOQ shall not be accepted, unless stipulated elsewhere in the Contract. Upon award of the Contract, the priced BOQ shall be used solely for evaluating work accomplishment payments due to the Contactor.
- 7.3. The Bidder shall check that each copy of the BOQ is complete in the number of pages and in the reproduction of each page.
- 7.4. The descriptions in the Bill of Quantities may not be complete and the Bidder must refer to the Specifications and Drawings.
- 7.5. The Bidder shall not change any description or specification, and remove or omit any of the item, or part of any of the item of the BOQ without the proper notification of the authorized person of TSU.
- 7.6. Prices shall be given in Philippine Peso taken to two decimal places. A comma shall be used to separate triple digits and a point or dot to separate the decimal portion (e.g., 1,355,076.45)
- 7.7. Identical work items occurring in separate sections shall not be priced at different rates, unless it is the deliberate intention.

8. Units

Symbol	Unit	Description
lot	lot	Although not a standard unit of measure, in this BOQ it shall be construed as a collection of all the materials (accessory, fitting, fixture, consumable, etc.) required for a particular scope of work
m ²	square meter	Area; it shall be construed as the coverage area or surface area
m ³	cubic meter	Volume
pc	piece	Used for discrete or countable materials
set	set	Although not a standard unit of measure, in this BOQ it shall be construed as the complete set of the major material component and its auxiliaries or accessories to be operational or functional

9. Rates

Rates and Prices shall be all inclusive, comprehensive, and include the following:

- 9.1. All obligations imposed by the Contract,
- 9.2. Complying in every respect with the requirements and the considerations of the Specifications and Drawings,
- 9.3. Labor for all scope of works and all associated costs,
- 9.4. Materials and goods and all associated costs,
- 9.5. Use of equipment and tools,
- 9.6. Any additional labor usually associated with measured items.
- 9.7. All necessary protection of the Works and removal of all temporary coverings and supports,
- 9.8. All utilities such as electricity, water, etc.,
- 9.9. Repair works on all damaged portions affected by the Works,
- 9.10. Cleaning of site, cleaning, and hauling of debris,
- 9.11. All safety and health aspects of the Works,
- 9.12. All required materials tests and its associated costs,
- 9.13. All applicable taxes, duties, charges, and relevant permits,
- 9.14. Overhead & profit.

10. Bidder's Priced Bill of Quantities

The Bidder shall present the detailed breakdown of the **Bid Price** using the form **Bill of Quantities** in Microsoft Excel format which should be downloaded from the File Folder "**Renovation of MIS Office Hardware Unit and Comfort Room**" with the file name "**Bill of Quantities**", from the TSU website: <u>https://www.tsu.edu.ph/opportunities/bid-opportunities/2023-bid-opportunities/</u>

- 10.1. The Bidder shall provide the following information or data in the spaces provided
 - 10.1.1. [Bidder's Letterhead],
 - 10.1.2. [Date],
 - 10.1.3. [Signature],
 - 10.1.4. [Name of Authorized Signatory], and
 - 10.1.5. [Title/Position of Authorized Signatory].
- 10.2. The contents of the following columns shall not be altered or removed: Column Heading (column number)
 - 10.2.1. **Item No. (1)**,
 - 10.2.2. Work Description (2)

- 10.2.3. Materials Quantity (3),
- 10.2.4. **Materials Unit (4)**
- 10.2.5. Work Item Qty. (5), and
- 10.2.6. **Work Item Unit (6)**.
- 10.3. For the rows with entries in the columns **5** and **6**, the Bidder shall provide the following prices, in Philippine peso, in the appropriate columns: Column Heading (column number)
 - 10.3.1. **Direct Cost (7)** the aggregate cost of materials, labor, and equipment utilization,
 - 10.3.2. **Indirect Cost (8)** the sum of overhead cost, contingency, miscellaneous, and profit,
 - 10.3.3. Total Direct & Indirect Cost (9) the sum of the values in columns (5) and (6),
 - 10.3.4. Value Added Tax (10) the tax to be charged for the work item,
 - 10.3.5. Total Cost (11) the sum of the values in columns (7), and (8), and
- 10.4. The Sub-Total for every work cluster shall be the sum of all priced items included in that section.
- 10.5. The Total Bid Price shall be the sum of all the total cost for the priced work items and shall be stated in words and figures in the spaces provided at the bottom row of the table.
- 10.6. The Bid shall be deemed "**non-responsive**" if a price is required for a work item, but no price is indicated. Placing a zero (0) or a dash (-) in the cells that requires prices shall be interpreted to mean that the work item is being offered at no cost or for free by the Bidder.
- 10.7. The printed Priced BOQ shall be duly signed and all pages must bear the signature or initial of the authorized signatory of the Bidder.

11. Detailed Estimate

- The specific costs (Material, Labor & Equipment, etc.) for the work items in the Priced BOQ shall be obtained from the detailed estimates using the form for **Detailed Unit Price Analysis**, in Microsoft Excel format which should be downloaded from the File Folder "Renovation of MIS Office Hardware Unit and Comfort Room" with the file name "DUPA", from the TSU website: <u>https://www.tsu.edu.ph/opportunities/bid-opportunities/2023-bid-opportunities/</u>
 - 11.1. The unit Man-Days used in the DUPA shall mean the number of days for one man to complete the task or for the number of men required to complete the task in one day (e.g., 8 Man-Days = 1 Man x 8 Days = 2 Men x 4 Days = 4 Men x 2 Days = 8 Men x 1 Day).

12. Bidder's Responsibility

12.1. It shall be the responsibility of the Bidder to verify that the unit and quantity indicated in the DUPA for a particular work item are the same as those in the Bill of Quantities for the same work item.

Section IX. Checklist of Technical and Financial Documents

This Checklist of Technical and Financial Documents is provided to guide the Bidder in preparing his/her bid. The checklist may be used by the Bidder to verify if the Bid includes all the prescribed documents.

The Bidder, in submitting the required documents, must use the prescribed forms found in Section X. Bidding Forms. However, should a bidder choose to use a different formatting style for a required document, the bidder must ensure that the substance in the form given in Section X for that particular document is substantially captured in the equivalent document.

III. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

(b) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

- (n) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; <u>and</u>
- (o) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided under the rules; **and**
- (p) Special PCAB License in case of Joint Ventures <u>and</u> registration for the type and cost of the contract to be bid; <u>and</u>
- (q) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission <u>or</u> original copy of Notarized Bid Securing Declaration; <u>and</u>
 - (r) Project Requirements, which shall include the following:
 - a. Organizational chart for the contract to be bid;
 - b. List of contractor's key personnel (*e.g.*, Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data;
 - c. List of contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be; **and**
- (s) Original duly signed Omnibus Sworn Statement (OSS) <u>and</u> if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

(t) The bidder's computation of Net Financial Contracting Capacity (NFCC).

Class "B" Documents

(u) If applicable, duly signed joint venture agreement (JVA) in accordance with RA No. 4566 and its IRR in case the joint venture is already in existence <u>or</u> duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

IV. FINANCIAL COMPONENT ENVELOPE

(v) Original of duly signed and accomplished Financial Bid Form; and

Other documentary requirements under RA No. 9184

- (w) Original of duly signed Bid Prices in the Bill of Quantities; and
 - (x) Duly accomplished Detailed Estimates Form, including a summary shee indicating the unit prices of construction materials, labor rates, and equipmen rentals used in coming up with the Bid; **and**
 - \bigcirc (y) Cash Flow by Quarter.

Section X. Bidding Forms

TABLE OF CONTENTS

A. Eligi	bility and Technical Documents	
b	Statement of the prospective bidder of all its ongoing government and private	38
÷.	contracts, including contracts awarded but not yet started, if any, whether similar	50
	or not similar in nature and complexity to the contract to be bid;	
	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to	
	the contract to be bid, except under conditions provided under the rules	39
	Original copy of Bid Security. If in the form of a Surety Bond, submit also a	10
	certification issued by the Insurance Commission <u>or</u> original copy of Notarized	40
	Bid Securing Declaration	
f.	Organizational chart for the contract to be bid	
	Note: There is no TSU messarihed form. The Didden may follow one communists	10
	Note : There is no TSU prescribed form. The Bidder may follow any appropriate	42
	format. However, the required Key Personnel must be reflected in the Chart, and	
	it shall be duly signed.	
	List of contractor's key personnel (e.g., Project Manager, Project Engineers,	10
	Materials Engineers, and Foremen), to be assigned to the contract to be bid, with	43
	their complete qualification and experience data;	
	List of contractor's major equipment units, which are owned, leased, and/or under	
	purchase agreements, supported by proof of ownership or certification of	44
	availability of equipment from the equipment lessor/vendor for the duration of the	
	project, as the case may be	
	Original duly signed Omnibus Sworn Statement (OSS) <u>and</u> if applicable, Original	
	Notarized Secretary's Certificate in case of a corporation, partnership, or	
	cooperative; or Original Special Power of Attorney of all members of the joint	46
	venture giving full power and authority to its officer to sign the OSS and do acts	
	to represent the Bidder.	
h.	The bidder's computation of Net Financial Contracting Capacity (NFCC).	48
B. Final	ncial Documents	
j.	Financial Bid Form	49
		17
k.	Bid Prices in the Bill of Quantities	
	Notes Didden the sold deres had used the Dill of Ores of the in Misses of	
	Note: Bidder should download and use the Bill of Quantities in Microsoft	
	Excel format provided in the File Folder "Renovation of MIS Office	
	Hardware Unit and Comfort Room" with the file name "Bill of Quantities"	
	from the TSU website: www.tsu.edu.ph .	
1.	Detailed estimates, including a summary sheet indicating the unit prices of	
	construction materials, labor rates, and equipment rentals used in coming up	
	with the Bid.	
	Note: Bidder should download and use the Detailed Unit Price Analysis in	
	Microsoft Excel format provided in the File Folder "Renovation of MIS	
	Office Hardware Unit and Comfort Room "with the file name " DUPA "	
	from the TSU website: <u>www.tsu.edu.ph</u> .	
m.	Cash Flow by quarter or payment schedule	
	Note: There is no TSU prescribed form. The Bidder may use any appropriate	
	form which must be duly signed.	

[Date]

To: Tarlac State University Re: Invitation to Bid No.

List of All Ongoing Government and Private Contracts, Including Contracts Awarded But Not Yet Started

Row 1: Name of Contract Row 2: Location of Project	Row 1: Procuring Entity/Owner Row 2: Contact Person/Address	Nature of Work	Contrac Description	% of	Row 1: Date of Award Row 2: Date Started	% Accomp	of lishment	Value of Outstanding
Row 3: Contract Price	Row 3: Telephone No.		1	Participation	Row 3: Date of Completion		-	Works
						Planned	Actual	

Attached herewith are the following documents: Notice of Award, Notice to Proceed, and Certificate of Accomplishments (or Statement of Work Accomplished), as evidence in support of the foregoing information.

I/We certify that the foregoing information and all the supporting documents are true and correct.

[Signature] [Name of Bidder or Authorized Representative] [Position or Title]

[Date]

To: Tarlac State University Re: Invitation to Bid No.

Statement of Single Largest Completed Contract Similar to the Contract to be Bid

Row 1: Name of Contract Row 2: Location	Contract Price	Row 1: Procuring Entity/Owner Row 2: Address Row 3: Contact Person/Tel. No.	Nature of Work	Contract Duration	Date of Award	Date Started	Date Completed

Attached herewith are the following documents: Contract Agreement, Notice of Award, Notice to Proceed, Certificate of Final Inspection, Certificate of Acceptance, and CPES (or equivalent performance evaluation rating), as evidence in support of the foregoing information.

I/We certify that the foregoing information and all the supporting documents are true and correct.

[Name of Bidde

[Signature]

Bid-Securing Declaration

Republic of the Philippines City/Municipality Of______) S.S.

X ------ X

Invitation to Bid [Insert reference number]

To: Tarlac State University

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1 (f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid-Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and
 - i) I/we failed to timely file a request for reconsideration or
 - ii) I/we filed a waiver to avail of said right;
 - c. I am/we are declared as the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____day of [month] [year] at [place of execution].

[Signature] [Name of Bidder's Authorized Representative [Signatory's legal capacity] Affiant **SUBSCRIBED AND SWORN** to before me this_day of *[month] [year]* at *[place of execution]*, Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her *[insert type of government identification card used]*, with his/her photograph and signature appearing thereon, with no._____.

Witness my hand and seal this _____ day of [month] [year].

[Name and Signature of Notary Public]

Serial No. of Commission

Notary Public for _____until _____

Roll of Attorneys No.

PTR No., [date issued], [place issued]

IBP No._, [date issued], [place issued]

Doc. No.

Page No. Book

No. Series of_.

[Date]

To: Tarlac State University Re: Invitation to Bid No.

We certify that, if the Contract covered by the aforementioned Invitation to Bid is awarded to [*BIDDER*], we shall employ the following persons to occupy the key positions of the workforce which shall be deployed to implement the project.

LIST OF KEY PERSONNEL						
Name	Name Position					
	Project Architect / Engineer					
	Safety Officer					
	Foreman					
	Registered Electrical Engineer/Registered Master Electrician					

Attached herewith are the Curriculum Vitae of the above-named persons for your evaluation.

[Signature] [Name of Bidder/Authorized Representative]

[Date]

To: Tarlac State University Re: Invitation to Bid No.

CURRICULUM VITAE OF KEY PERSONNEL

POSITION			NAME					
DATE OF BIRTH	HEIGHT	WEIGHT	SEX	CIVIL STATUS	5	NATIONALITY		
PROFESSION			PRC ID NO.	DATE OF REGISTRATIO	N	VALID UNTIL		
			CURRENT STA	TUS OF EMPLOY	ZMENT			
HOME ADDRESS			COMPANY/ AE			SITION		
				JDKE35		51110N		
RELEVANT W	ORK EXPE	ERIENCE	4					
COMPANY/AI	DDRESS	POSITION	BRIEF JO	DB DESCRIPT	ION	INCLUSIVE DATES		
RELEVANT TH	RAININGS							
TITLE OF TRA	AINING	INCLUSIVE DATES	PLACE TRA			INING PROVIDER		
EDUCATIONA								
DEGREE EARNED (Please enumerate all; if not a college graduate, indicate highest level of education earned)			YEAR GRADUAT		AME C	DF INSTITUTION		

I certify that the information furnished above are true and correct and that I have voluntarily furnished the foregoing information on my own free will.

I further certify that, if the Contract covered by the aforementioned Invitation to Bid is awarded to [*BIDDER*], I shall willingly assume the position of [*POSITION*] for the [*BIDDER*].

[Signature] [Name of Prospective Key Personnel]

We certify that, if the Contract covered by the aforementioned Invitation to Bid is awarded to [*BIDDER*], we shall engage the services of [*Name of Prospective Key Personnel*] as the [*POSITION*] for the entire duration of the project covered by the Contract, in accordance with the law.

[Signature] [Name of Bidder/Authorized Representative] [Position or Title]

[Date]

To: Tarlac State University

Re: Invitation to Bid No.

We certify that, if the Contract covered by the aforementioned Invitation to Bid is awarded to [*BIDDER*], we shall provide and use the equipment listed below in the implementation of the project.

	List of Major Equipment									
		Qty.	Model/Year Manufactured	Capacity/Size	Plate No. (if applicable)	Motor No./Body No. (if applicable)	Present Location	Condition	Mode of Acquisition (Owned or Leased)	
1.										
2.										
4.										
6.										
7.										
8.										
9.										
10.										

Attached herewith are the *Certificate(s) of Registration, Official Receipt(s), and Lease Agreement(s)* for the aforementioned equipment.

[Signature] [Name of Bidder or Authorized Representative] [Position or Title]

REPUBLIC OF THE PHILIPPINES) CITY/MUNICIPALITY OF_____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[*If a sole proprietorship:*] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[*If a partnership, corporation, cooperative, or joint venture:*] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[*If a sole proprietorship:*] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, <u>by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting:</u>
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[*If a partnership or cooperative:*] None of the officers and members of [*Name of Bidder*] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[*If a corporation or joint venture:*] None of the officers, directors, and controlling stockholders of [*Name of Bidder*] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

[Date]

To: Tarlac State University Re: Invitation to Bid No.

NET FINANCIAL CONTRACTING CAPACITY

Based on our Income Tax Return and Audited Financial Statement for the Fiscal Year [*YEAR*], duly submitted to the Bureau of Internal Revenue, and which form part of our Bid, the summary of our firm's financial condition is as given below:

		Year [YEAR]
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	

Based on the aforementioned data and the Value of Outstanding Works from the Statement of All Ongoing Government and Private Contracts, which also form part of our Bid, our Net Financial Contracting Capacity (NFCC) is:

NFCC = [(current asset minus current liabilities) (<u>15</u>)] minus [value of all outstanding or uncompleted portions of the projects under ongoing contracts including awarded contracts yet to be started coinciding with the contract to be bid].

NFCC =

⁶¹ I/We certify that the foregoing information and all of the supporting documents are true and correct.

> [Signature] [Name of Bidder or Authorized Representative] [Position or Title]

[Date]

FINANCIAL BID FORM

To: Tarlac State University Re: Invitation to Bid No:

We, the undersigned, declare that:

- (a) We have examined and have no reservation to the Bidding Documents, including Addenda, for the Contract *[insert name of contract]*;
- (b) We offer to execute the Works for this Contract in accordance with the Bid and Bid Data Sheet, General and Special Conditions of Contract accompanying this Bid;

The total price of our Bid, excluding any discounts offered below is: *[insert information]*;

The discounts offered and the methodology for their application are: *[insert information]*;

- (c) Our Bid shall be valid for a period of *[insert number]* days from the date fixed for the Bid submission deadline in accordance with the Bidding Documents, and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- (d) If our Bid is accepted, we commit to obtain a Performance Security in the amount of *[insert percentage amount]* percent of the Contract Price for the due performance of the Contract;
- (e) Our firm, including any subcontractors or suppliers for any part of the Contract, have nationalities from the following eligible countries: *[insert information]*;
- (f) We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents;
- (g) Our firm, its affiliates or subsidiaries, including any subcontractors or suppliers for any part of the Contract, has not been declared ineligible by the Funding Source;
- (h) We understand that this Bid, together with your written acceptance thereof included ⁶²/_{in} your notification of award, shall constitute a binding contract between us, until a formal Contract is prepared and executed; and
- (i) We understand that you are not bound to accept the Lowest Calculated Bid or any other Bid that you may receive.
- (j) We likewise certify/confirm that the undersigned, is the duly authorized representative of the bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the <u>[Name of Project]</u> of the <u>[Name of the Procuring Entity]</u>.
- (k) We acknowledge that failure to sign each and every page of this Bid Form, including the Bill of Quantities, shall be a ground for the rejection of our bid.

Name:	
In the capacity of:	
Signed:	
Duly authorized to sign the Bid for and on behalf of:	
Date:	