

Republic of the Philippine TARLAC STATE UNIVERSITY

Romulo Blvd., San Vicente, Tarlac City Tel. No.: (045) 982 4630 Website: www.tsu.edu.ph

Bidding Documents

(This Bidding Documents is in conformance with the Sixth Edition of the Philippine Bidding Documents for the Procurement of Goods)

For the Project

Supply and Delivery of Hardware Supplies and Materials for the University (APP 2022)

With an Approved Budget for the Contract (ABC) of Three Million Four Hundred Twenty-Four Thousand Seven Hundred Twenty Pesos (₱ 3,424,720.00)

Invitation to Bid No. 2021-011 PhilGeps Reference No.: 8176784

July 2020 6th Edition

TABLE OF CONTENTS

Glossary of Acronyms, Terms, and Abbreviations	1
Section I. Invitation to Bid	4
Section II. Instructions to Bidders	7
1. Scope of Bid	7
2. Funding Information	7
3. Bidding Requirements	7
4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	7
5. Eligible Bidders	7
6. Origin of Goods	8
7. Subcontracts	8
8. Pre-Bid Conference	8
9. Clarification and Amendment of Bidding Documents	8
10. Documents Comprising the Bid: Eligibility and Technical Components	8
11. Documents Comprising the Bid: Financial Component	8
12. Bid Prices	8
13. Bid and Payment Currencies	9
14. Bid Security	9
15. Sealing and Marking of Bids	9
16. Deadline for Submission of Bids	9
17. Opening and Preliminary Examination of Bids	10
18. Domestic Preference	10
19. Detailed Evaluation and Comparison of Bids	10
20. Post Qualification	10
21. Signing of the Contract	11
Section III. Bid Data Sheet	12
Section IV. General Conditions of Contract	13
1. Scope of Contract	13
2. Advance Payment and Terms of Payment	13
3. Performance Security	13
4. Inspection and Tests	13
5. Warranty	13
6. Liability of the Supplier	14
Section V. Special Conditions of Contract	15
Section VI. Schedule of Requirements	17
Section VII. Technical Specifications	18
Section VIII. Checklist of Technical and Financial Documents	25
Section IX. Bidding Forms	26

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF - Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



Republic of the Philippine TARLAC STATE UNIVERSITY

Romulo Blvd., San Vicente, Tarlac City Tel. No.: (045) 982 4630 Website: www.tsu.edu.ph

INVITATION TO BID

For the Project

Supply and Delivery of Hardware Supplies and Materials for the University (APP 2022)

Invitation to Bid No. 2021-011

1. The Tarlac State University, through Regular Agency Fund (RAF) and Special Fund (SB) 2021 intends to apply the sum of **Three Million Four Hundred Twenty Four Thousand Seven Hundred Twenty Pesos** (₱ 3,424,720.00) being the Approved Budget for the Contract (ABC) to payments under the contract for the project: **Supply and Delivery of Hardware Supplies and Materials for the University** (APP 2022) comprising of the following lots with their corresponding ABCs:

Lot No.	Description	ABC, ₱
Lot 1	Pipes, Pipe Fittings, and Plumbing Materials and Tools	601,825.00
Lot 2	Electrical Materials and Tools	1,043,000.00
Lot 3	Painting Materials and Tools	688,915.00
Lot 4	Iron Works, Carpentry, Masonry, and Tinsmithry Materials and Tools	796,430.00
Lot 5	Miscellaneous Tools and Personal Protective Equipment	86,800.00
Lot 6	Air Conditioning Equipment Maintenance Materials and Tools	188,200.00
Lot 7	Replacement Parts for Equipment	19,550.00

Bids received in excess of the ABC for each lot shall be automatically rejected at bid opening.

2. The Tarlac State University now invites bids for the project: **Supply and Delivery of Hardware Supplies and Materials for the University (APP 2022)** of the Goods is required within **ninety (90) calendar** days from the receipt of the Notice to Proceed. Bidders must have completed, within the last five (5) years prior to the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.

- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act". Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.
- 4. Interested bidders may obtain further information from **Tarlac State University** and inspect the Bidding Documents at the address given below during Tuesday to Friday from 8:00 A.M. to 5:00 P.M:

BAC Secretariat

Gender and Development Building Tarlac State University Romulo Blvd., San Vicente, Tarlac City Tel. No. (045) 606-8142

Email: bacsec@tsu.edu.ph/jmamanankil@tsu.edu.ph

5. A complete set of Bidding Documents may be acquired by interested Bidders on November 11, 2021 to December 1, 2021 from the aforementioned address upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of ₱ 1,000.00.

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

- 6. The Tarlac State University will hold a Pre-Bid Conference on **November 18, 2021 (2:00 P.M.) via Zoom Meeting. Meeting ID: 852 6216 8056 Passcode: 632841,** which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat at the address below on or before **December 1**, **2021** (**2:00 P.M.**). Late bids shall not be accepted.

BAC Secretariat

Gender and Development Building Tarlac State University Romulo Blvd., San Vicente, Tarlac City Tel. No. (045) 606-8142

Email: bacsec@tsu.edu.ph / jmamanankil@tsu.edu.ph

- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on **December 1, 2021**, at 2:00 P.M., at the Business Center Audio-Visual Room, 2nd Floor, Business Center Bldg., Tarlac State University, Romulo Blvd., San Vicente, Tarlac City. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address below.
- 10. The Tarlac State University reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 Revised IRR of RA 9184, without thereby incurring any liability to the affected bidder or bidders.

11. For further information, please refer to:

Ms. Jhenna Micah A. Manankil/ Maria Ysabela S. Galang BAC Secretariat
Gender and Development Building
Tarlac State University
Romulo Blvd., San Vicente, Tarlac City
Tel. No. (045) 606-8142

 $Email: \begin{tabular}{ll} \hline \textbf{bacsec@tsu.edu.ph} / jmamanankil@tsu.edu.ph \\ \hline \end{tabular}$

(Sgd) CONSOLACION S. LAGMAN BAC Chairperson

Section II. Instructions to Bidders

1. Scope of Bid

- 1.1. The Tarlac State University wishes to receive Bids for the project: **Supply and Delivery of Hardware Supplies and Materials for the University (APP 2022)**, with identification number **Invitation to Bid No. 2021-011.**
- 1.2. The procurement project (referred to herein as "Project") is composed of seven (7) lots, the details of which are described in Section VII. Technical Specifications.

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for **2022** in the amount of **P3,424,720.00**.
- 2.2. The source of funding is the **General Appropriations Act (GAA 2022)**.

3. Bidding Requirements

- 3.1. The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.
- 3.2. Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or IB by the BAC through the issuance of a supplemental or bid bulletin.
- 3.3. The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder must have a SLCC that is similar to the Project, as described in the **BDS**, with a value, adjusted to current prices using the PSA's CPI, that is at least equivalent to fifty percent (25 %) of the ABC of each lot.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that subcontracting is not allowed

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and at the address indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII. Checklist of Technical and Financial Documents**.
- 10.2. The Bidder's **SLCC** as indicated in **ITB** Clause 5.3 should have been completed **within five** (5) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII. Checklist of Technical and Financial Documents**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII. Technical Specifications**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until March 31, 2022. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

- 15.1. Each Bidder shall submit one copy of the first and second components of its Bid.
- 15.2. The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.
- 15.3. If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items are indicated in **Section VII. Technical Specifications**, and the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as one project having seven (7) lots that shall be awarded as separate contracts.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall

submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

ITB Clause			
5.3		irpose, contracts similar to the Project shall similar goods comprising the Project.	be the supply and
7.1	No further	instructions.	
12	The price of the Goods shall be quoted DDP Tarlac City, Philippines or the applicable International Commercial Terms (INCOTERMS) for this Project.		
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than (2% of ABC), if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than (5% of ABC) if bid security is in Surety Bond.		
	The ABC f	or each lot is given below:	
	Lot No.	Description	ABC,
	Lot 1	Pipes, Pipe Fittings, and Plumbing Materials and Tools	601,825.00
	Lot 2	Electrical Materials and Tools	1,043,000.00
	Lot 3	Painting Materials and Tools	688,915.00
19.3	Lot 4	Iron Works, Carpentry, Masonry, and Tinsmithry Materials and Tools	796,430.00
	Lot 5	Miscellaneous Tools and Personal Protective Equipment	86,800.00
	Lot 6	Air Conditioning Equipment Maintenance Materials and Tools	188,200.00
	Lot 7	Replacement Parts for Equipment	19,550.00
20.2	No further	requirements.	
21.2	No further	requirements.	

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV. Technical Specifications** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace

the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

GCC Clause	
1	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meaning assigned to them by the current edition of INCOTERMS published by the Internation Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	The delivery terms applicable to this Contract are delivered to Tarlac State University Romulo Blvd., San Vicente, Tarlac City. Risk and title will pass from the Supplier the Procuring Entity upon receipt and final acceptance of the Goods at their destination
	Delivery of the Goods shall be made by the Supplier in accordance with the term specified in Section VI. Schedule of Requirements.
	Packaging –
	The Supplier shall provide such packaging of the Goods as is required to prevent the damage or deterioration during transit to their final destination, as indicated in the Contract. The packaging shall be sufficient to withstand, without limitation, rough and ling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take inconsideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
	The packaging, marking, and documentation within and outside the packages sha comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in an subsequent instructions ordered by the Procuring Entity.
	The outer packaging must be clearly marked on at least four (4) sides as follows:
	Name of the Procuring Entity Name of the Supplier
	Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions
	Any relevant HAZCHEM classifications A packaging list identifying the contents and quantities of the package is to be place on an accessible point of the outer packaging if practical. If not practical the packagin list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DD transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. **Intellectual Property Rights –** The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

The inspections and tests that will be conducted are: visual and sensory inspection and

4

Section VI. Schedule of Requirements

The delivery date for the Goods covered by the Contract shall be within ninety (90) calendar days upon receipt of the Notice to Proceed.

Section VII. Technical Specifications

Item	Description
No.	
	Lot 1 – Pipes, Pipe Fittings, and Plumbing Materials and Tools
1.	Pipe, B.I, 1", Schedule 40
	Pipe, PPR Pipe 1/2" x 4 m
3.	Pipe, PPR, 3/4" x 4 m
4.	Pipe, PPR Pipe 1" x 4 m
5.	Pipe, PPR Pipe 1-1/4" x 4 m
	Pipe, PVC, 1/2" x 10', Blue
	Pipe, PVC, Orange, 1/2"x 10' Thick Wall
8.	Adaptor, PVC, Blue, Male, 1/2"
9.	Adaptor, PPR, Female, 1/2"
10.	Adaptor, PPR, Female, 3/4"
11.	Adaptor, PPR, Female, 1"
12.	Adaptor, PPR, Female, 1-1/4"
13.	Adaptor, PPR, Male, 1/2"
14.	Adaptor, PPR Male, 3/4"
15.	Adaptor, PPR, Male, 1"
16.	Adaptor, PPR, Male, 1-1/4"
17.	Bushing, G.I., 1-1/2" x 1-1/4"
18.	Bushing, G.I., 2" x 1-1/4"
19.	Cap, PPR, 1"
20.	Cap, PPR, 3/4"
21.	Cement, Solvent, 100 cc
22.	Clamp, 1", PVC, Blue
23.	Clamp, 1/2", PVC, Blue
24.	Coupling Reducer, PPR, 1-1/4" x 1/2"
25.	Coupling Reducer, PPR, 1-1/4" x 3/4"
26.	Coupling Reducer, PPR, 1' x 1/2"
27.	Coupling Reducer, PPR, 1-1/4" x 1"
28.	Coupling Reducer, PPR, 1" x 3/4"
29.	Coupling Reducer, PPR, 3/4" x 1/2"
30.	Coupling Reducer, G.I., 2" x 1-1/4"
31.	Coupling Reducer, G.I., 1-1/2" x 1-1/4"
32.	Coupling Reducer, PVC, Blue, 3/4" x 1/2"
33.	Coupling, G.I., 1/2"
34.	Coupling, G.I., 1"
35.	Coupling, PPR, 1/2"
36.	Coupling, PPR, 3/4"
37.	Coupling, PPR, 1"
38.	Coupling, PPR, 1-1/4
39.	Elbow, G.I. 1/2"
40.	Elbow, Street, G.I., 1/2"
41.	Elbow, PPR, 1/2", with thread
42.	Elbow, PPR, 1", with thread
43.	Elbow, PPR, 1-1/4", with thread
44.	Elbow, PPR, 1/2"
45.	Elbow, PPR, 1"
46.	Elbow, PPR, 1-1/4"
47.	Elbow, PVC 1/2", Blue
48.	Nipple, G.I., 1/2" x 3"
49.	Nipple, G.I., 1/2" x 2"
50.	Plug, 1/2", PPR

<i>E</i> 1	T DDD 1/2
51.	Tee, PPR, 1/2", with Thread
52.	Tee, PPR, 1/2"
53.	Tee, PPR, 3/4"
54.	Tee, PPR, 1"
55.	Tee, PPR, 1-1/4"
56.	Union Patente, PPR, 1/2"
57.	Union Patente, PPR, 3/4"
58.	Union Patente, PPR, 1"
59.	Union Patente, PPR, 1-1/4
60.	Check Valve, 1"
61.	Gate Valve, 1/2"
62.	Gate Valve, 3/4"
63.	Gate Valve, 1"
64.	Gate Valve, PPR, 1/2"
65.	Gate Valve, PPR, 3/4"
66.	Gate Valve, PPR, 1-1/4"
67.	P-Trap, Flexible, 1-1/4"
68.	P-Trap, Flexible, 1-1/2"
69.	Tape, Teflon, 1/2"
70.	Tape, Teflon, 3/4"
71.	Tape, Teflon, 1"
72.	Angle Valve, 2-way, 1/2" x 3/8"
73.	Angle Valve, 2-way, 1/2" x 1/2"
74.	Angle Valve, double, 1/2" x 1/2" x 1/2"
75.	Faucet, Brass, 1/2" Heavy Duty
76.	Faucet, Goose Neck, 1/2", Stainless Steel
77.	Faucet, Lavatory, 1/2"
78.	Faucet, Wall, 1/2" x 3"
79.	Angle Valve, 1/2 X 1/2"
80.	Angle Valve, 3/8 X 1/2"
81.	Angle Valve, 5/8 X 1/2 Angle Valve, Double 1/2 X 1/2 x 3/8
82.	Flexible Hose, 1/2" x 1/2", Heavy Duty
83.	Flexible Hose, 1/2" x 3/8", Heavy Duty
84.	Flexible Hose, 3/4" x 3/8", Heavy Duty
85.	Bidet Spray Set, stainless steel
86.	Bidet Spray Gun Only, stainless steel Bidet, Spray Gun Only, stainless steel
87.	Fill Valve, (Tank Fittings)
88.	Flapper Valve, (Tank Fittings)
89. 90.	Urinal Valve, Push Button, Standard Handle Water Closet, Lever Type
90.	Handle, Water Closet, Lever Type Water Closet, with Lavatory, Bowl, Size: 680 x 370 x 800 mm, Color: White, Material:
71.	Ceramic
02	Pressure Switch, for Pump
92. 93.	
	Pressure Gauge, for Pump Gordon Hose, 1/2" Longth: 20 m. Hoavy Duty, Color: Green, with Hose Ribs and Nozzla.
94. 95.	Garden Hose, 1/2", Length: 30 m, Heavy Duty, Color: Green, with Hose Bibs and Nozzle
93.	Pipe Cutter, 1/2" to 2", heavy Duty
0.0	Lot 2 – Electrical Materials and Tools Wine Street ded, #10/7, THIN
96.	Wire, Stranded, #10/7, THHN
97.	Wire, Stranded, #12/7, THHN
98.	Wire, Stranded, 30 mm2, THHN
99.	Wire, Stranded, #8/7, THHN
100.	Flat Cord, #16, Black
101.	Flat Cord, #16, White
102.	Royal Cord, 2 x Gauge 14 AWG 14
103.	Flexible Electrical Conduit, Orange, 3/4"
104.	Flexible Electrical Conduit, Conduit, 1/2"

105.	Cable Tie, Nylon, Black, 150 mm x 3.6 mm, 100 pcs/bag
106.	Cable Tie, Nylon, Black, 200 mm x 3.6 mm, 100 pcs/bag
107.	Cable Tie, Nylon, Black, 300 mm x 4.8 mm, 100 pcs/bag
108.	Circuit Breaker, 100 A, Single Phase (BOT)
109.	Circuit Breaker, 100 A, Single Phase (PIT)
110.	Circuit Breaker, 150 A, 3 Phase (BOT), Molded Case
111.	Circuit Breaker, 225 A, 3 Phase (BOT), Molded Case
112.	Circuit Breaker, 30 A (BOT)
113.	Circuit Breaker, 30 A (PIT)
114.	Circuit Breaker, 200 A, 3 Phase, Molded Case
115.	Circuit Breaker, 75 A, 3 Phase
116.	Circuit Breaker, 40 A (BOT)
117.	Circuit Breaker, 40 A (BOT) Circuit Breaker, 60 A (BOT)
118.	Circuit Breaker, 60 A (PIT)
119.	Circuit Breaker, NEMA 1 Enclosure, 50 A, Weatherproof
120.	Circuit Breaker, NEMA 3 Enclosure, 30 A, Weatherproof
121.	Circuit Breaker, NEMA 3 Enclosure, 40 A, Weatherproof
122.	Circuit Breaker, Safety Breaker 30 A (BOT), with Plastic Housing
123.	Circuit Breaker, 100 A (BOT) (for existing panel board - Sassin)
124.	Circuit Breaker, 20 A (BOT) (for existing panel board - Sassin)
125.	Circuit Breaker, 32 A (BOT) (for existing panel board - Sassin)
126.	Circuit Breaker, 60 A (for existing panel board - Sassin)
127.	Circuit Breaker, 200 A (BOT), 3 Phase (for existing panel board - Schneider)
128.	Circuit Breaker, 250 A (BOT), 3 Phase (for existing panel board - Schneider)
129.	Circuit Breaker, 30 A (BOT), with Universal Socket
130.	Safety Breaker, 30 A (BOT), with plastic housing, single phase
131.	Connector, Solderless Connector, 2 Bolt 1000 mcm
132.	Connector, Solderless Connector, 2 Bolt 350-500 mcm
133.	Connector, Solderless connector 4/0, 2 Bolt
134.	Contactor, Magnetic, 30A, 3Phase 60Hz, Operational Current 220V/440V, Auxilary
	Contact: 2 Normally Open, 2 Normally Close
135.	Box, Gang 2" x 4", PVC, Poly White
136.	Junction Box, 4" x 4", PVC
137.	Box, Utility 2"x 4", PVC, Deep Type, Orange
138.	Outlet, ACU
139.	Outlet, Universal, 2 Gang
140.	Plug, electric, heavy duty
141.	Switch, 4-Way
142.	Bulb, frosted candle, 40 watts, E14
143.	Bulb, frosted candle, 40 watts, E27
144.	Bulb, LED 9W, Daylight
145.	Bulb, LED 18 W, Daylight
146.	Bulb, LED 23 W, Daylight
147.	Bulb, LED, 15 W
148.	Bulb, LED, 18 W
149.	Bulb, LED, 20 W
150.	Bulb, Spiral Bulb, warm white, 20 W, Electronic Energy Saver E-27
151.	Floodlight, CFL Type 2 x 30 W Daylight
152.	Lamp, Fluorescent, 18 W, T5
153.	Lamp, LED Floodlight Daylight, 50 W
154.	Tube, LED Floodlight Daylight, 50 W
155.	Tape, Electrical, Big
156.	Tape, Rubber, 0.8 mm x 19 mm x 8 m
157.	Wire/Cable Staple Gun Tacker, for low voltage wire applications, for use with T25 staples
157.	size 3/8", 7/16", and 9/16", Jam-Resistant Rear Load Mechanism, with Powerful Coil
	Spring, Cushioned Grip, Grooved-Wire Guide, and Curved Blade
158.	Multi Tester Analog, Heavy Duty
150.	1120101 1 1111110 g, 11011 j Duij

4.50	
159.	Battery, AAA, heavy duty
160.	Flashlight, Mini, Rechargeable, Water/Shock Resistant, Adjustable Focus Zoom, Color:
	Black, LED Light
	Lot 3 – Painting Materials and Tools
161.	Paint, Floor, Chlorinated Rubber, Black
162.	Paint, Floor, Chlorinated Rubber, Red
163.	Paint, Floor, Chlorinated Rubber, Yellow
164.	Chlorinated Rubber Paint Reducer
165.	Paint, Acri-Color, Lamp Black
166.	Paint, Acri-Color, Raw Sienna
167.	Paint, Acri-Color, Toluidine Red
168.	Paint, Automotive Lacquer, White
169.	Paint, Automotive Primer Surfacer, White
170.	Paint, Elastomeric, Cheezee Yellow
171.	Paint, Water-Based QDE, Black
172.	Paint, Water-Based QDE, Chocolate Brown
173.	Paint, Water-Based QDE Enamel White
174.	Paint, Metal Primer, Red Oxide
175.	Paint, Flat, Acrylic Latex, Tile Red
176.	Paint, Gloss, Acrylic Latex, White
177.	Paint, Flat, Acrylic Latex, White
178.	Paint, Flat, Acrylic Latex, White, 16 L/tin
179.	Paint, Gloss, Acrylic Latex, White, 16 L/tin
180.	Paint, Poly Urethane, Top Coat
181.	Paint, Quick Drying Enamel, White
182.	Roof Paint, Spanish Red
183.	Roof Paint, Spainsi Red Roof Paint, White
184.	Roof Paint, White
	,
185.	Lacquer Flo
186.	Primer, Epoxy, Gray
187.	Primer, Automotive Lacquer
188.	Thinner, Paint
189.	Putty, Masonry
190.	Epoxy Reducer
191.	Spot Putty, Automotive
192.	Patching Compound
193.	Pallet, plastic, 110 cm x 110 cm x 15 cm
194.	Brush, Paint, 1" Yellow Handle
195.	Brush, Paint, 2" Yellow Handle
196.	Brush, Paint, 3" Yellow Handle
197.	Brush, Paint, 4" Yellow Handle
198.	Brush, Roller, 7" with Handle (Cloth)
199.	Baby Roller, 6", Cloth, with Handle
200.	Baby Roller, 4", Cloth, with Handle
201.	Handle, Paint Roller, Plastic, Adjustable
202.	Paint Roller Tray Plate, 10" x 12", Plastic
203.	Tape, Masking, 1"
204.	Cloth, stofa
205.	Hose, Compressor, 1/2", Heavy Duty
206.	Spray Gun, Upper, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air
	Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern Width: 80-120 mm, Cup
	Capacity: 250 cc, with Paint Controller and Manual
	Lot 4 – Iron Works, Carpentry, Masonry, and Tinsmithry Materials and Tools
207.	Angle Bar, 1" x 1" x 3/16"
208.	Angle Bar, 1-1/2" x 1-1/2" x 3/16"
209.	Flat Bar, 1" x 3/16"
210.	Tubular Bar, 1" x 1" x 1.5 mm

211.	Welding Rod, 1/8", E6013, 20 kg/box
212.	Welding Rod, 3/32", E6013, 20 kg/box Welding Rod, 3/32", E6013, 20 kg/box
212.	
213.	G.I. Wire, Gauge 16
214.	Lumber, 2" x 2" x 12', S4S
	Lumber, 2" x 2" x 14' Sun Dried
216.	Lumber, 2" x 2" x 8', S4S, Sun Dried
217.	Plywood, 1/4", Marine
218.	Plywood, 1/2", Marine
219.	
220.	Wood Edging, 1/2" x 1" x 8'
221.	Molding, PVC 1" x 8', White
222.	Molding, PVC 3/4" x 8', White
223.	Nail, Common Wire, 1"
224.	Nail, Common Wire, 1-1/2"
225.	Nail, Common Wire, 2"
226.	Nail, Common Wire, 3"
227.	Nail, Concrete, 2"
228.	Nail, Concrete, 3"
229.	Nail, Finishing, 2"
230.	Doorknob, Cylindrical, Heavy Duty
231.	Door Closer, Automatic
232.	Drawer Guide, full extension #12
233.	Drawer Guide, full extension #14
234.	Cabinet Handle, 4", heavy duty
235.	Cabinet Handle, Heavy Duty
236.	Lock, Drawer/Cabinet
237.	Lock, Padlock, Heavy Duty #5
238.	Hinge, Concealed C1 Overlap Hydraulic
239.	Hinge, Concealed C2 overlap Hydraulic
240.	Blade, Jig Saw
241.	Blade, Electric Planer, 4" x 2"
242.	Glue, for wood
243.	Epoxy, Bond, A & B (in quart)
244.	Adhesive, "No More Nails", 100 g
245.	Rivets, Blind Rivets, 1/8" x ½"
246.	Screw, black, for metal, #10 x 1"
247.	Cement, Contact
248.	Sealant, for all surfaces 75 ml/pack
249.	Sealant, Roofing
250. 251.	Sealant, Silicon, Clear Sealant, Wet and Dry, Water Stop 200 ml (A & R)
251.	Sealant, Wet and Dry, Water Stop 200 ml (A & B)
252. 253.	Cement, Portland, 40 kg/bag Level Bar, 36", with 3 vials and I-beam or box beam construction, accuracy of 0 .001",
233.	powder-coated frame
254.	Carpenter's Tri Square, aluminum, with dual markings, one vial for leveling, lock knob
255.	Tape Measure, Self-Retracting, 7.5 m, Fiber Glass Tape, ABS Plastic Case
255. 256.	Reviter
257.	Electric Reciprocating Saw, 750W, Rated Power: 1100 W, Reciprocating Stroke: 28 mm, No-Load Stroke Speed: 0-2700 /MNL, Cutting Depth (Wood): 230 mm, Cutting Depth
	(Steel): 20 mm, Warranty: at least 1 year
258.	Impact Driver, Cordless, Drive Size: 1/4", Brushless Motor, Voltage: 18 VDC, Maximum
236.	Torque: 2000 in-lb, Free Speed: 3600 rpm, Impact per Minute: 4300, Number of Speed
	Settings: 4, Handle Type: Pistol Grip with Rubber Over Mold, with Built-in Light, Number
	of Batteries: 3 (Included), Battery Type: M18 Red lithium, with Battery Charger, Carrying
	Case, Belt Clip, and Tool Holder
259.	Impact Driver Bit Set, 60 pieces, Set includes: (1) Compact Magnetic Bit Holder, (1) P2/SL
	#10 Double Ended Bit, (1) P2/SQ2 Double Ended Bit, (1) P2/T25 Double Ended Bit, (1)
	, , , , , , , , , , , , , , , , , , , ,

	T20/T25 Double Ended Bit, (1) Hex Shank Drill Bit 1/16", (1) Hex Shank Drill Bit 1/4", (1) Hex Shank Drill Bit 1/8", (1) Hex Shank Drill Bit 3/32", (1)
	Hex Shank Drill Bit 3/8", (1) 1/4" Magnetic Nut Driver, (1) 5/16" Magnetic Nut Driver, (1)
	3/8" Socket Adapter, (1) 6" Magnetic Bit Tip Holder, (1) Phillips Bit 1" P1, (6) Phillips Bit
	1" P2, (2) Phillips Bit 1" P3, (1) Phillips Reduced 1" PR2 Bit, (1) Square Bit 1" SQ1, (3)
	Square Bit 1" SQ2, (1) TORX® Bit 1" T10, (1) TORX® Bit 1" T15, (2) TORX® Bit 1"
	T20, (3) TORX® Bit 1" T25, (1) TORX® Bit 1" T30, (1) Slotted Bit 1" SL 1/8", (1) Slotted
	Bit 1" SL 1/4", (1) Hex Bit 1" 3/16", (1) Hex Bit 1" 1/4", (1) Phillips Bit 2" P1, (4) Phillips
	Bit 2" P2, (2) Phillips Bit 2" P3, (2) Square Bit 2" SQ1, (3) Square Bit 2" SQ2, (1) Square
	Bit 2" SQ3, (2) TORX® Bit 2" T20, (2) TORX® Bit 2" T25, (1) TORX® Bit 2" T30, (1)
	Slotted Bit SL 2" 1/4"
260.	Blade, Circular Saw, 10", 30 teeth
261.	Blade, Hacksaw
262.	Blade, for Electric Reciprocating Saw (Blade only)
263.	Cutter, for glass, heavy duty
264.	Cutting Disc, Masonry, 4"
265.	Cutting Disc, Metal 4", super thin
266.	Disc, Cut Off Saw Disc 14" dia. (355 mm)
267.	Grinding Stone, 4" diameter
268.	Sandpaper, Desk #100, 5" dia.
269.	Drill Bit, Masonry 1/4" Heavy Duty
270.	Drill Bit, Masonry 3/16, Heavy Duty
271. 272.	Drill Bit, Metal 1/4" Heavy Duty Drill Bit, Metal 3/16, Heavy Duty
273.	Drill Bit, Metal 5/32" Heavy Duty
273.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment
274.	Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch
271.	rubber wheels, anti-slip/skip platform
275.	Step Ladder, aluminum, 6 ft, 250 lb. capacity
276.	Post Digger, Metal Head, Wooden Handle, 146 cm
277.	Digital Laser Distance Measuring Tool, with 40 meters range, Laser Diode 635 nm., <1 mW,
	measurement range 0.05-40 m, Laser class -2, measurement accuracy (typical): ± 1.5 mm,
	Power Supply: 4 x 1.5 V AAA
278.	Fiber Glass Tape Measure, 50 m Length, ABS plastic case
279.	Gloves, Disposable, Material: Nitrile, Thickness: 4 mils, Length: 9 in, Color: Black, Size:
	Medium, Powder-Free, Chemical Resistant, Non-Sterile, Anti-Static, Leakage rating: AQL
	1.5, Complies with EN374, EN455, & ASTM D6319 Safety Standards, 100 pcs per pack
280.	Gloves, General Purpose, Material: Cotton, Coating: Latex, Color: Orange, Size: Medium,
	Resistant to abrasion and tear, 10 pairs/box
	Lot 6 – Air Conditioning Equipment Maintenance Materials and Tools
281.	Refrigerant, R22, (13.6 kilos per tank)
282.	Refrigerant, R410A (13.6 kilos per tank)
283.	Compressor, for ACU, 49 to 51 LRA, 220 V
284.	Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk
285.	Capacitor, Dual, 40+7 uF
286. 287.	Capacitor, Dual, 40+7 uF Capacitor, Dual, ³ / ₄ Hp, 1.5 + 15 ,uF
288.	Capacitor, Single, 65 uF
289.	Valve, Access Valve Charging Line, ACU
290.	Fuse, Thermal 2 A
291.	Mapp Gas, Content: 14.1 oz./400 g, Metal Thread doesn't explode to prolong usage
292.	Manifold Gauge, For Inverter Type ACU, Refrigerant R410A, R22, and R134A
293.	Thermostat, for ACU
294.	Butane Blow Torch, with Butane, 174 g
295.	Oil, WD-40, 1/4 liter
296.	Power Sprayer, Pressure: 320-700 psi, Flow Rate: 10-25 L/min, Power: 1.5 Hp, with
	Accessories

297.	Hose, Power Sprayer, 3-Ply
298.	Cutter, Tube, 3/4" to 1-1/2", heavy duty
299.	Cutter, Tube, 1/8" to 5/8", heavy duty
	Lot 7 – Replacement Parts for Equipment
300.	Clutch Lining Assembly, for Kawasaki Grass Cutter
301.	Clutch Lining Assembly, for Honda Grass Cutter
302.	Recoil Pull Starter Assembly, for Kawasaki Grass Cutter, GX 35
303.	Recoil Pull Starter Assembly, for Kawasaki Grass Cutter, TD 40
304.	Fan Belt, (A-1016)

Note: Bidders must state in the Statement of Compliance either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provision of ITB Clause 4.

Section VIII. Bid Documents Checklist

This Bid Documents Checklist is provided to guide the Bidder in preparing his/her bid. The checklist may be used by the Bidder to verify if the Bid includes all the prescribed documents.

The Bidder, in submitting the required documents, must use the prescribed forms found in Section X. Bidding Forms. However, should a bidder choose to use a different formatting style for a required document, the bidder must ensure that the substance in the form given in Section X for that particular document is substantially captured in the equivalent document.

A. Eligibility and Technical Documents (Contents of Envelope 1)		
	1. Photocopy of valid PhilGEPS Certificate of Registration	
	2. Photocopy of valid Certificate of Registration from SEC, DTI, or CDA, whichever is applicable	
	3. Photocopy of valid Mayor's/Business Permit	
	4. Photocopy of valid Tax Clearance	
	5. Statement of all on-going government and private contracts, including contracts awarded but not yet started, if any	
	6. Statement of Single Largest Completed Contract (SLCC), similar to the contract to be bid, in accordance with ITB Clause 5.3	
	7. Audited Financial Statements stamped "received" by the BIR or its duly accredited and authorized institutions	
	8. NFCC computation	
	9. <i>If applicable</i> , a valid Joint Venture Agreement (JVA), in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful	
	10. Bid Securing Declaration or Bid Security, in the form, amount and validity period, as prescribed in ITB Clause 14.1	
	11. Bidder's Compliance to the Technical Specifications	
	12. Omnibus Sworn Statement, which shall be duly notarized	
A. Financial Documents (Contents of Envelope 2)		
	1. Financial Bid Form in the prescribed form	
	2. Schedule of Prices	

Section IX. Bidding Forms

TABLE OF CONTENTS

A.	Elig	gibility and Technical Documents	
	5.	Statement of all on-going government and private contracts, including contracts awarded but not yet started, if any	27
	6.	Statement of Single Largest Completed Contract (SLCC), similar to the contract to be bid, in accordance with ITB Clause 5.3	28
	8.	NFCC computation	29
	10.	Bid Securing Declaration or Bid Security, in the form, amount and validity period, as prescribed in ITB Clause 14.1	30
	11.	Bidder's Compliance to the Technical Specifications	32
	12.	Omnibus Sworn Statement, which shall be duly notarized	38
В.	Fina	ancial Documents	
	1.	Financial Bid Form	40
	2	Schedule of Prices	4 1

Date

To: Tarlac State University Re: Invitation to Bid No.

List of All Ongoing Government and Private Contracts, Including Contracts Awarded But Not Yet Started

Row 1: Name of Contract Row 2: Location of Project Row 3: Contract Price	Row 1: Procuring Entity Row 2: Contact Person/Address Row 3: Telephone No.	Description of Goods	Row 1: Date of Award Row 2: Date Started Row 3: Contract Duration	Value of Outstanding Goods

Attached herewith are the following documents: Notice of Award, Notice to Proceed, and Official Receipts/Invoices, as evidences in support of the foregoing information.

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[Signature]
[Name of Bidder or Authorized Representative]
[Position or Title]

Date

To: Tarlac State University Re: Invitation to Bid No.

Statement of Single Largest Completed Contract Similar to the Contract to be Bid

Row 1: Name of Contract Row 2: Location	Contract Price	Row 1: Procuring Entity Row 2: Address Row 3: Contact Person/Tel. No.	Description of Goods	Date of Award	Date Completed

Attached herewith are the following documents: Contract Agreement, Notice of Award, Notice to Proceed, Official Receipt/Invoice, Certificate of Final Inspection, and Certificate of Acceptance, as evidences in support of the foregoing information.

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[Signature]
[Name of Bidder or Authorized Representative]
[Position or Title]

[Date]

To: Tarlac State University Re: Invitation to Bid No.

NET FINANCIAL CONTRACTING CAPACITY

Based on our Income Tax Return and Audited Financial Statement for the Fiscal Year [YEAR], duly submitted to the Bureau of Internal Revenue, and which form part of our Bid, the summary of our firm's financial condition is as given below:

		Year [YEAR]
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	

Based on the aforementioned data and the Value of Outstanding Works from the Statement of All Ongoing Government and Private Contracts, which also form part of our Bid, our Net Financial Contracting Capacity (NFCC) is:

NFCC = [(current asset minus current liabilities) (15)] minus [value of all outstanding or uncompleted portions of the projects under ongoing contracts including awarded contracts yet to be started coinciding with the contract to be bid].

NFCC =

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[Signature]
[Name of Bidder or Authorized Representative]
[Position or Title]

Bid-Securing Declaration

Republic of the Philippines City/Municipality Of	_) S.S.
xx	
Invitation to Bid [Insert reference number]	
To: Tarlac State University	
I/We, the undersigned, declare that:	
1. I/We understand that, according to your condit may be in the form of a Bid-Securing Declaration	ions, bids must be supported by a Bid Security, which ion.
procuring entity for a period of two (2) years will pay the applicable fine provided under Se Declaration, within fifteen (15) days from rece commission of acts resulting to the enforcement	y disqualified from bidding for any contract with any apon receipt of your Blacklisting Order; and, (b) I/we ction 6 of the Guidelines on the Use of Bid Securing cipt of written demand by the procuring entity for the ment of the bid securing declaration under Sections the IRR of RA 9184; without prejudice to other legal
3. I/We understand that this Bid-Securing Decircumstances:	claration shall cease to be valid on the following
 a. Upon expiration of the bid validit request; 	y period, or any extension thereof pursuant to your
b. I am/we are declared ineligible or effect, and	post-disqualified upon receipt of your notice to such
i) I/we failed to timely file a r	request for reconsideration or
ii) I/we filed a waiver to avail	of said right;
c. I am/we are declared as the bidder whave furnished the performance sec	with the Lowest Calculated Responsive Bid, and I/we urity and signed the Contract.
IN WITNESS WHEREOF , I/We have hereunto [place of execution].	set my/our hand/s this day of [month] [year] at
[Signature] [Name of Bidder's Authorized Representative [Signatory's legal capacity] Affiant	

SUBSCRIBED AND SWORN to before me this day of [month] [year] at [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no
Witness my hand and seal this day of [month] [year].
[Name and Signature of Notary Public]
Serial No. of Commission
Notary Public for until
Notary Public for until
Notary Public for until Roll of Attorneys No
Roll of Attorneys No
Roll of Attorneys No PTR No, [date issued], [place issued]
Roll of Attorneys No PTR No, [date issued], [place issued] IBP No, [date issued], [place issued]
Roll of Attorneys No PTR No, [date issued], [place issued] IBP No, [date issued], [place issued] Doc. No

[Date]

To: Tarlac State University Re: Invitation to Bid No.

Compliance to the Technical Specifications

		D.11 1 C
		Bidder's Compliance
		State "Comply" below if your
Item		offer is complying with the specifications, otherwise state
No.	Description	"We are offering the same goods
110.		with the following specifications
		[State the complete specifications
		of the alternative offer]
	Lot 1 – Pipes, Pipe Fittings, and Plumbing Materials and Tools	of the atternative offeri
1.	Pipe, B.I, 1", Schedule 40	
2.	Pipe, PPR Pipe 1/2" x 4 m	
3.	Pipe, PPR, 3/4" x 4 m	
4.	Pipe, PPR Pipe 1" x 4 m	
5.	Pipe, PPR Pipe 1-1/4" x 4 m	
6.	Pipe, PVC, 1/2" x 10', Blue	
7.	Pipe, PVC, Orange, 1/2"x 10' Thick Wall	
8.	Adaptor, PVC, Blue, Male, 1/2"	
9.	Adaptor, PPR, Female, 1/2"	
10.	Adaptor, PPR, Female, 3/4"	
11.	Adaptor, PPR, Female, 1"	
12.	Adaptor, PPR, Female, 1-1/4"	
13.	Adaptor, PPR, Male, 1/2"	
14.	Adaptor, PPR Male, 3/4"	
15.	Adaptor, PPR, Male, 1"	
16.	Adaptor, PPR, Male, 1-1/4"	
17.	Bushing, G.I., 1-1/2" x 1-1/4"	
18.	Bushing, G.I., 2" x 1-1/4"	
19.	Cap, PPR, 1"	
20.	Cap, PPR, 3/4"	
21.	Cement, Solvent, 100 cc	
22.	Clamp, 1", PVC, Blue	
23.	Clamp, 1/2", PVC, Blue	
24.	Coupling Reducer, PPR, 1-1/4" x 1/2"	
25.	Coupling Reducer, PPR, 1-1/4" x 3/4"	
26.	Coupling Reducer, PPR, 1' x 1/2"	
27.	Coupling Reducer, PPR, 1-1/4" x 1"	
28.	Coupling Reducer, PPR, 1" x 3/4"	
29.	Coupling Reducer, PPR, 3/4" x 1/2"	
30.	Coupling Reducer, G.I., 2" x 1-1/4"	
31.	Coupling Reducer, G.I., 1-1/2" x 1-1/4"	
32.	Coupling Reducer, PVC, Blue, 3/4" x 1/2"	
33.	Coupling, G.I., 1/2"	
34.	Coupling, G.I., 1"	
35.	Coupling, PPR, 1/2"	
36.	Coupling, PPR, 3/4"	
37.	Coupling, PPR, 1"	
38.	Coupling, PPR, 1-1/4	
39.	Elbow, G.I. 1/2"	
40.	Elbow, Street, G.I., 1/2"	
41.	Elbow, PPR, 1/2", with thread Elbow, PPR, 1", with thread	
42.	Elbow, PPR, 1", with thread Elbow, PPR, 1-1/4", with thread	
-		
44.	Elbow, PPR, 1/2"	

1.5	TIL. DDD 11	
45.	Elbow, PPR, 1"	
46.	Elbow, PPR, 1-1/4"	
47.	Elbow, PVC 1/2", Blue	
48.	Nipple, G.I., 1/2" x 3"	
49.	Nipple, G.I., 1/2" x 2"	
50.	Plug, 1/2", PPR	
51.	Tee, PPR, 1/2", with Thread	
52.	Tee, PPR, 1/2"	
53.	Tee, PPR, 3/4"	
54.	Tee, PPR, 1"	
55.	Tee, PPR, 1-1/4"	
56.	Union Patente, PPR, 1/2"	
57.	Union Patente, PPR, 3/4"	
58.	Union Patente, PPR, 1"	
59.	Union Patente, PPR, 1-1/4	
60.	Check Valve, 1"	
61.	Gate Valve, 1/2"	
62.	Gate Valve, 3/4"	
63.	Gate Valve, 1"	
64.	Gate Valve, PPR, 1/2"	
65.	Gate Valve, PPR, 3/4"	
66.	Gate Valve, PPR, 1-1/4"	
67.	P-Trap, Flexible, 1-1/4"	
68.	P-Trap, Flexible, 1-1/2"	
69.	Tape, Teflon, 1/2"	
70.	Tape, Teflon, 3/4"	
70.	Tape, Teflon, 3/4 Tape, Teflon, 1"	
72.	Angle Valve, 2-way, 1/2" x 3/8"	
73.	Angle Valve, 2-way, 1/2" x 1/2"	
74.	Angle Valve, double, 1/2" x 1/2" x 1/2"	
75.	Faucet, Brass, 1/2" Heavy Duty	
76.	Faucet, Goose Neck, 1/2", Stainless Steel	
77.	Faucet, Lavatory, 1/2"	
78.	Faucet, Wall, 1/2" x 3"	
79.	Angle Valve, 1/2 X 1/2"	
80.	Angle Valve, 3/8 X 1/2"	
81.	Angle Valve, Double 1/2 X 1/2 x 3/8	
82.	Flexible Hose, 1/2" x 1/2", Heavy Duty	
83.	Flexible Hose, 1/2" x 3/8", Heavy Duty	
84.	Flexible Hose, 3/4" x 3/8", Heavy Duty	
85.	Bidet Spray Set, stainless steel	
86.	Bidet, Spray Gun Only, stainless steel	
87.	Fill Valve, (Tank Fittings)	
88.	Flapper Valve, 1"	
89.	Urinal Valve, Push Button, Standard	
90.	Handle, Water Closet, Lever Type	
91.	Water Closet, with Lavatory, Bowl, Size: 680 x 370 x 800 mm, Color:	
91.	White, Material: Ceramic	
92.	Pressure Switch, for Pump	
93.	Pressure Gauge, for Pump	
93.	Garden Hose, 1/2", Length: 30 m, Heavy Duty, Color: Green, with Hose	
74.	Bibs and Nozzle	
95.	Pipe Cutter, 1/2" to 2", heavy Duty	
33.	Lot 2 – Electrical Materials and Tools	
06		
96.	Wire, Stranded, #10/7, THHN	
97.	Wire, Stranded, #12/7, THHN	<u> </u>
98.	Wire, Stranded, 30 mm2, THHN	
99.	Wire, Stranded, #8/7, THHN	
100.	Flat Cord, #16, Black	
101.	Flat Cord, #16, White	
102.	Royal Cord, 2 x Gauge 14 AWG 14	
103.	Flexible Electrical Conduit, Orange, 3/4"	
104.	Flexible Electrical Conduit, Conduit, 1/2"	
105.	Cable Tie, Nylon, Black, 150 mm x 3.6 mm, 100 pcs/bag	

106	C 11 T' N 1 D1 1 200 2 C 100 T	
106.	Cable Tie, Nylon, Black, 200 mm x 3.6 mm, 100 pcs/bag	
107.	Cable Tie, Nylon, Black, 300 mm x 4.8 mm, 100 pcs/bag	
108.	Circuit Breaker, 100 A, Single Phase (BOT)	
109.	Circuit Breaker, 100 A, Single Phase (PIT)	
110.	Circuit Breaker, 150 A, 3 Phase (BOT), Molded Case	
111.	Circuit Breaker, 225 A, 3 Phase (BOT), Molded Case	
112.	Circuit Breaker, 30 A (BOT)	
113.	Circuit Breaker, 30 A (PIT)	
114.	Circuit Breaker, 200 A, 3 Phase, Molded Case	
115.	Circuit Breaker, 75 A, 3 Phase	
116.	Circuit Breaker, 40 A (BOT)	
117.	Circuit Breaker, 60 A (BOT)	
118.	Circuit Breaker, 60 A (PIT)	
119.	Circuit Breaker, NEMA 1 Enclosure, 50 A, Weatherproof	
120.	Circuit Breaker, NEMA 3 Enclosure, 30 A, Weatherproof	
121.	Circuit Breaker, NEMA 3 Enclosure, 40 A, Weatherproof	
	*	
122.	Circuit Breaker, Safety Breaker 30 A (BOT), with Plastic Housing	
123.	Circuit Breaker, 100 A (BOT) (for existing panel board - Sassin)	
124.	Circuit Breaker, 20 A (BOT) (for existing panel board - Sassin)	
125.	Circuit Breaker, 32 A (BOT) (for existing panel board - Sassin)	
126.	Circuit Breaker, 60 A (for existing panel board - Sassin)	
127.	Circuit Breaker, 200 A (BOT), 3 Phase (for existing panel board -	
	Schneider)	
128.	Circuit Breaker, 250 A (BOT), 3 Phase (for existing panel board -	
	Schneider)	
129.	Circuit Breaker, 30 A (BOT), with Universal Socket	
130.	Safety Breaker, 30 A (BOT), with plastic housing, single phase	
131.	Connector, Solderless Connector, 2 Bolt 1000 mcm	
132.	Connector, Solderless Connector, 2 Bolt 350-500 mcm	
133.	Connector, Solderless connector 4/0, 2 Bolt	
134.	Contactor, Magnetic, 30A, 3Phase 60Hz, Operational Current 220V/440V,	
10	Auxilary Contact: 2 Normally Open, 2 Normally Close	
135.		
	Box, Gang 2" x 4", PVC, Poly White	
136.	Junction Box, 4" x 4", PVC	
137.	Box, Utility 2"x 4", PVC, Deep Type, Orange	
138.	Outlet, ACU	
139.	Outlet, Universal, 2 Gang	
140.	Plug, electric, heavy duty	
	Switch, 4-Way	
141.		
142.	Bulb, frosted candle, 40 watts, E14	
143.	Bulb, frosted candle, 40 watts, E27	
144.	Bulb, LED 9W, Daylight	
145.	Bulb, LED 18 W, Daylight	
146.	Bulb, LED 23 W, Daylight	
147.	Bulb, LED, 15 W	
148.	Bulb, LED, 18 W	
149.	Bulb, LED, 20 W	
		+
150.	Bulb, Spiral Bulb, warm white, 20 W, Electronic Energy Saver E-27	
151.	Floodlight, CFL Type 2 x 30 W Daylight	
152.	Lamp, Fluorescent, 18 W, T5	
153.	Lamp, LED Floodlight Daylight, 50 W	
154.	Tube, LED Floodlight Daylight, 50 W	+
155.	Tape, Electrical, Big	
156.	Tape, Rubber, 0.8 mm x 19 mm x 8 m	
157.	Wire/Cable Staple Gun Tacker, for low voltage wire applications, for use	
	with T25 staples size 3/8", 7/16", and 9/16", Jam-Resistant Rear Load	
	Mechanism, with Powerful Coil Spring, Cushioned Grip, Grooved-Wire	
	Guide, and Curved Blade	
158.	Multi Tester Analog, Heavy Duty	
130.		
1.50	D-44 A A A 1 1 4	
159.	Battery, AAA, heavy duty	
159. 160.	Flashlight, Mini, Rechargeable, Water/Shock Resistant, Adjustable Focus	
	· · · ·	
	Flashlight, Mini, Rechargeable, Water/Shock Resistant, Adjustable Focus	
160.	Flashlight, Mini, Rechargeable, Water/Shock Resistant, Adjustable Focus Zoom, Color: Black, LED Light Lot 3 – Painting Materials and Tools	
	Flashlight, Mini, Rechargeable, Water/Shock Resistant, Adjustable Focus Zoom, Color: Black, LED Light	

		T
163.	Paint, Floor, Chlorinated Rubber, Yellow	
164.	Chlorinated Rubber Paint Reducer	
165.	Paint, Acri-Color, Lamp Black	
166.	Paint, Acri-Color, Raw Sienna	
167.	Paint, Acri-Color, Toluidine Red	
168.	Paint, Automotive Lacquer, White	
169.	Paint, Automotive Primer Surfacer, White	
170.	Paint, Elastomeric, Cheezee Yellow	
170.	Paint, Water-Based QDE, Black	
172.	Paint, Water-Based QDE, Chocolate Brown	
173.	Paint, Water-Based QDE Enamel White	
174.	Paint, Metal Primer, Red Oxide	
175.	Paint, Flat, Acrylic Latex, Tile Red	
176.	Paint, Gloss, Acrylic Latex, White	
177.	Paint, Flat, Acrylic Latex, White	
178.	Paint, Flat, Acrylic Latex, White, 16 L/tin	
179.	Paint, Gloss, Acrylic Latex, White, 16 L/tin	
180.	Paint, Poly Urethane, Top Coat	
181.	Paint, Quick Drying Enamel, White	
182.	Roof Paint, Spanish Red	
183.	Roof Paint, Spainsi Red Roof Paint, White	
184.	Roof Paint, White	
185.	Lacquer Flo	
186.	Primer, Epoxy, Gray	
187.	Primer, Automotive Lacquer	
188.	Thinner, Paint	
189.	Putty, Masonry	
190.	Epoxy Reducer	
191.	Spot Putty, Automotive	
192.	Patching Compound	
193.	Pallet, plastic, 110 cm x 110 cm x 15 cm	
194.	Brush, Paint, 1" Yellow Handle	
195.	Brush, Paint, 2" Yellow Handle	
196.	Brush, Paint, 3" Yellow Handle	
197.	Brush, Paint, 4" Yellow Handle	
198.	Brush, Roller, 7" with Handle (Cloth)	
199.	Baby Roller, 6", Cloth, with Handle	
200.	Baby Roller, 4", Cloth, with Handle	
201.	Handle, Paint Roller, Plastic, Adjustable	
202.	Paint Roller Tray Plate, 10" x 12", Plastic	
203.	Tape, Masking, 1"	
204.	Cloth, stofa	
205.	Hose, Compressor, 1/2", Heavy Duty	
206.	Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60	
	psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern	
	Width: 80-120 mm, Cup Capacity: 250 cc, with Paint Controller and	
	Manual	
	Lot 4 – Iron Works, Carpentry, Masonry, and Tinsmithry Materials	
	and Tools	
207.	Angle Bar, 1" x 1" x 3/16"	
208.	Angle Bar, 1-1/2" x 1-1/2" x 3/16"	
209.	Flat Bar, 1" x 3/16"	
210.	Tubular Bar, 1" x 1" x 1.5 mm	
211.	Welding Rod, 1/8", E6013, 20 kg/box	
212.	Welding Rod, 3/32", E6013, 20 kg/box	
213.	G.I. Wire, Gauge 16	
214.	Lumber, 2" x 2" x 12', S4S	
215.	Lumber, 2" x 2" x 14' Sun Dried	
216.	Lumber, 2" x 2" x 8', S4S, Sun Dried	
217.	Plywood, 1/4", Marine	
218.	Plywood, 1/2", Marine	
219.	Plywood, 3/4", Marine	
220.	Wood Edging, 1/2" x 1" x 8'	
221.	Molding, PVC 1" x 8', White	

222	M 11' DV/C 2/4II OL WIL'.	T
222.	Molding, PVC 3/4" x 8', White	
223.	Nail, Common Wire, 1"	
224.	Nail, Common Wire, 1-1/2"	
225.	Nail, Common Wire, 2"	
226.	Nail, Common Wire, 3"	
227.	Nail, Concrete, 2"	
228.	Nail, Concrete, 3"	
229.	Nail, Finishing, 2"	
230.	Doorknob, Cylindrical, Heavy Duty	
231.	Door Closer, Automatic	
232.	Drawer Guide, full extension #12	
233.	Drawer Guide, full extension #14	
234.	Cabinet Handle, 4", heavy duty	
235.	, ,	
236.	Cabinet Handle, Heavy Duty Lock, Drawer/Cabinet	
-		
237.	Lock, Padlock, Heavy Duty #5	
238.	Hinge, Concealed C1 Overlap Hydraulic	
239.	Hinge, Concealed C2 overlap Hydraulic	
240.	Blade, Jig Saw	
241.	Blade, Electric Planer, 4" x 2"	
242.	Glue, for wood	
243.	Epoxy, Bond, A & B (in quart)	
244.	Adhesive, "No More Nails", 100 g	
245.	Rivets, Blind Rivets, 1/8" x ½"	
246.	Screw, black, for metal, #10 x 1"	
247.	Cement, Contact	
248.	Sealant, for all surfaces 75 ml/pack	
249.	Sealant, Roofing	
250.	Sealant, Silicon, Clear	
251.	Sealant, Wet and Dry, Water Stop 200 ml (A & B)	
252.	Cement, Portland, 40 kg/bag	
253.	Level Bar, 36", with 3 vials and I-beam or box beam construction, accuracy	
233.	of 0.001", powder-coated frame	
254.	Carpenter's Tri Square, aluminum, with dual markings, one vial for	
	leveling, lock knob	
255.	Tape Measure, Self-Retracting, 7.5 m, Fiber Glass Tape, ABS Plastic Case	
256.	Reviter	
257.	Electric Reciprocating Saw, 750W, Rated Power: 1100 W, Reciprocating	
	Stroke: 28 mm, No-Load Stroke Speed: 0-2700 /MNL, Cutting Depth	
	(Wood): 230 mm, Cutting Depth (Steel): 20 mm, Warranty: at least 1 year	
258.	Impact Driver, Cordless, Drive Size: 1/4", Brushless Motor, Voltage: 18	
	VDC, Maximum Torque: 2000 in-lb, Free Speed: 3600 rpm, Impact per	
	Minute: 4300, Number of Speed Settings: 4, Handle Type: Pistol Grip with	
	Rubber Over Mold, with Built-in Light, Number of Batteries: 3 (Included),	
	Battery Type: M18 Red lithium, with Battery Charger, Carrying Case, Belt	
	Clip, and Tool Holder	
259.	Impact Driver Bit Set, 60 pieces, Set includes: (1) Compact Magnetic Bit	
	Holder, (1) P2/SL #10 Double Ended Bit, (1) P2/SQ2 Double Ended Bit,	
	(1) P2/T25 Double Ended Bit, (1) T20/T25 Double Ended Bit, (1) Hex	
	Shank Drill Bit 1/16", (1) Hex Shank Drill Bit 1/4", (1) Hex Shank Drill Bit	
	1/8", (1) Hex Shank Drill Bit 3/16", (1) Hex Shank Drill Bit 3/32", (1) Hex	
	Shank Drill Bit 3/8", (1) 1/4" Magnetic Nut Driver, (1) 5/16" Magnetic Nut	
	Driver, (1) 3/8" Socket Adapter, (1) 6" Magnetic Bit Tip Holder, (1) Phillips Bit 1" P1, (6) Phillips Bit 1" P2, (2) Phillips Bit 1" P3, (1) Phillips	
	Reduced 1" PR2 Bit, (1) Square Bit 1" P2, (2) Printips Bit 1" P3, (1) Printips Reduced 1" PR2 Bit, (1) Square Bit 1" SQ1, (3) Square Bit 1" SQ2, (1)	
	TORX® Bit 1" T10, (1) TORX® Bit 1" T15, (2) TORX® Bit 1" T20, (3)	
	TORX® Bit 1" T25, (1) TORX® Bit 1" T30, (1) Slotted Bit 1" SL 1/8", (1)	
	Slotted Bit 1" SL 1/4", (1) Hex Bit 1" 3/16", (1) Hex Bit 1" 1/4", (1)	
	Phillips Bit 2" P1, (4) Phillips Bit 2" P2, (2) Phillips Bit 2" P3, (2) Square	
	Bit 2" SQ1, (3) Square Bit 2" SQ2, (1) Square Bit 2" SQ3, (2) TORX® Bit	
	2" T20, (2) TORX® Bit 2" T25, (1) TORX® Bit 2" T30, (1) Slotted Bit SL	
	2" 1/4"	
260.	Blade, Circular Saw, 10", 30 teeth	
261.	Blade, Hacksaw	
262.	Blade, for Electric Reciprocating Saw (Blade only)	
263.	Cutter, for glass, heavy duty	

264	C. Was Disa Massas All	<u> </u>
264.	Cutting Disc, Masonry, 4"	
265.	Cutting Disc, Metal 4", super thin	
266.	Disc, Cut Off Saw Disc 14" dia. (355 mm)	
267.	Grinding Stone, 4" diameter	
268.	Sandpaper, Desk #100, 5" dia.	
269.	Drill Bit, Masonry 1/4" Heavy Duty	
270.	Drill Bit, Masonry 3/16, Heavy Duty	
271.	Drill Bit, Metal 1/4" Heavy Duty	
272.	Drill Bit, Metal 3/16, Heavy Duty	
273.	Drill Bit, Metal 5/32" Heavy Duty	
	Lot 5 – Miscellaneous Tools and Personal Protective Equipment	
274.	Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm	
	platform, 5-inch rubber wheels, anti-slip/skip platform	
275.	Step Ladder, aluminum, 6 ft, 250 lb. capacity	
276.	Post Digger, Metal Head, Wooden Handle, 146 cm	
277.	Digital Laser Distance Measuring Tool, with 40 meters range, Laser Diode	
	635 nm., <1 mW, measurement range 0.05-40 m, Laser class -2,	
	measurement accuracy (typical): ± 1.5 mm, Power Supply: 4 x 1.5 V AAA	
278.	Fiber Glass Tape Measure, 50 m Length, ABS plastic case	
279.	Gloves, Disposable, Material: Nitrile, Thickness: 4 mils, Length: 9 in,	
	Color: Black, Size: Medium, Powder-Free, Chemical Resistant, Non-	
	Sterile, Anti-Static, Leakage rating: AQL 1.5, Complies with EN374,	
200	EN455, & ASTM D6319 Safety Standards, 100 pcs per pack	
280.	Gloves, General Purpose, Material: Cotton, Coating: Latex, Color: Orange,	
	Size: Medium, Resistant to abrasion and tear, 10 pairs/box Lot 6 – Air Conditioning Equipment Maintenance Materials and Tools	
281.	Refrigerant, R22, (13.6 kilos per tank)	
۷۵۱.	r Refrigerant, R22, (15.0 knos per tank)	
282.	Refrigerant, R410A (13.6 kilos per tank)	
282. 283.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V	
282. 283. 284.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk	
282. 283. 284. 285.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF	
282. 283. 284. 285. 286.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF	
282. 283. 284. 285. 286. 287.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, 34 Hp, 1.5 + 15 ,uF	
282. 283. 284. 285. 286. 287. 288.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, 34 Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF	
282. 283. 284. 285. 286. 287. 288. 289.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, 34 Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF Valve, Access Valve Charging Line, ACU	
282. 283. 284. 285. 286. 287. 288. 289. 290.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, 3/4 Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF Valve, Access Valve Charging Line, ACU Fuse, Thermal 2 A	
282. 283. 284. 285. 286. 287. 288. 289.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, 34 Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF Valve, Access Valve Charging Line, ACU Fuse, Thermal 2 A Mapp Gas, Content: 14.1 oz./400 g, Metal Thread doesn't explode to	
282. 283. 284. 285. 286. 287. 288. 289. 290. 291.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, 34 Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF Valve, Access Valve Charging Line, ACU Fuse, Thermal 2 A Mapp Gas, Content: 14.1 oz./400 g, Metal Thread doesn't explode to prolong usage	
282. 283. 284. 285. 286. 287. 288. 289. 290.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, ¾ Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF Valve, Access Valve Charging Line, ACU Fuse, Thermal 2 A Mapp Gas, Content: 14.1 oz./400 g, Metal Thread doesn't explode to prolong usage Manifold Gauge, For Inverter Type ACU, Refrigerant R410A, R22, and	
282. 283. 284. 285. 286. 287. 288. 289. 290. 291.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, ¾ Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF Valve, Access Valve Charging Line, ACU Fuse, Thermal 2 A Mapp Gas, Content: 14.1 oz./400 g, Metal Thread doesn't explode to prolong usage Manifold Gauge, For Inverter Type ACU, Refrigerant R410A, R22, and R134A	
282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, ³ / ₄ Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF Valve, Access Valve Charging Line, ACU Fuse, Thermal 2 A Mapp Gas, Content: 14.1 oz./400 g, Metal Thread doesn't explode to prolong usage Manifold Gauge, For Inverter Type ACU, Refrigerant R410A, R22, and R134A Thermostat, for ACU	
282. 283. 284. 285. 286. 287. 288. 290. 291. 292. 293. 294.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 34 Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF Valve, Access Valve Charging Line, ACU Fuse, Thermal 2 A Mapp Gas, Content: 14.1 oz./400 g, Metal Thread doesn't explode to prolong usage Manifold Gauge, For Inverter Type ACU, Refrigerant R410A, R22, and R134A Thermostat, for ACU Butane Blow Torch, with Butane, 174 g	
282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, 34 Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF Valve, Access Valve Charging Line, ACU Fuse, Thermal 2 A Mapp Gas, Content: 14.1 oz./400 g, Metal Thread doesn't explode to prolong usage Manifold Gauge, For Inverter Type ACU, Refrigerant R410A, R22, and R134A Thermostat, for ACU Butane Blow Torch, with Butane, 174 g Oil, WD-40, 1/4 liter	
282. 283. 284. 285. 286. 287. 288. 290. 291. 292. 293. 294.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, 34 Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF Valve, Access Valve Charging Line, ACU Fuse, Thermal 2 A Mapp Gas, Content: 14.1 oz./400 g, Metal Thread doesn't explode to prolong usage Manifold Gauge, For Inverter Type ACU, Refrigerant R410A, R22, and R134A Thermostat, for ACU Butane Blow Torch, with Butane, 174 g Oil, WD-40, 1/4 liter Power Sprayer, Pressure: 320-700 psi, Flow Rate: 10-25 L/min, Power: 1.5	
282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, ¾ Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF Valve, Access Valve Charging Line, ACU Fuse, Thermal 2 A Mapp Gas, Content: 14.1 oz./400 g, Metal Thread doesn't explode to prolong usage Manifold Gauge, For Inverter Type ACU, Refrigerant R410A, R22, and R134A Thermostat, for ACU Butane Blow Torch, with Butane, 174 g Oil, WD-40, 1/4 liter Power Sprayer, Pressure: 320-700 psi, Flow Rate: 10-25 L/min, Power: 1.5 Hp, with Accessories	
282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, ³ / ₄ Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF Valve, Access Valve Charging Line, ACU Fuse, Thermal 2 A Mapp Gas, Content: 14.1 oz./400 g, Metal Thread doesn't explode to prolong usage Manifold Gauge, For Inverter Type ACU, Refrigerant R410A, R22, and R134A Thermostat, for ACU Butane Blow Torch, with Butane, 174 g Oil, WD-40, 1/4 liter Power Sprayer, Pressure: 320-700 psi, Flow Rate: 10-25 L/min, Power: 1.5 Hp, with Accessories Hose, Power Sprayer, 3-Ply	
282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, 34 Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF Valve, Access Valve Charging Line, ACU Fuse, Thermal 2 A Mapp Gas, Content: 14.1 oz./400 g, Metal Thread doesn't explode to prolong usage Manifold Gauge, For Inverter Type ACU, Refrigerant R410A, R22, and R134A Thermostat, for ACU Butane Blow Torch, with Butane, 174 g Oil, WD-40, 1/4 liter Power Sprayer, Pressure: 320-700 psi, Flow Rate: 10-25 L/min, Power: 1.5 Hp, with Accessories Hose, Power Sprayer, 3-Ply Cutter, Tube, 3/4" to 1-1/2", heavy duty	
282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, 34 Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF Valve, Access Valve Charging Line, ACU Fuse, Thermal 2 A Mapp Gas, Content: 14.1 oz./400 g, Metal Thread doesn't explode to prolong usage Manifold Gauge, For Inverter Type ACU, Refrigerant R410A, R22, and R134A Thermostat, for ACU Butane Blow Torch, with Butane, 174 g Oil, WD-40, 1/4 liter Power Sprayer, Pressure: 320-700 psi, Flow Rate: 10-25 L/min, Power: 1.5 Hp, with Accessories Hose, Power Sprayer, 3-Ply Cutter, Tube, 3/4" to 1-1/2", heavy duty Cutter, Tube, 1/8" to 5/8", heavy duty	
282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, ¾ Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF Valve, Access Valve Charging Line, ACU Fuse, Thermal 2 A Mapp Gas, Content: 14.1 oz./400 g, Metal Thread doesn't explode to prolong usage Manifold Gauge, For Inverter Type ACU, Refrigerant R410A, R22, and R134A Thermostat, for ACU Butane Blow Torch, with Butane, 174 g Oil, WD-40, 1/4 liter Power Sprayer, Pressure: 320-700 psi, Flow Rate: 10-25 L/min, Power: 1.5 Hp, with Accessories Hose, Power Sprayer, 3-Ply Cutter, Tube, 3/4" to 1-1/2", heavy duty Cutter, Tube, 1/8" to 5/8", heavy duty Lot 7 - Replacement Parts for Equipment	
282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, 34 Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF Valve, Access Valve Charging Line, ACU Fuse, Thermal 2 A Mapp Gas, Content: 14.1 oz./400 g, Metal Thread doesn't explode to prolong usage Manifold Gauge, For Inverter Type ACU, Refrigerant R410A, R22, and R134A Thermostat, for ACU Butane Blow Torch, with Butane, 174 g Oil, WD-40, 1/4 liter Power Sprayer, Pressure: 320-700 psi, Flow Rate: 10-25 L/min, Power: 1.5 Hp, with Accessories Hose, Power Sprayer, 3-Ply Cutter, Tube, 3/4" to 1-1/2", heavy duty Cutter, Tube, 1/8" to 5/8", heavy duty Lot 7 - Replacement Parts for Equipment Clutch Lining Assembly, for Kawasaki Grass Cutter	
282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, 34 Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF Valve, Access Valve Charging Line, ACU Fuse, Thermal 2 A Mapp Gas, Content: 14.1 oz./400 g, Metal Thread doesn't explode to prolong usage Manifold Gauge, For Inverter Type ACU, Refrigerant R410A, R22, and R134A Thermostat, for ACU Butane Blow Torch, with Butane, 174 g Oil, WD-40, 1/4 liter Power Sprayer, Pressure: 320-700 psi, Flow Rate: 10-25 L/min, Power: 1.5 Hp, with Accessories Hose, Power Sprayer, 3-Ply Cutter, Tube, 3/4" to 1-1/2", heavy duty Cutter, Tube, 1/8" to 5/8", heavy duty Lot 7 - Replacement Parts for Equipment Clutch Lining Assembly, for Kawasaki Grass Cutter	
282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, 34 Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF Valve, Access Valve Charging Line, ACU Fuse, Thermal 2 A Mapp Gas, Content: 14.1 oz./400 g, Metal Thread doesn't explode to prolong usage Manifold Gauge, For Inverter Type ACU, Refrigerant R410A, R22, and R134A Thermostat, for ACU Butane Blow Torch, with Butane, 174 g Oil, WD-40, 1/4 liter Power Sprayer, Pressure: 320-700 psi, Flow Rate: 10-25 L/min, Power: 1.5 Hp, with Accessories Hose, Power Sprayer, 3-Ply Cutter, Tube, 3/4" to 1-1/2", heavy duty Cutter, Tube, 1/8" to 5/8", heavy duty Lot 7 - Replacement Parts for Equipment Clutch Lining Assembly, for Kawasaki Grass Cutter Recoil Pull Starter Assembly, for Kawasaki Grass Cutter, GX 35	
282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301.	Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk Capacitor, Dual, 30 + 7 uF Capacitor, Dual, 40+7 uF Capacitor, Dual, 34 Hp, 1.5 + 15 ,uF Capacitor, Single, 65 uF Valve, Access Valve Charging Line, ACU Fuse, Thermal 2 A Mapp Gas, Content: 14.1 oz./400 g, Metal Thread doesn't explode to prolong usage Manifold Gauge, For Inverter Type ACU, Refrigerant R410A, R22, and R134A Thermostat, for ACU Butane Blow Torch, with Butane, 174 g Oil, WD-40, 1/4 liter Power Sprayer, Pressure: 320-700 psi, Flow Rate: 10-25 L/min, Power: 1.5 Hp, with Accessories Hose, Power Sprayer, 3-Ply Cutter, Tube, 3/4" to 1-1/2", heavy duty Cutter, Tube, 1/8" to 5/8", heavy duty Lot 7 - Replacement Parts for Equipment Clutch Lining Assembly, for Kawasaki Grass Cutter	

Attached herewith are the manufacturer's product literature(s) and certification(s) that we are authorized to sell the goods.

We certify that the foregoing information and the supporting documents are true and correct.

[Signature]
[Name of Authorized Signatory]

Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. Select one, delete the other:

- b. *If a sole proprietorship:* I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[address of Bidder]*;
- c. *If a partnership, corporation, cooperative, or joint venture:* I am the duly authorized and designated representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

2. Select one, delete the other:

- a. If a sole proprietorship: As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;
- b. If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];
- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. Select one, delete the rest:

a. *If a sole proprietorship:* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- b. *If a partnership or cooperative:* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;
- c. *If a corporation or joint venture:* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;
- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:
 - a. Carefully examine all of the Bidding Documents;
 - b. Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Made an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to delivery certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

amended, or the Revised Pena	ıl Code.
IN WITNESS WHEREOF, I have Philippines.	e hereunto set my hand this day of, 20 at
	Bidder's Representative/Authorized Signatory
execution], Philippines. Affiant/s is/ancompetent evidence of identity as de SC). Affiant/s exhibited to me his/her photograph and signature appearing the No issued on at	
Witness my hand and seal this	s day of [month] [year].
	NAME OF NOTARY PUBLIC Serial No. of Commission Notary Public for until Roll of Attorneys No PTR No [date issued], [place issued] IBP No [date issued], [place issued]

Page No. Book No. Series of	

Data d Alaia

[Bidder's Letterhead]

[Date]

FINANCIAL BID FORM

To: Tarlac State University Re: Invitation to Bid No.

Having examined the Bidding Documents [insert if any or delete, if none: including Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged], we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said Bidding Documents for the sum of [total Bid amount in words and figures] or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

If our Bid is accepted, we commit to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we undertake to provide a performance security in the form, amounts, and within the times specified in the Bidding Documents.

We agree to abide by this Bid for the Bid Validity Period specified in **ITB** Clause 14.2 and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements as per **ITB** Clause 5 of the Bidding Documents.

We likewise certify/confirm that the undersigned, [for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of [Bidder], has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the [Name of Project] of the Tarlac State University] [for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the [Bidder], to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for [Name of Project] of the Tarlac State University.

We acknowledge that failure to sign each and every page of this Financial Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Dated this	day of	20	
[signature]		[in the capacity of]	_
Duly authorized to sign Bid	for and on behalf of _		

[Bidder's Letterhead]

[Date]

To: Tarlac State University Re: Invitation to Bid No.

SCHEDULE OF PRICES

tem No.	Description	Qty.	Unit	Unit price	Total Price
	Lot 1 – Pipes, Pipe Fittings, and Plumbing Materials and Tools				
1.	Pipe, B.I, 1", Schedule 40	20	рс		
2.	Pipe, PPR Pipe 1/2" x 4 m	50	рс		
3.	Pipe, PPR, 3/4" x 4 m	50	рс		
4.	Pipe, PPR Pipe 1" x 4 m	40	рс		
5.	Pipe, PPR Pipe 1-1/4" x 4 m	40	рс		
6.	Pipe, PVC, 1/2" x 10', Blue	30	рс		
7.	Pipe, PVC, Orange, 1/2"x 10' Thick Wall	100	рс		
8.	Adaptor, PVC, Blue, Male, 1/2"	20	рс		
9.	Adaptor, PPR, Female, 1/2"	30	рс		
10.	Adaptor, PPR, Female, 3/4"	30	рс		
11.	Adaptor, PPR, Female, 1"	50	рс		
12.	Adaptor, PPR, Female, 1-1/4"	20	рс		
13.	Adaptor, PPR, Male, 1/2"	50	рс		
14.	Adaptor, PPR Male, 3/4"	50	рс		
15.	Adaptor, PPR, Male, 1"	50	рс		
16.	Adaptor, PPR, Male, 1-1/4"	20	рс		
17.	Bushing, G.I., 1-1/2" x 1-1/4"	20	рс		
18.	Bushing, G.I., 2" x 1-1/4"	20	рс		
19.	Cap, PPR, 1"	20	рс		
20.	Cap, PPR, 3/4"	20	рс		
21.	Cement, Solvent, 100 cc	50	can		
22.	Clamp, 1", PVC, Blue	100	рс		
23.	Clamp, 1/2", PVC, Blue	100	рс		
24.	Coupling Reducer, PPR, 1-1/4" x 1/2"	30	рс		
25.	Coupling Reducer, PPR, 1-1/4" x 3/4"	30	рс		
26.	Coupling Reducer, PPR, 1' x 1/2"	30	рс		
27.	Coupling Reducer, PPR, 1-1/4" x 1"	30	рс		
28.	Coupling Reducer, PPR, 1" x 3/4"	30	рс		
29.	Coupling Reducer, PPR, 3/4" x 1/2"	30	рс		
30.	Coupling Reducer, G.I., 2" x 1-1/4"	20	рс		
31.	Coupling Reducer, G.I., 1-1/2" x 1-1/4"	20	рс		
32.	Coupling Reducer, PVC, Blue, 3/4" x 1/2"	20	рс		
33.	Coupling, G.I., 1/2"	25	рс		
34.	Coupling, G.I., 1"	20	рс		
35.	Coupling, PPR, 1/2"	50	рс		
36.	Coupling, PPR, 3/4"	50	рс		
37.	Coupling, PPR, 1"	50	рс		
38.	Coupling, PPR, 1-1/4	50	рс		
39.	Elbow, G.I. 1/2"	20	рс		
40.	Elbow, Street, G.I., 1/2"	20	pc		
41.	Elbow, PPR, 1/2", with thread	50	pc		
42.	Elbow, PPR, 1", with thread	20	рс		
43.	Elbow, PPR, 1-1/4", with thread	20	рс		
44.	Elbow, PPR, 1/2"	30	pc		
45.	Elbow, PPR, 1"	50	pc		
46.	Elbow, PPR, 1-1/4"	50	рс		

47	Ell DVC 1/01 D1	50	1	I	1
47.	Elbow, PVC 1/2", Blue	50	pc		
48.	Nipple, G.I., 1/2" x 3"	20	pc		
49.	Nipple, G.I., 1/2" x 2"	20	pc		
50.	Plug, 1/2", PPR	50	pc		
51.	Tee, PPR, 1/2", with Thread	50	pc		
52.	Tee, PPR, 1/2"	30	pc		
53.	Tee, PPR, 3/4"	30	pc		
54.	Tee, PPR, 1"	30	рс		
55.	Tee, PPR, 1-1/4"	30	рс		
56.	Union Patente, PPR, 1/2"	30	pc		
57.	Union Patente, PPR, 3/4"	30	pc		
58.	Union Patente, PPR, 1"	30	pc		
59.	Union Patente, PPR, 1-1/4	30	pc		
60.	Check Valve, 1"	10	-		
61.	Gate Valve, 1/2"	20	pc		
			pc		
62.	Gate Valve, 3/4"	10	pc		
63.	Gate Valve, 1"	15	pc		
64.	Gate Valve, PPR, 1/2"	50	pc		
65.	Gate Valve, PPR, 3/4"	30	pc		
66.	Gate Valve, PPR, 1-1/4"	20	pc		
67.	P-Trap, Flexible, 1-1/4"	40	pc		
68.	P-Trap, Flexible, 1-1/2"	50	pc		
69.	Tape, Teflon, 1/2"	30	pc		
70.	Tape, Teflon, 3/4"	75	рс		
71.	Tape, Teflon, 1"	50	рс		
72.	Angle Valve, 2-way, 1/2" x 3/8"	10	рс		
73.	Angle Valve, 2-way, 1/2" x 1/2"	10	pc		
74.	Angle Valve, double, 1/2" x 1/2" x 1/2"	30	set		
75.	Faucet, Brass, 1/2" Heavy Duty	20	рс		
76.	Faucet, Goose Neck, 1/2", Stainless Steel	80	set		
77.	Faucet, Lavatory, 1/2"	50	pc		
78.	Faucet, Wall, 1/2" x 3"	20	рс		
79.	Angle Valve, 1/2 X 1/2"	50	set		
80.	Angle Valve, 1/2 X 1/2" Angle Valve, 3/8 X 1/2"	20			
81.		20	set		
	Angle Valve, Double 1/2 X 1/2 x 3/8	50	set		
82.	Flexible Hose, 1/2" x 1/2", Heavy Duty	-	pc		
83.	Flexible Hose, 1/2" x 3/8", Heavy Duty	50	pc		
84.	Flexible Hose, 3/4" x 3/8", Heavy Duty	50	pc		
85.	Bidet Spray Set, stainless steel	75	set		
86.	Bidet, Spray Gun Only, stainless steel	40	pc		
87.	Fill Valve, (Tank Fittings)	25	pc		
88.	Flapper Valve, 1"	5	pc		
89.	Urinal Valve, Push Button, Standard	20	pc		
90.	Handle, Water Closet, Lever Type	30	pc		
91.	Water Closet, with Lavatory, Bowl, Size: 680 x 370 x	10	set		
	800 mm, Color: White, Material: Ceramic	1			
92.	Pressure Switch, for Pump	10	pc		
93.	Pressure Gauge, for Pump	10	pc		
94.	Garden Hose, 1/2", Length: 30 m, Heavy Duty, Color:	2	set		
	Green, with Hose Bibs and Nozzle	1			
95.	Pipe Cutter, 1/2" to 2", heavy Duty	2	set		
			Sub Tot	tal for Lot 1	
	Lot 2 – Electrical Materials and Tools				
96.	Wire, Stranded, #10/7, THHN	15	box		
97.	Wire, Stranded, #12/7, THHN	20	box		
98.	Wire, Stranded, 30 mm2, THHN	50	m		
99.	Wire, Stranded, #8/7, THHN	15	box		
100.	Flat Cord, #16, Black	15	roll		
101.	Flat Cord, #16, White	15	roll		
102.	Royal Cord, 2 x Gauge 14 AWG 14	100	m		
102.	Flexible Electrical Conduit, Orange, 3/4"	100	m		
103.	Flexible Electrical Conduit, Orange, 3/4 Flexible Electrical Conduit, Conduit, 1/2"	300			
104.	Cable Tie, Nylon, Black, 150 mm x 3.6 mm, 100	+	m bag		
103.	pcs/bag	10	bag		
			1	Ĩ	1

106.	Cable Tie, Nylon, Black, 200 mm x 3.6 mm, 100	10	bag		
107.	pcs/bag Cable Tie, Nylon, Black, 300 mm x 4.8 mm, 100	10	bag		
107.	pcs/bag	10	Dag		
108.	Circuit Breaker, 100 A, Single Phase (BOT)	5	set		
109.	Circuit Breaker, 100 A, Single Phase (PIT)	5	set		
110.	Circuit Breaker, 150 A, 3 Phase (BOT), Molded Case	2	set		
111.	Circuit Breaker, 225 A, 3 Phase (BOT), Molded Case	2	set		
112.	Circuit Breaker, 30 A (BOT)	10	set		
113.	Circuit Breaker, 30 A (PIT)	5	set		
114.	Circuit Breaker, 200 A, 3 Phase, Molded Case	3	set		
115. 116.	Circuit Breaker, 75 A, 3 Phase Circuit Breaker, 40 A (BOT)	5	set		
117.	Circuit Breaker, 40 A (BOT)	10	pc pc		
118.	Circuit Breaker, 60 A (PIT)	2	pc		
119.	Circuit Breaker, NEMA 1 Enclosure, 50 A,	3	set		
	Weatherproof				
120.	Circuit Breaker, NEMA 3 Enclosure, 30 A, Weatherproof	10	set		
121.	Circuit Breaker, NEMA 3 Enclosure, 40 A, Weatherproof	10	set		
122.	Circuit Breaker, Safety Breaker 30 A (BOT), with	30	set		
123.	Plastic Housing Circuit Breaker, 100 A (BOT) (for existing panel board	3	set		
	- Sassin)		SCI		
124.	Circuit Breaker, 20 A (BOT) (for existing panel board - Sassin)	5	set		
125.	Circuit Breaker, 32 A (BOT) (for existing panel board - Sassin)	4	set		
126.	Circuit Breaker, 60 A (for existing panel board - Sassin)	4	set		
127.	Circuit Breaker, 200 A (BOT), 3 Phase (for existing panel board - Schneider)	3	set		
128.	Circuit Breaker, 250 A (BOT), 3 Phase (for existing	3	set		
	panel board - Schneider)				
129.	Circuit Breaker, 30 A (BOT), with Universal Socket	10	set		
130.	Safety Breaker, 30 A (BOT), with plastic housing,	20	set		
131.	single phase Connector, Solderless Connector, 2 Bolt 1000 mcm	10	set		
131.	Connector, Solderless Connector, 2 Bolt 1000 incm	10	set		
133.	Connector, Solderless connector 4/0, 2 Bolt	20	set		
134.	Contactor, Magnetic, 30A, 3Phase 60Hz, Operational	15	pc		
	Current 220V/440V, Auxiliary Contact: 2 Normally		r ·		
125	Open, 2 Normally Close Roy, Gang 2" v. 4", PVC, Poly White	100	got		
135. 136.	Box, Gang 2" x 4", PVC, Poly White Junction Box, 4" x 4", PVC	20	set		
130.	Box, Utility 2"x 4", PVC, Deep Type, Orange	50	pc pc		
137.	Outlet, ACU	20	pc		
139.	Outlet, Universal, 2 Gang	250	set		
140.	Plug, electric, heavy duty	70	set		
141.	Switch, 4-Way	10	set		
142.	Bulb, frosted candle, 40 watts, E14	50	pc		
143.	Bulb, frosted candle, 40 watts, E27	50	pc		
144.	Bulb, LED 9W, Daylight	20	pc		
145.	Bulb, LED 18 W, Daylight	50	pc		
146.	Bulb, LED 23 W, Daylight	50	pc		
147.	Bulb, LED, 15 W	100	pc		
148. 149.	Bulb, LED, 18 W Bulb, LED, 20 W	100 100	pc		
150.	Bulb, Spiral Bulb, warm white, 20 W, Electronic	2	pc pc		
	Energy Saver E-27		-		
151.	Floodlight, CFL Type 2 x 30 W Daylight	200	set		
152. 153.	Lamp, Fluorescent, 18 W, T5 Lamp, LED Floodlight Daylight, 50 W	200	set set		
154.	Tube, LED Floodlight Daylight, 50 W	20	pc		
155.	Tape, Electrical, Big	150	pc		
156.	Tape, Rubber, 0.8 mm x 19 mm x 8 m	20	pc		
	<u> </u>		1 -	i	1

and 9167 Jam. Resistant Rear Load Mechanism, with Powerful Coil Spring, Cushioned Grip, Grooved-Wire Guide, and Curved Blade 158. Multi Tester Analog, Heavy Duty 6 set	157.	Wire/Cable Staple Gun Tacker, for low voltage wire	4	no	<u> </u>	
and 9/16", Jam-Resistant Reart Load Mechanism, with Powerful Coil Spring, Cushioned Grip, Grooveal-Wire Guide, and Curved Blade 158. Multi Tester Analog, Heavy Duty	137.		4	pc		
Powerful Coil Spring, Cushioned Grip, Grooved-Wire Gride, and Curved Blade						
Guide, and Curved Blade						
159 Buttery, AAA, heavy duty 100 pc						
Flashlight, Mini. Rechargeable, Water-Shock Resistant, Adjustable Focus Zoom, Color: Black, LFD Light	158.		6	set		
Adjustable Focus Zoom, Color: Black, LED Light	159.		100	pc		
Lot 3 - Painting Materials and Tools 161. Paint, Floor, Chlorinated Rubber, Black 10 gal 162. Paint, Floor, Chlorinated Rubber, Red 10 gal 163. Paint, Floor, Chlorinated Rubber, Yellow 40 gal 164. Chlorinated Rubber Paint Reducer 10 gal 165. Paint, Acri-Color, Lamp Black 12 L L 165. Paint, Acri-Color, Raw Sienna 12 L L 166. Paint, Acri-Color, Raw Sienna 12 L L 167. Paint, Acri-Color, Raw Sienna 12 L L 168. Paint, Acri-Color, Raw Sienna 12 L L 169. Paint, Acri-Color, Toluidine Red 10 L 169. Paint, Automotive Primer Surfacer, White 25 gal 170. Paint, Elastomeric, Cheezee Yellow 10 tin 171. Paint, Water-Based QDE, Black 20 gal 172. Paint, Water-Based QDE, Black 20 gal 173. Paint, Water-Based QDE, Black 20 gal 174. Paint, Water-Based QDE, White 30 gal 174. Paint, Water-Based QDE, White 30 gal 174. Paint, Meater-Based QDE, White 30 gal 175. Paint, Flat, Acrylic Latex, White 30 gal 176. Paint, Gloss, Acrylic Latex, White 30 gal 177. Paint, Flat, Acrylic Latex, White 30 gal 178. Paint, Flat, Acrylic Latex, White 25 gal 179. Paint, Gloss, Acrylic Latex, White 26 tin 180. Paint, Poly Urethane, Top Coat 40 gal 181. Paint, Quick Drying Enamel, White 25 gal 181. Paint,	160.		2	pc		
Lot 3 - Painting Materials and Tools		Adjustable Focus Zoom, Color: Black, LED Light				
161. Paint, Floor, Chlorinated Rubber, Red			T	Sub Tot	al for Lot 2	
1632 Paint, Floor, Chlorinated Rubber, Red 10 gal 163 Paint, Floor, Chlorinated Rubber, Yellow 40 gal 164 Chlorinated Rubber Paint Reducer 10 gal 165 Paint, Acri-Color, Lamp Black 12 L L 166 Paint, Acri-Color, Ramy Slena 12 L L 167 Paint, Acri-Color, Toluidine Red 10 L gal 168 Paint, Acri-Color, Toluidine Red 10 L gal 169 Paint, Acri-Color, Toluidine Red 10 L gal 169 Paint, Acri-Color, Toluidine Red 10 L gal 169 Paint, Automotive Lucquer, White 50 gal 170 Paint, Elastomeric, Cheezee Yellow 10 tin 171 Paint, Mattomotive Primer Surfacer, White 25 gal 170 Paint, Elastomeric, Cheezee Yellow 10 tin 171 Paint, Water-Based QDE, Black 20 gal 171 Paint, Water-Based QDE, Chocolate Brown 20 gal 172 Paint, Water-Based QDE, Chocolate Brown 20 gal 173 Paint, Water-Based QDE, White 30 gal 174 Paint, Metal Primer, Red Oxide 15 gal 175 Paint, Flat, Acrylic Latex, White 30 gal 176 Paint, Gloss, Acrylic Latex, White 25 gal 177 Paint, Flat, Acrylic Latex, White 25 gal 178 Paint, Flat, Acrylic Latex, White 25 gal 179 Paint, Gloss, Acrylic Latex, White 20 tin 179 Paint, Gloss, Acrylic Latex, White 20 tin 179 Paint, Gloss, Acrylic Latex, White 20 gal 181 Paint, Poly Urchans, Top Coal 40 gal 181 Paint, Quick Drying Enamel, White 20 gal 181 Paint, Quick Drying Enamel, White 25 gal 181 Paint, Quick Drying Enamel, White 26 gal 1		,				
163. Paint, Floor, Chlorinated Rubber, Yellow 40 gal 164. Chlorinated Rubber Paint Reducer 10 gal 165. Paint, Acri-Color, Lamp Black 12 L 166. Paint, Acri-Color, Raw Sienna 12 L 167. Paint, Acri-Color, Toluidine Red 10 L 168. Paint, Automotive Lacquer, White 50 gal 169. Paint, Automotive Primer Surfacer, White 50 gal 169. Paint, Automotive Primer Surfacer, White 50 gal 170. Paint, Elastomeric, Cheezze Vellow 10 tin 171. Paint, Water-Based QDE, Black 20 gal 172. Paint, Water-Based QDE, Chocolate Brown 20 gal 173. Paint, Water-Based QDE, Chocolate Brown 20 gal 174. Paint, Mater-Based QDE, Chocolate Brown 30 gal 175. Paint, Halt, Acrylic Latex, White 30 gal 176. Paint, Gloss, Acrylic Latex, White 30 gal 177. Paint, Flat, Acrylic Latex, White 30 gal 178. Paint, Flat, Acrylic Latex, White 50 gal 179. Paint, Flat, Acrylic Latex, White 50 gal 179. Paint, Flat, Acrylic Latex, White 50 gal 179. Paint, Gloss, Acrylic Latex, White 50 gal 180. Paint, Poly Urethane, Top Coat 40 gal 181. Paint, Quick Drying Enamel, White 20 gal 182. Paint, Quick Drying Enamel, White 20 gal 183. Roof Paint, Spanish Red 25 gal 184. Roof Paint, White 25 gal 185. Lacquer Flo 30 gal 186. Primer, Epoxy, Gray 10 gal 187. Primer, Epoxy, Gray 10 gal 188. Thinner, Paint 35 gal 189. Putty, Masonry 50 gal 190. Epoxy Reducer 30 gal 191. Spot Dutty, Automotive 35 gal 192. Patching Compound 100 kg 193. Parlet, Paint, 2" Yellow Handle 40 pc 194. Brush, Paint, 2" Yellow Handle 50 pc 196. Primer, Paint Roller, Plastic, Adjustable 25 pc 202. Paint Roller, Pl						
164. Chlorinated Rubber Paint Reducer 10 gal 165. Paint, Acri-Color, Lamp Black 12 L 166. Paint, Acri-Color, Raw Sienna 12 L 167. Paint, Acri-Color, Toluidine Red 10 L 168. Paint, Acri-Color, Toluidine Red 10 L 168. Paint, Automotive Primer Surfacer, White 50 gal 170. Paint, Automotive Primer Surfacer, White 25 gal 170. Paint, Automotive Primer Surfacer, White 25 gal 171. Paint, Matter-Based QDE, Black 20 gal 172. Paint, Water-Based QDE, Black 20 gal 173. Paint, Water-Based QDE, Chocolate Brown 20 gal 173. Paint, Water-Based QDE, White 30 gal 174. Paint, Matel Primer, Red Oxide 15 gal 175. Paint, Flat, Acrylic Latex, Tile Red 20 gal 176. Paint, Gloss, Acrylic Latex, White 30 gal 177. Paint, Flat, Acrylic Latex, White 30 gal 177. Paint, Flat, Acrylic Latex, White 25 gal 178. Paint, Flat, Acrylic Latex, White 16 L/tin 20 tin 179. Paint, Gloss, Acrylic Latex, White, 16 L/tin 26 tin 180. Paint, Quick Drying Enamel, White 20 gal 181. Paint, Quick Drying Enamel, White 20 gal 181. Paint, Quick Drying Enamel, White 20 gal 182. Paint, Quick Drying Enamel, White 25 gal 183. Roof Paint, Spanish Red 25 gal 184. Roof Paint, Spanish Red 25 gal 185. Lacquer Flo 30 gal 186. Primer, Epoxy, Gray 10 gal 187. Primer, Epoxy, Gray 10 gal 187. Primer, Epoxy, Gray 10 gal 188. Thinner, Paint 35 gal 189. Putty, Masonry 50 gal 189. Putty, Masonry 50 gal 191. Spot Putty, Automotive 35 gal 191. Spot Putty, Automotive 35 gal 192. Patching Compound 100 kg 193. Pallet, plastic, 110 cm x 110 cm x 15 cm 10 pc 194. Patch, Paint, 3 "Yellow Handle 40 pc 195. Patching Compound 100 kg 195. Pa						
165. Paint, Acri-Color, Raw Sienna 12 L						
166. Paint, Acri-Color, Raw Sienna 12						
167. Paint, Automotive Lacquer, White 50 gal						
168. Paint, Automotive Primer Surfacer, White 25 gal 170. Paint, Elastomeric, Cheezee Yellow 10 tin 171. Paint, Elastomeric, Cheezee Yellow 10 tin 171. Paint, Water-Based QDE, Black 20 gal 172. Paint, Water-Based QDE, Chocolate Brown 20 gal 173. Paint, Water-Based QDE, Chocolate Brown 20 gal 174. Paint, Water-Based QDE, White 30 gal 175. Paint, Hat, Acrylic Latex, Tile Red 20 gal 176. Paint, Gloss, Acrylic Latex, White 30 gal 177. Paint, Flat, Acrylic Latex, White 25 gal 178. Paint, Flat, Acrylic Latex, White 16 L/tin 20 tin 179. Paint, Gloss, Acrylic Latex, White 16 L/tin 20 tin 179. Paint, Gloss, Acrylic Latex, White 16 L/tin 26 tin 180. Paint, Quick Drying Enamel, White 20 gal 181. Paint, Quick Drying Enamel, White 20 gal 182. Paint, Quick Drying Enamel, White 20 gal 183. Roof Paint, Spanish Red 25 gal 184. Roof Paint, Spanish Red 25 gal 185. Lacquer Flo 30 gal 186. Primer, Epoxy, Gray 10 gal 187. Primer, Automotive Lacquer 20 gal 188. Thinner, Paint 35 gal 189. Putty, Masonry 50 gal 189. Putty, Masonry 50 gal 190. Epoxy Reducer 30 gal 191. Spot Putty, Automotive 35 gal 192. Patching Compound 100 kg 193. Brush, Paint, 1" Yellow Handle 40 pc 194. Brush, Paint, 1" Yellow Handle 50 pc 195. Brush, Paint, 1" Yellow Handle 50 pc 196. Brush, Paint, 1" Yellow Handle 50 pc 201. Handle, Paint Roller, Plastic, Adjustable 25 pc 202. Paint Roller Tray Plate, 10" x 12", Plastic 20 pc 203. Tape, Masking, 1" 50 roll 204. Cloth, stofa 20 kg 205. Hose, Compressor, 12", Heavy Duty 20 m 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressu						
169. Paint, Automotive Primer Surfacer, White 25 gal 170. Paint, Elastomeric, Cheezee Yellow 10 tin 171. Paint, Water-Based QDE, Black 20 gal 172. Paint, Water-Based QDE, Chocolate Brown 20 gal 173. Paint, Water-Based QDE, White 30 gal 174. Paint, Water-Based QDE, White 30 gal 174. Paint, Metal Primer, Red Oxide 15 gal 175. Paint, Flat, Acrylic Latex, Tile Red 20 gal 176. Paint, Gloss, Acrylic Latex, White 30 gal 177. Paint, Flat, Acrylic Latex, White 25 gal 177. Paint, Flat, Acrylic Latex, White 25 gal 179. Paint, Flat, Acrylic Latex, White 16 L/tin 20 tin 179. Paint, Flot, Acrylic Latex, White, 16 L/tin 20 tin 180. Paint, Poly Urchaner, Top Coat 40 gal 181. Paint, Quick Drying Enamel, White 20 gal 181. Paint, Quick Drying Enamel, White 20 gal 183. Roof Paint, Spanish Red 25 gal 184. Roof Paint, White 25 gal 184. Roof Paint, White 25 gal 185. Lacquer Flo 30 gal 186. Primer, Epoxy, Gray 10 gal 187. Primer, Automotive Lacquer 20 gal 187. Primer, Paint 35 gal 189. Putty, Masonry 50 gal 189. Putty, Masonry 50 gal 190. Epoxy Reducer 30 gal 191. Spot Putty, Automotive 35 gal 192. Patching Compound 100 kg 193. Patching Compound 100 kg 194. Brush, Paint, 1" Yellow Handle 40 pc 195. Brush, Paint, 2" Yellow Handle 40 pc 196. Brush, Paint, 2" Yellow Handle 20 pc 197. Brush, Paint, 2" Yellow Handle 20 pc 198. Brush, Paint, 2" Yellow Handle 20 pc 199. Baby Roller, 6", Cloth, with Handle 25 pc 200. Baby Roller, 4", Cloth, with Handle 25 pc 201. Handle, Paint Roller, Plastic, Adjustable 25 pc 202. Paint Roller Tray Plate, 10" x 12", Plastic 20 pc 203. Tape, Masking, 1" 50 pc 204. Cloth, stofa 205. Hose, Compressor, 1/2", Heavy Duty 20 mc 206. Baby Roller, 4", Cloth, with Handle 20 pc 207. Pain				 		
170. Paint, Elastomeric, Cheezee Yellow 10 tin 171. Paint, Water-Based QDE, Chocolate Brown 20 gal 172. Paint, Water-Based QDE, Chocolate Brown 20 gal 173. Paint, Water-Based QDE, Chocolate Brown 20 gal 174. Paint, Metal Primer, Red Oxide 15 gal 175. Paint, Metal Primer, Red Oxide 15 gal 175. Paint, Flat, Acrylic Latex, White 30 gal 176. Paint, Gloss, Acrylic Latex, White 25 gal 177. Paint, Flat, Acrylic Latex, White 25 gal 178. Paint, Flat, Acrylic Latex, White 25 gal 179. Paint, Flat, Acrylic Latex, White 25 gal 179. Paint, Gloss, Acrylic Latex, White 16 L/tin 20 tin 179. Paint, Gloss, Acrylic Latex, White, 16 L/tin 26 tin 180. Paint, Poly Urethane, Top Coat 40 gal 181. Paint, Quick Drying Enamel, White 20 gal 181. Paint, Quick Drying Enamel, White 20 gal 182. Paint, Quick Drying Enamel, White, Odorless, 16 L/tin 15 tin 183. Roof Paint, Spanish Red 25 gal 184. Roof Paint, Spanish Red 25 gal 185. Lacquer Flo 30 gal 186. Primer, Epoxy, Gray 10 gal 187. Primer, Paint 35 gal 187. Primer, Paint 35 gal 188. Thinner, Paint 35 gal 189. Puty, Masonry 50 gal 189. Puty, Masonry 50 gal 191. Spot Puty, Automotive 35 gal 192. Patching Compound 100 kg 192. Patching Compound 100 kg 193. Pallet, plastic, 110 cm x 110 cm x 15 cm 10 pc 194. Brush, Paint, 1" Yellow Handle 40 pc 195. Brush, Paint, 2" Yellow Handle 20 pc 196. Brush, Paint, 4" Yellow Handle 20 pc 199. Baby Roller, 6", Cloth, with Handle 20 pc 199. Baby Roller, 6", Cloth, with Handle 25 pc 199. Baby Roller, 6", Cloth, with Handle 20 pc 199. Baby Roller, 6", Cloth, with Handle 20 pc 199. Baby Roller, 6", Cloth, with Handle 20 pc 199. Baby Roller, 6", Cloth, with Handle 20 pc 199. Baby Roller, 6", Cloth, with Handle 20 pc 199. Baby Roller, 6"						
171. Paint, Water-Based QDE, Black 20 gal 172. Paint, Water-Based QDE, Chocolate Brown 20 gal 173. Paint, Water-Based QDE, White 30 gal 174. Paint, Metal Primer, Red Oxide 15 gal 175. Paint, Elat, Acrylic Latex, Tile Red 20 gal 176. Paint, Gloss, Acrylic Latex, White 30 gal 177. Paint, Flat, Acrylic Latex, White 25 gal 177. Paint, Flat, Acrylic Latex, White 25 gal 178. Paint, Flat, Acrylic Latex, White 16 L/tin 20 tin 179. Paint, Gloss, Acrylic Latex, White, 16 L/tin 20 tin 179. Paint, Gloss, Acrylic Latex, White, 16 L/tin 26 tin 180. Paint, Poly Urethane, Top Coat 40 gal 181. Paint, Quick Drying Enamel, White 20 gal 182. Paint, Quick Drying Enamel, White, Odorless, 16 L/tin 15 tin 183. Roof Paint, White 25 gal 184. Roof Paint, White 25 gal 185. Lacquer Flo 30 gal 185. Lacquer Flo 30 gal 187. Primer, Automotive Lacquer 20 gal 187. Primer, Automotive Lacquer 20 gal 188. Thimser, Paint 35 gal 189. Putty, Masonry 50 gal 190. Epoxy Reducer 30 gal 190. Epoxy Reducer 30 gal 191. Spot Putty, Automotive 35 gal 192. Patching Compound 100 kg 193. Pallet, plastic, 110 cm x 110 cm x 15 cm 10 pc 195. Brush, Paint, 1" Yellow Handle 40 pc 195. Brush, Paint, 1" Yellow Handle 20 pc 197. Brush, Paint, 1" Yellow Handle 20 pc 198. Brush, Paint, 3" Yellow Handle 25 pc 200. Baly Roller, 6", Cloth, with Handle 25 pc 201. Handle, Paint Roller, Plastic, Adjustable 25 pc 202. Paint Roller, Plastic, Adjustable 25 pc 202. Paint Roller, Plastic, Adjustable 25 pc 203. Tage, Masking, 1" 50 pc 204. Cloth, stofa 205. Alternative Handle 20 pc 207. Paint Roller, Plastic, Adjustable 25 pc 208. Paint Roller, Plastic, Adjustable 25 pc 209. Paint Roller, Plastic, Adjustable 25 pc 201. Handle, Paint Roller, Plastic, Adjustable						
172. Paint, Water-Based QDE, Chocolate Brown 20 gal						
173. Paint, Water-Based QDE, White 30 gal 174. Paint, Metal Primer, Red Oxide 15 gal 175. Paint, Elar, Acrylic Latex, Tile Red 20 gal 176. Paint, Gloss, Acrylic Latex, White 30 gal 177. Paint, Flat, Acrylic Latex, White 30 gal 178. Paint, Flat, Acrylic Latex, White 25 gal 178. Paint, Flat, Acrylic Latex, White, 16 L/tin 20 tin 179. Paint, Gloss, Acrylic Latex, White, 16 L/tin 26 tin 180. Paint, Poly Urethane, Top Coat 40 gal 181. Paint, Quick Drying Enamel, White 20 gal 181. Paint, Quick Drying Enamel, White 20 gal 182. Paint, Quick Drying Enamel, White, Odorless, 16 L/tin 15 tin 183. Roof Paint, Spanish Red 25 gal 184. Roof Paint, White 25 gal 185. Lacquer Flo 30 gal 186. Primer, Epoxy, Gray 10 gal 187. Primer, Automotive Lacquer 20 gal 188. Thinner, Paint 35 gal 189. Putty, Masonry 50 gal 189. Putty, Masonry 50 gal 190. Epoxy Reducer 30 gal 191. Spot Putty, Automotive 35 gal 192. Patching Compound 100 kg 193. Pallet, plastic, 110 cm x 110 cm x 15 cm 10 pc 194. Brush, Paint, 1" Yellow Handle 40 pc 195. Brush, Paint, 2" Yellow Handle 40 pc 197. Brush, Paint, 3" Yellow Handle 20 pc 197. Brush, Paint, 3" Yellow Handle 20 pc 199. Baby Roller, 6", Cloth, with Handle 25 pc 202. Paint Roller Tray Plate, 10" x 12", Plastic 20 kg 202. Paint Roller Tray Plate, 10" x 12", Plastic 20 kg 203. Tage, Masking, 1" 50 50 50 50 50 50 50 5						
174. Paint, Metal Primer, Red Oxide 15 gal 175. Paint, Flat, Acrylic Latex, Tile Red 20 gal 176. Paint, Gloss, Acrylic Latex, White 30 gal 177. Paint, Flat, Acrylic Latex, White 25 gal 177. Paint, Flat, Acrylic Latex, White 25 gal 177. Paint, Flat, Acrylic Latex, White 25 gal 178. Paint, Flat, Acrylic Latex, White 16 L/tin 20 tin 179. Paint, Gloss, Acrylic Latex, White, 16 L/tin 26 tin 180. Paint, Poly Urethane, Top Coat 40 gal 181. Paint, Quick Drying Enamel, White 20 gal 182. Paint, Quick Drying Enamel, White 20 gal 182. Paint, Quick Drying Enamel, White, Odorless, 16 L/tin 15 tin 183. Roof Paint, Spanish Red 25 gal 184. Roof Paint, White 25 gal 185. Lacquer Flo 30 gal 186. Primer, Epoxy, Gray 10 gal 187. Primer, Automotive Lacquer 20 gal 187. Primer, Automotive Lacquer 20 gal 188. Phinner, Paint 35 gal 189. Putty, Masonry 50 gal 191. Spot Putty, Automotive 35 gal 192. Patching Compound 100 kg 192. Patching Compound 100 kg 193. Pailet, plastic, 110 cm x 110 cm x 15 cm 10 pc 194. Brush, Paint, 1" Yellow Handle 40 pc 195. Brush, Paint, 2" Yellow Handle 40 pc 196. Brush, Paint, 2" Yellow Handle 40 pc 197. Brush, Paint, 4" Yellow Handle 20 pc 197. Brush, Paint, 4" Yellow Handle 25 pc 200. Baby Roller, 6", Cloth, with Handle 25 pc 201. Handle, Paint Roller, Tay Hlate, 10" x 12", Plastic 20 pc 202. Paint Roller Tray Plate, 10" x 12", Plastic 20 pc 203. Tape, Masking, 1" 50 roll 204. Cloth, stofa 205. Kpr. 4 Cloth, stofa 206. Spray Gun, Gravity Type, Nozzle Size; 0.8 mm, Operating Pressure: 30-45 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Air Consumption:						
175. Paint, Flat, Acrylic Latex, Tile Red 20 gal						
176. Paint, Gloss, Acrylic Latex, White 25 gal 177. Paint, Flat, Acrylic Latex, White 25 gal 178. Paint, Flat, Acrylic Latex, White 25 gal 179. Paint, Flat, Acrylic Latex, White, 16 L/tin 20 tin 179. Paint, Gloss, Acrylic Latex, White, 16 L/tin 26 tin 180. Paint, Poly Urethane, Top Coat 40 gal 181. Paint, Quick Drying Enamel, White 20 gal 182. Paint, Quick Drying Enamel, White, Odorless, 16 L/tin 15 tin 183. Roof Paint, Spanish Red 25 gal 184. Roof Paint, White 25 gal 184. Roof Paint, White 25 gal 186. Primer, Epoxy, Gray 10 gal 187. Primer, Automotive Lacquer 20 gal 188. Thinner, Paint 35 gal 189. Putty, Masonry 50 gal 190. Epoxy Reducer 30 gal 191. Spot Putty, Automotive 35 gal 192. Patching Compound 100 kg 193. Pallet, plastic, 110 cm x 110 cm x 15 cm 10 pc 194. Brush, Paint, 1" Yellow Handle 40 pc 195. Brush, Paint, 2" Yellow Handle 40 pc 196. Brush, Paint, 2" Yellow Handle 20 pc 197. Brush, Paint, 2" Yellow Handle 20 pc 198. Brush, Paint, 2" Yellow Handle 20 pc 199. Baby Roller, 4", Cloth, with Handle 25 pc 200. Baby Roller, 4", Cloth, with Handle 25 pc 201. Handle, Paint Roller, Flastic, Adjustable 25 pc 202. Paint Roller, Tray Plate, 10" x 12", Plastic 20 pc 203. Tape, Masking, 1" 50 roll 204. Cloth, stofa 200. kg 205. Hose, Compressor, 1/2", Heavy Duty 20 m 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 30-45 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Air Consumption: 3-5 cfm,						
177. Paint, Flat, Acrylic Latex, White 25 gal		•				
178. Paint, Flat, Acrylic Latex, White, 16 L/tin 20 tin 179. Paint, Gloss, Acrylic Latex, White, 16 L/tin 26 tin 180. Paint, Poly Urethane, Top Coat 40 gal 181. Paint, Quick Drying Enamel, White 20 gal 182. Paint, Quick Drying Enamel, White 25 gal 183. Roof Paint, Spanish Red 25 gal 184. Roof Paint, White 25 gal 185. Lacquer Flo 30 gal 186. Primer, Epoxy, Gray 10 gal 187. Primer, Automotive Lacquer 20 gal 188. Thinner, Paint 35 gal 189. Putty, Masonry 50 gal 189. Putty, Masonry 50 gal 190. Epoxy Reducer 30 gal 191. Spot Putty, Automotive 35 gal 192. Patching Compound 100 kg 193. Pallet, plastic, 110 cm x 110 cm x 15 cm 10 pc 194. Brush, Paint, 1" Yellow Handle 40 pc 195. Brush, Paint, 2" Yellow Handle 40 pc 197. Brush, Paint, 3" Yellow Handle 20 pc 197. Brush, Paint, 3" Yellow Handle 30 pc 198. Brush, Paint, 4" Yellow Handle 20 pc 199. Baby Roller, 6", Cloth, with Handle 25 pc 202. Paint Roller, Plastic, Adjustable 25 pc 202. Paint Roller, 4", Cloth, with Handle 20 pc 203. Tape, Masking, 1" 50 roll 204. Cloth, stofa 205. Kora Roller, 10 Roller,						
179. Paint, Gloss, Acrylic Latex, White, 16 L/tin 26 tin 180. Paint, Poly Urethane, Top Coat 40 gal 181. Paint, Quick Drying Enamel, White 20 gal 182. Paint, Quick Drying Enamel, White 25 gal 183. Roof Paint, Spanish Red 25 gal 184. Roof Paint, Spanish Red 25 gal 185. Lacquer Flo 30 gal 186. Primer, Epoxy, Gray 10 gal 187. Primer, Automotive Lacquer 20 gal 188. Thinner, Paint 35 gal 189. Putty, Masonry 50 gal 190. Epoxy Reducer 30 gal 190. Epoxy Reducer 30 gal 191. Spot Putty, Automotive 35 gal 192. Patching Compound 100 kg 193. Pallet, plastic, 110 cm x 15 cm 10 pc 194. Brush, Paint, 1" Yellow Handle 40 pc 195. Brush, Paint, 2" Yellow Handle 40 pc 196. Brush, Paint, 3" Yellow Handle 20 pc 197. Brush, Paint, 4" Yellow Handle 20 pc 198. Brush, Paint, 4" Yellow Handle 20 pc 199. Baby Roller, 7" with Handle 25 pc 200. Baby Roller, 4", Cloth, with Handle 25 pc 201. Handle, Paint Roller, Plastic, Adjustable 25 pc 202. Paint Roller, Tay Plate, 10" x 12", Plastic 20 pc 203. Tape, Masking, 1" 50 roll 204. Cloth, stofa 205. Kg 205. Hose, Compressor, 1/2", Heavy Duty 20 m 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern Width: 80-120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual						
180. Paint, Poly Urethane, Top Coat 40 gal 181. Paint, Quick Drying Enamel, White 20 gal 182. Paint, Quick Drying Enamel, White, Odorless, 16 L/tin 15 tin 183. Roof Paint, Spanish Red 25 gal 184. Roof Paint, White 25 gal 185. Lacquer Flo 30 gal 185. Lacquer Flo 30 gal 186. Primer, Epoxy, Gray 10 gal 187. Primer, Automotive Lacquer 20 gal 188. Thinner, Paint 35 gal 189. Putty, Masonry 50 gal 190. Epoxy Reducer 30 gal 190. Epoxy Reducer 30 gal 191. Spot Putty, Automotive 35 gal 192. Patching Compound 100 kg 193. Pallet, plastic, 110 cm x 110 cm x 15 cm 10 pc 194. Brush, Paint, 1" Yellow Handle 40 pc 195. Brush, Paint, 2" Yellow Handle 40 pc 196. Brush, Paint, 3" Yellow Handle 20 pc 197. Brush, Paint, 4" Yellow Handle 20 pc 198. Brush, Paint, 4" Yellow Handle 20 pc 199. Baby Roller, 7" with Handle (Cloth) 60 pc 199. Baby Roller, 6", Cloth, with Handle 25 pc 200. Baby Roller, 4", Cloth, with Handle 50 pc 201. Handle, Paint Roller, Plastic, Adjustable 25 pc 202. Paint Roller Tray Plate, 10" x 12", Plastic 20 pc 203. Tape, Masking, 1" 50 column, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3 Lot 4 - Iron Works, Carpentry, Masonry, and Lot 4						
181. Paint, Quick Drying Enamel, White 20 gal 182. Paint, Quick Drying Enamel, White, Odorless, 16 L/tin 15 tin 183. Roof Paint, Spanish Red 25 gal 184. Roof Paint, White 25 gal 185. Lacquer Flo 30 gal 186. Primer, Epoxy, Gray 10 gal 187. Primer, Automotive Lacquer 20 gal 188. Thinner, Paint 35 gal 189. Putty, Masonry 50 gal 190. Epoxy Reducer 30 gal 191. Spot Putty, Automotive 35 gal 192. Patching Compound 100 kg 193. Pallet, plastic, 110 cm x 110 cm x 15 cm 10 pc 194. Brush, Paint, 1" Yellow Handle 40 pc 195. Brush, Paint, 1" Yellow Handle 40 pc 196. Brush, Paint, 2" Yellow Handle 20 pc 197. Brush, Roiller, 7" with Handle 20 pc 197. Brush, Roiller, 7" with Handle 25 pc 200. Baby Roller, 6", Cloth, with Handle 25 pc 201. Handle, Paint Roller, Plastic, Adjustable 25 pc 202. Paint Roller, Plastic, Adjustable 25 pc 203. Tape, Masking, 1" 50 roll 204. Cloth, stofa 20 kg 205. Hose, Compressor, 1/2", Heavy Duty 20 m 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern Width: 80-120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3		·				
182. Paint, Quick Drying Enamel, White, Odorless, 16 L/tin 15 tin 183. Roof Paint, Spanish Red 25 gal 184. Roof Paint, White 25 gal 185. Lacquer Flo 30 gal 198. Lacquer Flo 30 gal 198. Primer, Automotive Lacquer 20 gal 187. Primer, Automotive Lacquer 20 gal 188. Thinner, Paint 35 gal 189. Putty, Masonry 50 gal 190. Epoxy Reducer 30 gal 191. Spot Putty, Automotive 35 gal 192. Patching Compound 100 kg 193. Pallet, plastic, 110 cm x 110 cm x 15 cm 10 pc 194. Brush, Paint, 1" Yellow Handle 40 pc 195. Brush, Paint, 2" Yellow Handle 40 pc 196. Brush, Paint, 3" Yellow Handle 20 pc 197. Brush, Paint, 4" Yellow Handle 20 pc 198. Brush, Roller, 7" with Handle (Cloth) 60 pc 199. Baby Roller, 6", Cloth, with Handle 25 pc 200. Baby Roller, 6", Cloth, with Handle 25 pc 202. Paint Roller, Plastic, Adjustable 25 pc 203. Tape, Masking, 1" 50 roll 204. Cloth, stofa 20 kg 205. Hose, Compressor, 1/2", Heavy Duty 20 m 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 35-60 psi, Ai		1				
184. Roof Paint, White	182.	, ,	15			
184. Roof Paint, White	183.	Roof Paint, Spanish Red	25	gal		
186. Primer, Epoxy, Gray 10 gal 187. Primer, Automotive Lacquer 20 gal 188. Thinner, Paint 35 gal 189. Putty, Masonry 50 gal 190. Epoxy Reducer 30 gal 191. Spot Putty, Automotive 35 gal 192. Patching Compound 100 kg 193. Pallet, plastic, 110 cm x 110 cm x 15 cm 10 pc 194. Brush, Paint, 1" Yellow Handle 40 pc 195. Brush, Paint, 2" Yellow Handle 40 pc 196. Brush, Paint, 3" Yellow Handle 20 pc 197. Brush, Paint, 4" Yellow Handle 30 pc 198. Brush, Roller, 7" with Handle 25 pc 199. Baby Roller, 6", Cloth, with Handle 25 pc 200. Baby Roller, 4", Cloth, with Handle 50 pc 201. Handle, Paint Roller, Plastic, Adjustable 25 pc 202. Paint Roller Tray Plate, 10" x 12", Plastic 20 pc 203. Tape, Masking, 1" 50 roll 204. Cloth, stofa 20 kg 205. Hose, Compressor, 1/2", Heavy Duty 20 m 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 30-45 psi, Pattern Width: 80-120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3 Lot 4 - Iron Works, Carpentry, Masonry, and Sub Total for Lot 3	184.	Roof Paint, White	25			
187. Primer, Automotive Lacquer 20 gal 188. Thinner, Paint 35 gal 189. Putty, Masonry 50 gal 190. Epoxy Reducer 30 gal 191. Spot Putty, Automotive 35 gal 191. Spot Putty, Automotive 35 gal 192. Patching Compound 100 kg 193. Pallet, plastic, 110 cm x 110 cm x 15 cm 10 pc 194. Brush, Paint, 1" Yellow Handle 40 pc 195. Brush, Paint, 2" Yellow Handle 40 pc 196. Brush, Paint, 3" Yellow Handle 20 pc 197. Brush, Paint, 4" Yellow Handle 30 pc 198. Brush, Roller, 7" with Handle 25 pc 199. Baby Roller, 6", Cloth, with Handle 25 pc 200. Baby Roller, 4", Cloth, with Handle 50 pc 201. Handle, Paint Roller, Plastic, Adjustable 25 pc 202. Paint Roller Tray Plate, 10" x 12", Plastic 20 pc 203. Tape, Masking, 1" 50 roll 204. Cloth, stofa 20 kg 205. Hose, Compressor, 1/2", Heavy Duty 20 m 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern Width: 80-120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3 Lot 4 - Iron Works, Carpentry, Masonry, and Sub Total for Lot 3	185.	Lacquer Flo	30	gal		
188. Thinner, Paint 35 gal 189. Putty, Masonry 50 gal 190. Epoxy Reducer 30 gal 191. Spot Putty, Automotive 35 gal 192. Patching Compound 100 kg 193. Pallet, plastic, 110 cm x 110 cm x 15 cm 10 pc 194. Brush, Paint, 1" Yellow Handle 40 pc 195. Brush, Paint, 2" Yellow Handle 60 pc 196. Brush, Paint, 3" Yellow Handle 20 pc 197. Brush, Paint, 4" Yellow Handle 30 pc 198. Brush, Roller, 7" with Handle (Cloth) 60 pc 199. Baby Roller, 6", Cloth, with Handle 25 pc 200. Baby Roller, 4", Cloth, with Handle 50 pc 201. Handle, Paint Roller, Plastic, Adjustable 25 pc 202. Paint Roller Tray Plate, 10" x 12", Plastic 20 pc 203. Tape, Masking, 1" 50 roll 204. Cloth, stofa 20 kg 205. Hose, Compressor, 1/2", Heavy Duty 20 m 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern Width: 80-120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3 Lot 4 - Iron Works, Carpentry, Masonry, and Sub Total for Lot 3	186.	Primer, Epoxy, Gray	10	gal		
189. Putty, Masonry	187.	Primer, Automotive Lacquer	20	gal		
190. Epoxy Reducer	188.	Thinner, Paint	35	gal		
191. Spot Putty, Automotive	189.	·	50	gal		
192. Patching Compound 100 kg 193. Pallet, plastic, 110 cm x 110 cm x 15 cm 10 pc 194. Brush, Paint, 1" Yellow Handle 40 pc 195. Brush, Paint, 2" Yellow Handle 60 pc 196. Brush, Paint, 3" Yellow Handle 20 pc 197. Brush, Paint, 4" Yellow Handle 30 pc 198. Brush, Roller, 7" with Handle (Cloth) 60 pc 199. Baby Roller, 6", Cloth, with Handle 25 pc 200. Baby Roller, 4", Cloth, with Handle 50 pc 201. Handle, Paint Roller, Plastic, Adjustable 25 pc 202. Paint Roller Tray Plate, 10" x 12", Plastic 20 pc 203. Tape, Masking, 1" 50 roll 204. Cloth, stofa 20 kg 205. Hose, Compressor, 1/2", Heavy Duty 20 m 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern Width: 80-120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3 Lot 4 - Iron Works, Carpentry, Masonry, and Sub Total for Lot 3	190.	1 ,		gal		
193. Pallet, plastic, 110 cm x 110 cm x 15 cm		· · ·				
194. Brush, Paint, 1" Yellow Handle 40 pc 195. Brush, Paint, 2" Yellow Handle 60 pc 196. Brush, Paint, 3" Yellow Handle 20 pc 197. Brush, Paint, 4" Yellow Handle 30 pc 198. Brush, Roller, 7" with Handle (Cloth) 60 pc 199. Baby Roller, 6", Cloth, with Handle 25 pc 200. Baby Roller, 4", Cloth, with Handle 50 pc 201. Handle, Paint Roller, Plastic, Adjustable 25 pc 202. Paint Roller Tray Plate, 10" x 12", Plastic 20 pc 203. Tape, Masking, 1" 50 roll 204. Cloth, stofa 20 kg 205. Hose, Compressor, 1/2", Heavy Duty 20 m 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern Width: 80- 120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3				kg		
195. Brush, Paint, 2" Yellow Handle		_		pc		
196. Brush, Paint, 3" Yellow Handle 197. Brush, Paint, 4" Yellow Handle 198. Brush, Roller, 7" with Handle (Cloth) 199. Baby Roller, 6", Cloth, with Handle 200. Baby Roller, 4", Cloth, with Handle 201. Handle, Paint Roller, Plastic, Adjustable 202. Paint Roller Tray Plate, 10" x 12", Plastic 203. Tape, Masking, 1" 204. Cloth, stofa 205. Hose, Compressor, 1/2", Heavy Duty 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern Width: 80-120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3 Lot 4 – Iron Works, Carpentry, Masonry, and				-		
197. Brush, Paint, 4" Yellow Handle 198. Brush, Roller, 7" with Handle (Cloth) 199. Baby Roller, 6", Cloth, with Handle 200. Baby Roller, 4", Cloth, with Handle 201. Handle, Paint Roller, Plastic, Adjustable 202. Paint Roller Tray Plate, 10" x 12", Plastic 203. Tape, Masking, 1" 204. Cloth, stofa 205. Hose, Compressor, 1/2", Heavy Duty 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern Width: 80-120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3 Lot 4 – Iron Works, Carpentry, Masonry, and				pc		
198. Brush, Roller, 7" with Handle (Cloth) 199. Baby Roller, 6", Cloth, with Handle 200. Baby Roller, 4", Cloth, with Handle 201. Handle, Paint Roller, Plastic, Adjustable 202. Paint Roller Tray Plate, 10" x 12", Plastic 203. Tape, Masking, 1" 204. Cloth, stofa 205. Hose, Compressor, 1/2", Heavy Duty 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern Width: 80- 120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3 Lot 4 – Iron Works, Carpentry, Masonry, and				-		
199. Baby Roller, 6", Cloth, with Handle 200. Baby Roller, 4", Cloth, with Handle 201. Handle, Paint Roller, Plastic, Adjustable 202. Paint Roller Tray Plate, 10" x 12", Plastic 203. Tape, Masking, 1" 204. Cloth, stofa 205. Hose, Compressor, 1/2", Heavy Duty 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern Width: 80- 120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3 Lot 4 – Iron Works, Carpentry, Masonry, and				-		
200. Baby Roller, 4", Cloth, with Handle 201. Handle, Paint Roller, Plastic, Adjustable 202. Paint Roller Tray Plate, 10" x 12", Plastic 203. Tape, Masking, 1" 204. Cloth, stofa 205. Hose, Compressor, 1/2", Heavy Duty 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern Width: 80- 120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3 Lot 4 – Iron Works, Carpentry, Masonry, and				-		
201. Handle, Paint Roller, Plastic, Adjustable 202. Paint Roller Tray Plate, 10" x 12", Plastic 203. Tape, Masking, 1" 204. Cloth, stofa 205. Hose, Compressor, 1/2", Heavy Duty 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern Width: 80- 120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3 Lot 4 – Iron Works, Carpentry, Masonry, and		-		-		
202. Paint Roller Tray Plate, 10" x 12", Plastic 203. Tape, Masking, 1" 204. Cloth, stofa 205. Hose, Compressor, 1/2", Heavy Duty 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern Width: 80- 120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3 Lot 4 – Iron Works, Carpentry, Masonry, and		· · · · · · · · · · · · · · · · · · ·		-		
203. Tape, Masking, 1" 204. Cloth, stofa 20 kg 205. Hose, Compressor, 1/2", Heavy Duty 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern Width: 80- 120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3 Lot 4 – Iron Works, Carpentry, Masonry, and		· · · · · · · · · · · · · · · · · · ·				
204. Cloth, stofa 205. Hose, Compressor, 1/2", Heavy Duty 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern Width: 80- 120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3 Lot 4 – Iron Works, Carpentry, Masonry, and				-		
205. Hose, Compressor, 1/2", Heavy Duty 206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern Width: 80- 120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3 Lot 4 – Iron Works, Carpentry, Masonry, and		1 0				
206. Spray Gun, Gravity Type, Nozzle Size: 0.8 mm, Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern Width: 80- 120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3 Lot 4 – Iron Works, Carpentry, Masonry, and						
Operating Pressure: 35-60 psi, Air Consumption: 3-5 cfm, Working Pressure: 30-45 psi, Pattern Width: 80- 120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3 Lot 4 – Iron Works, Carpentry, Masonry, and						
cfm, Working Pressure: 30-45 psi, Pattern Width: 80- 120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3 Lot 4 – Iron Works, Carpentry, Masonry, and	206.)	pc		
120 mm, Cup Capacity: 250 cc, with Paint Controller and Manual Sub Total for Lot 3 Lot 4 – Iron Works, Carpentry, Masonry, and						
and Manual Sub Total for Lot 3 Lot 4 – Iron Works, Carpentry, Masonry, and						
Lot 4 – Iron Works, Carpentry, Masonry, and						
				Sub Tota	al for Lot 3	
Tinsmithry Materials and Tools						
I misming materials and Louis		Tinsmithry Materials and Tools				

207	A1- D 12 12 2/162	25		
207.	Angle Bar, 1" x 1" x 3/16"	25	pc	
208.	Angle Bar, 1-1/2" x 1-1/2" x 3/16"	30	pc	
209.	Flat Bar, 1" x 3/16"	20	pc	
210.	Tubular Bar, 1" x 1" x 1.5 mm	20	pc	
211.	Welding Rod, 1/8", E6013, 20 kg/box	15	box	
212.	Welding Rod, 3/32", E6013, 20 kg/box	2	box	
213.	G.I. Wire, Gauge 16	30	kg	
214.	Lumber, 2" x 2" x 12', S4S	50	рс	
215.	Lumber, 2" x 2" x 14' Sun Dried	50	рс	
216.	Lumber, 2" x 2" x 8', S4S, Sun Dried	50	pc	
217.	Plywood, 1/4", Marine	30	pc	
218.	Plywood, 1/2", Marine	100	pc	
219.	Plywood, 3/4", Marine	30	рс	
220.	Wood Edging, 1/2" x 1" x 8'	200	_	
221.	Molding, PVC 1" x 8', White	30	pc	
222.		50	pc	
	Molding, PVC 3/4" x 8', White		pc	
223.	Nail, Common Wire, 1"	20	kg	
224.	Nail, Common Wire, 1-1/2"	10	kg	
225.	Nail, Common Wire, 2"	25	kg	
226.	Nail, Common Wire, 3"	25	kg	
227.	Nail, Concrete, 2"	10	kg	
228.	Nail, Concrete, 3"	10	kg	
229.	Nail, Finishing, 2"	30	kg	
230.	Doorknob, Cylindrical, Heavy Duty	50	pc	
231.	Door Closer, Automatic	20	pc	
232.	Drawer Guide, full extension #12	20	pc	
233.	Drawer Guide, full extension #14	20	рс	
234.	Cabinet Handle, 4", heavy duty	100	рс	
235.	Cabinet Handle, Heavy Duty	50	рс	
236.	Lock, Drawer/Cabinet	50	set	
237.	Lock, Padlock, Heavy Duty #5	50	pc	
238.	Hinge, Concealed C1 Overlap Hydraulic	40	pc	
239.	Hinge, Concealed C2 overlap Hydraulic	40	pc	
240.	Blade, Jig Saw	10	pc	
241.	Blade, Electric Planer, 4" x 2"	5	set	
242.	Glue, for wood	20	gal	
243.	Epoxy, Bond, A & B (in quart)	10	set	
244.	Adhesive, "No More Nails", 100 g	50	pack	
	Rivets, Blind Rivets, 1/8" x ½"	5	•	
245.			box	
246.	Screw, black, for metal, #10 x 1"	1000	pc	
247.	Cement, Contact	10	gal	
248.	Sealant, for all surfaces 75 ml/pack	25	pack	
249.	Sealant, Roofing	30	quart	
250.	Sealant, Silicon, Clear	50	pc	
251.	Sealant, Wet and Dry, Water Stop 200 ml (A & B)	15	set	
252.	Cement, Portland, 40 kg/bag	100	bag	
253.	Level Bar, 36", with 3 vials and I-beam or box beam	1	pc	
	construction, accuracy of 0 .001", powder-coated frame			
254.	Carpenter's Tri Square, aluminum, with dual markings,	1	pc	
	one vial for leveling, lock knob			
255.	Tape Measure, Self-Retracting, 7.5 m, Fiber Glass Tape,	5	pc	
25.5	ABS Plastic Case			
256.	Reviter	3	set	
257.	Electric Reciprocating Saw, 750W, Rated Power: 1100	2	set	
	W, Reciprocating Stroke: 28 mm, No-Load Stroke			
	Speed: 0-2700 /MNL, Cutting Depth (Wood): 230 mm,			
258.	Cutting Depth (Steel): 20 mm, Warranty: at least 1 year Impact Driver, Cordless, Drive Size: 1/4", Brushless	2	720	
238.	Motor, Voltage: 18 VDC, Maximum Torque: 2000 in-	2	pc	
	lb, Free Speed: 3600 rpm, Impact per Minute: 4300,			
	Number of Speed Settings: 4, Handle Type: Pistol Grip			
	with Rubber Over Mold, with Built-in Light, Number of			
	Batteries: 3 (Included), Battery Type: M18 Red lithium,			
	with Battery Charger, Carrying Case, Belt Clip, and			
	Tool Holder			

259.					
	Impact Driver Bit Set, 60 pieces, Set includes: (1) Compact Magnetic Bit Holder, (1) P2/SL #10 Double Ended Bit, (1) P2/SQ2 Double Ended Bit, (1) P2/T25 Double Ended Bit, (1) T20/T25 Double Ended Bit, (1)	2	set		
	Hex Shank Drill Bit 1/16", (1) Hex Shank Drill Bit 1/4", (1) Hex Shank Drill Bit 1/8", (1) Hex Shank Drill Bit				
	3/16", (1) Hex Shank Drill Bit 1/8, (1) Hex Shank Drill Bit 3/32", (1) Hex Shank				
	Drill Bit 3/8", (1) 1/4" Magnetic Nut Driver, (1) 5/16"				
	Magnetic Nut Driver, (1) 3/8" Socket Adapter, (1) 6"				
	Magnetic Bit Tip Holder, (1) Phillips Bit 1" P1, (6) Phillips Bit 1" P2, (2) Phillips Bit 1" P3, (1) Phillips				
	Reduced 1" PR2 Bit, (1) Square Bit 1" SQ1, (3) Square				
	Bit 1" SQ2, (1) TORX® Bit 1" T10, (1) TORX® Bit 1"				
	T15, (2) TORX® Bit 1" T20, (3) TORX® Bit 1" T25, (1) TORX® Bit 1" T30, (1) Slotted Bit 1" SL 1/8", (1)				
	Slotted Bit 1" SL 1/4", (1) Hex Bit 1" 3/16", (1) Hex Bit				
	1" 1/4", (1) Phillips Bit 2" P1, (4) Phillips Bit 2" P2, (2)				
	Phillips Bit 2" P3, (2) Square Bit 2" SQ1, (3) Square Bit 2" SQ2, (1) Square Bit 2" SQ3, (2) TORX® Bit 2" T20,				
	(2) TORX® Bit 2" T25, (1) TORX® Bit 2" T30, (1)				
260	Slotted Bit SL 2" 1/4"	-			
260. 261.	Blade, Circular Saw, 10", 30 teeth Blade, Hacksaw	5 100	pc pc		
262.	Blade, for Electric Reciprocating Saw (Blade only)	10	pc		
263.	Cutter, for glass, heavy duty	10	pc		
264.	Cutting Disc, Masonry, 4"	50	pc		
265. 266.	Cutting Disc, Metal 4", super thin Disc, Cut Off Saw Disc 14" dia. (355 mm)	100	pc		
267.	Grinding Stone, 4" diameter	20	pc pc		
268.	Sandpaper, Desk #100, 5" dia.	30	pc		
269.	Drill Bit, Masonry 1/4" Heavy Duty	10	pc		
270.	Drill Bit, Masonry 3/16, Heavy Duty	10	pc		
271. 272.	Drill Bit, Metal 1/4" Heavy Duty Drill Bit, Metal 3/16, Heavy Duty	10	pc pc		
	i, in it is a second to the se				
273.	Drill Bit, Metal 5/32" Heavy Duty	15	pc		
273.	Drill Bit, Metal 5/32" Heavy Duty			al for Lot 4	
273.	Lot 5 – Miscellaneous Tools and Personal Protective			al for Lot 4	
	Lot 5 – Miscellaneous Tools and Personal Protective Equipment		Sub Tota	al for Lot 4	
273.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, anti-			al for Lot 4	
274.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform	10	Sub Tota	al for Lot 4	
274. 275.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform Step Ladder, aluminum, 6 ft, 250 lb. capacity	10	pc unit	al for Lot 4	
274.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform Step Ladder, aluminum, 6 ft, 250 lb. capacity Post Digger, Metal Head, Wooden Handle, 146 cm Digital Laser Distance Measuring Tool, with 40 meters	10	Sub Tota	al for Lot 4	
274. 275. 276.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform Step Ladder, aluminum, 6 ft, 250 lb. capacity Post Digger, Metal Head, Wooden Handle, 146 cm Digital Laser Distance Measuring Tool, with 40 meters range, Laser Diode 635 nm., <1 mW, measurement	10	pc unit pc	al for Lot 4	
274. 275. 276.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform Step Ladder, aluminum, 6 ft, 250 lb. capacity Post Digger, Metal Head, Wooden Handle, 146 cm Digital Laser Distance Measuring Tool, with 40 meters range, Laser Diode 635 nm., <1 mW, measurement range 0.05-40 m, Laser class -2, measurement accuracy	10	pc unit pc	al for Lot 4	
274. 275. 276.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform Step Ladder, aluminum, 6 ft, 250 lb. capacity Post Digger, Metal Head, Wooden Handle, 146 cm Digital Laser Distance Measuring Tool, with 40 meters range, Laser Diode 635 nm., <1 mW, measurement	10	pc unit pc	al for Lot 4	
274. 275. 276. 277.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform Step Ladder, aluminum, 6 ft, 250 lb. capacity Post Digger, Metal Head, Wooden Handle, 146 cm Digital Laser Distance Measuring Tool, with 40 meters range, Laser Diode 635 nm., <1 mW, measurement range 0.05-40 m, Laser class -2, measurement accuracy (typical): ± 1.5 mm, Power Supply: 4 x 1.5 V AAA Fiber Glass Tape Measure, 50 m Length, ABS plastic case	10 1 2 1	pc unit pc pc set	al for Lot 4	
274. 275. 276. 277.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform Step Ladder, aluminum, 6 ft, 250 lb. capacity Post Digger, Metal Head, Wooden Handle, 146 cm Digital Laser Distance Measuring Tool, with 40 meters range, Laser Diode 635 nm., <1 mW, measurement range 0.05-40 m, Laser class -2, measurement accuracy (typical): ± 1.5 mm, Power Supply: 4 x 1.5 V AAA Fiber Glass Tape Measure, 50 m Length, ABS plastic case Gloves, Disposable, Material: Nitrile, Thickness: 4 mils,	10 1 2 1	pc unit pc pc	al for Lot 4	
274. 275. 276. 277.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform Step Ladder, aluminum, 6 ft, 250 lb. capacity Post Digger, Metal Head, Wooden Handle, 146 cm Digital Laser Distance Measuring Tool, with 40 meters range, Laser Diode 635 nm., <1 mW, measurement range 0.05-40 m, Laser class -2, measurement accuracy (typical): ± 1.5 mm, Power Supply: 4 x 1.5 V AAA Fiber Glass Tape Measure, 50 m Length, ABS plastic case Gloves, Disposable, Material: Nitrile, Thickness: 4 mils, Length: 9 in, Color: Black, Size: Medium, Powder-Free, Chemical Resistant, Non-Sterile, Anti-Static, Leakage	10 1 2 1	pc unit pc pc set	al for Lot 4	
274. 275. 276. 277.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform Step Ladder, aluminum, 6 ft, 250 lb. capacity Post Digger, Metal Head, Wooden Handle, 146 cm Digital Laser Distance Measuring Tool, with 40 meters range, Laser Diode 635 nm., <1 mW, measurement range 0.05-40 m, Laser class -2, measurement accuracy (typical): ± 1.5 mm, Power Supply: 4 x 1.5 V AAA Fiber Glass Tape Measure, 50 m Length, ABS plastic case Gloves, Disposable, Material: Nitrile, Thickness: 4 mils, Length: 9 in, Color: Black, Size: Medium, Powder-Free, Chemical Resistant, Non-Sterile, Anti-Static, Leakage rating: AQL 1.5, Complies with EN374, EN455, &	10 1 2 1	pc unit pc pc set	al for Lot 4	
274. 275. 276. 277. 278.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform Step Ladder, aluminum, 6 ft, 250 lb. capacity Post Digger, Metal Head, Wooden Handle, 146 cm Digital Laser Distance Measuring Tool, with 40 meters range, Laser Diode 635 nm., <1 mW, measurement range 0.05-40 m, Laser class -2, measurement accuracy (typical): ± 1.5 mm, Power Supply: 4 x 1.5 V AAA Fiber Glass Tape Measure, 50 m Length, ABS plastic case Gloves, Disposable, Material: Nitrile, Thickness: 4 mils, Length: 9 in, Color: Black, Size: Medium, Powder-Free, Chemical Resistant, Non-Sterile, Anti-Static, Leakage	10 1 2 1	pc unit pc pc set	al for Lot 4	
274. 275. 276. 277.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform Step Ladder, aluminum, 6 ft, 250 lb. capacity Post Digger, Metal Head, Wooden Handle, 146 cm Digital Laser Distance Measuring Tool, with 40 meters range, Laser Diode 635 nm., <1 mW, measurement range 0.05-40 m, Laser class -2, measurement accuracy (typical): ± 1.5 mm, Power Supply: 4 x 1.5 V AAA Fiber Glass Tape Measure, 50 m Length, ABS plastic case Gloves, Disposable, Material: Nitrile, Thickness: 4 mils, Length: 9 in, Color: Black, Size: Medium, Powder-Free, Chemical Resistant, Non-Sterile, Anti-Static, Leakage rating: AQL 1.5, Complies with EN374, EN455, & ASTM D6319 Safety Standards, 100 pcs per pack Gloves, General Purpose, Material: Cotton, Coating: Latex, Color: Orange, Size: Medium, Resistant to	10 1 2 1 1	pc unit pc pc set pack	al for Lot 4	
274. 275. 276. 277. 278.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform Step Ladder, aluminum, 6 ft, 250 lb. capacity Post Digger, Metal Head, Wooden Handle, 146 cm Digital Laser Distance Measuring Tool, with 40 meters range, Laser Diode 635 nm., <1 mW, measurement range 0.05-40 m, Laser class -2, measurement accuracy (typical): ± 1.5 mm, Power Supply: 4 x 1.5 V AAA Fiber Glass Tape Measure, 50 m Length, ABS plastic case Gloves, Disposable, Material: Nitrile, Thickness: 4 mils, Length: 9 in, Color: Black, Size: Medium, Powder-Free, Chemical Resistant, Non-Sterile, Anti-Static, Leakage rating: AQL 1.5, Complies with EN374, EN455, & ASTM D6319 Safety Standards, 100 pcs per pack Gloves, General Purpose, Material: Cotton, Coating:	10 1 2 1 1 2 2	pc unit pc pc set pack		
274. 275. 276. 277. 278.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform Step Ladder, aluminum, 6 ft, 250 lb. capacity Post Digger, Metal Head, Wooden Handle, 146 cm Digital Laser Distance Measuring Tool, with 40 meters range, Laser Diode 635 nm., <1 mW, measurement range 0.05-40 m, Laser class -2, measurement accuracy (typical): ± 1.5 mm, Power Supply: 4 x 1.5 V AAA Fiber Glass Tape Measure, 50 m Length, ABS plastic case Gloves, Disposable, Material: Nitrile, Thickness: 4 mils, Length: 9 in, Color: Black, Size: Medium, Powder-Free, Chemical Resistant, Non-Sterile, Anti-Static, Leakage rating: AQL 1.5, Complies with EN374, EN455, & ASTM D6319 Safety Standards, 100 pcs per pack Gloves, General Purpose, Material: Cotton, Coating: Latex, Color: Orange, Size: Medium, Resistant to abrasion and tear, 10 pairs/box	10 1 2 1 1 2 2	pc unit pc pc set pack	al for Lot 4	
274. 275. 276. 277. 278.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform Step Ladder, aluminum, 6 ft, 250 lb. capacity Post Digger, Metal Head, Wooden Handle, 146 cm Digital Laser Distance Measuring Tool, with 40 meters range, Laser Diode 635 nm., <1 mW, measurement range 0.05-40 m, Laser class -2, measurement accuracy (typical): ± 1.5 mm, Power Supply: 4 x 1.5 V AAA Fiber Glass Tape Measure, 50 m Length, ABS plastic case Gloves, Disposable, Material: Nitrile, Thickness: 4 mils, Length: 9 in, Color: Black, Size: Medium, Powder-Free, Chemical Resistant, Non-Sterile, Anti-Static, Leakage rating: AQL 1.5, Complies with EN374, EN455, & ASTM D6319 Safety Standards, 100 pcs per pack Gloves, General Purpose, Material: Cotton, Coating: Latex, Color: Orange, Size: Medium, Resistant to abrasion and tear, 10 pairs/box Lot 6 – Air Conditioning Equipment Maintenance Materials and Tools	10 1 2 1 2 2	pc unit pc pc set pack		
274. 275. 276. 277. 278. 279.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform Step Ladder, aluminum, 6 ft, 250 lb. capacity Post Digger, Metal Head, Wooden Handle, 146 cm Digital Laser Distance Measuring Tool, with 40 meters range, Laser Diode 635 nm., <1 mW, measurement range 0.05-40 m, Laser class -2, measurement accuracy (typical): ± 1.5 mm, Power Supply: 4 x 1.5 V AAA Fiber Glass Tape Measure, 50 m Length, ABS plastic case Gloves, Disposable, Material: Nitrile, Thickness: 4 mils, Length: 9 in, Color: Black, Size: Medium, Powder-Free, Chemical Resistant, Non-Sterile, Anti-Static, Leakage rating: AQL 1.5, Complies with EN374, EN455, & ASTM D6319 Safety Standards, 100 pcs per pack Gloves, General Purpose, Material: Cotton, Coating: Latex, Color: Orange, Size: Medium, Resistant to abrasion and tear, 10 pairs/box Lot 6 – Air Conditioning Equipment Maintenance Materials and Tools Refrigerant, R22, (13.6 kilos per tank)	10 1 2 1 2 2 5	pc unit pc pc set pack box Sub Tota		
274. 275. 276. 277. 278. 279. 280.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform Step Ladder, aluminum, 6 ft, 250 lb. capacity Post Digger, Metal Head, Wooden Handle, 146 cm Digital Laser Distance Measuring Tool, with 40 meters range, Laser Diode 635 nm., <1 mW, measurement range 0.05-40 m, Laser class -2, measurement accuracy (typical): ± 1.5 mm, Power Supply: 4 x 1.5 V AAA Fiber Glass Tape Measure, 50 m Length, ABS plastic case Gloves, Disposable, Material: Nitrile, Thickness: 4 mils, Length: 9 in, Color: Black, Size: Medium, Powder-Free, Chemical Resistant, Non-Sterile, Anti-Static, Leakage rating: AQL 1.5, Complies with EN374, EN455, & ASTM D6319 Safety Standards, 100 pcs per pack Gloves, General Purpose, Material: Cotton, Coating: Latex, Color: Orange, Size: Medium, Resistant to abrasion and tear, 10 pairs/box Lot 6 – Air Conditioning Equipment Maintenance Materials and Tools Refrigerant, R22, (13.6 kilos per tank) Refrigerant, R410A (13.6 kilos per tank)	10 1 2 1 2 2 2 5 3	pc unit pc pc set pack box Sub Tota		
274. 275. 276. 277. 278. 279. 280. 281. 282. 283.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform Step Ladder, aluminum, 6 ft, 250 lb. capacity Post Digger, Metal Head, Wooden Handle, 146 cm Digital Laser Distance Measuring Tool, with 40 meters range, Laser Diode 635 nm., <1 mW, measurement range 0.05-40 m, Laser class -2, measurement accuracy (typical): ± 1.5 mm, Power Supply: 4 x 1.5 V AAA Fiber Glass Tape Measure, 50 m Length, ABS plastic case Gloves, Disposable, Material: Nitrile, Thickness: 4 mils, Length: 9 in, Color: Black, Size: Medium, Powder-Free, Chemical Resistant, Non-Sterile, Anti-Static, Leakage rating: AQL 1.5, Complies with EN374, EN455, & ASTM D6319 Safety Standards, 100 pcs per pack Gloves, General Purpose, Material: Cotton, Coating: Latex, Color: Orange, Size: Medium, Resistant to abrasion and tear, 10 pairs/box Lot 6 – Air Conditioning Equipment Maintenance Materials and Tools Refrigerant, R22, (13.6 kilos per tank) Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V	10 1 2 1 2 2 2 5 3 2	pc unit pc pc set pack box Sub Tota tank tank pc		
274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform Step Ladder, aluminum, 6 ft, 250 lb. capacity Post Digger, Metal Head, Wooden Handle, 146 cm Digital Laser Distance Measuring Tool, with 40 meters range, Laser Diode 635 nm., <1 mW, measurement range 0.05-40 m, Laser class -2, measurement accuracy (typical): ± 1.5 mm, Power Supply: 4 x 1.5 V AAA Fiber Glass Tape Measure, 50 m Length, ABS plastic case Gloves, Disposable, Material: Nitrile, Thickness: 4 mils, Length: 9 in, Color: Black, Size: Medium, Powder-Free, Chemical Resistant, Non-Sterile, Anti-Static, Leakage rating: AQL 1.5, Complies with EN374, EN455, & ASTM D6319 Safety Standards, 100 pcs per pack Gloves, General Purpose, Material: Cotton, Coating: Latex, Color: Orange, Size: Medium, Resistant to abrasion and tear, 10 pairs/box Lot 6 – Air Conditioning Equipment Maintenance Materials and Tools Refrigerant, R22, (13.6 kilos per tank) Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm dia., 12.2thk	10 1 2 1 2 2 5 3 2 5 5 5	pc unit pc pc set pack box Sub Tota		
274. 275. 276. 277. 278. 279. 280. 281. 282. 283.	Lot 5 – Miscellaneous Tools and Personal Protective Equipment Cart, utility, foldable, steel frame, 550 kg load capacity, 120 cm x 65 cm platform, 5-inch rubber wheels, antislip/skip platform Step Ladder, aluminum, 6 ft, 250 lb. capacity Post Digger, Metal Head, Wooden Handle, 146 cm Digital Laser Distance Measuring Tool, with 40 meters range, Laser Diode 635 nm., <1 mW, measurement range 0.05-40 m, Laser class -2, measurement accuracy (typical): ± 1.5 mm, Power Supply: 4 x 1.5 V AAA Fiber Glass Tape Measure, 50 m Length, ABS plastic case Gloves, Disposable, Material: Nitrile, Thickness: 4 mils, Length: 9 in, Color: Black, Size: Medium, Powder-Free, Chemical Resistant, Non-Sterile, Anti-Static, Leakage rating: AQL 1.5, Complies with EN374, EN455, & ASTM D6319 Safety Standards, 100 pcs per pack Gloves, General Purpose, Material: Cotton, Coating: Latex, Color: Orange, Size: Medium, Resistant to abrasion and tear, 10 pairs/box Lot 6 – Air Conditioning Equipment Maintenance Materials and Tools Refrigerant, R22, (13.6 kilos per tank) Refrigerant, R410A (13.6 kilos per tank) Compressor, for ACU, 49 to 51 LRA, 220 V Blower Wheel, Sirocco Fan, ACU 2HP, Size 22.5cm	10 1 2 1 2 2 2 5 3 2	pc unit pc pc set pack box Sub Tota tank tank pc		

287.	Capacitor, Dual, ¾ Hp, 1.5 + 15 ,uF	10	pc			
288.	Capacitor, Single, 65 uF	5	pc			
289.	Valve, Access Valve Charging Line, ACU	15	рс			
290.	Fuse, Thermal 2 A	20	pc			
291.	Mapp Gas, Content: 14.1 oz./400 g, Metal Thread	10	tank			
	doesn't explode to prolong usage					
292.	Manifold Gauge, For Inverter Type ACU, Refrigerant	3	set			
	R410A, R22, and R134A					
293.	Thermostat, for ACU	5	pc			
294.	Butane Blow Torch, with Butane, 174 g	30	pc			
295.	Oil, WD-40, 1/4 liter	20	pc			
296.	Power Sprayer, Pressure: 320-700 psi, Flow Rate: 10-25	3	pc			
	L/min, Power: 1.5 Hp, with Accessories					
297.	Hose, Power Sprayer, 3-Ply	20	m			
298.	Cutter, Tube, 3/4" to 1-1/2", heavy duty	3	pc			
299.	Cutter, Tube, 1/8" to 5/8", heavy duty	3	pc			
	Sub Total for Lot 6					
	Lot 7 – Replacement Parts for Equipment					
300.	Clutch Lining Assembly, for Kawasaki Grass Cutter	4	pc			
301.	Clutch Lining Assembly, for Honda Grass Cutter	4	pc			
302.	Recoil Pull Starter Assembly, for Kawasaki Grass	4	pc			
	Cutter, GX 35					
303.	Recoil Pull Starter Assembly, for Kawasaki Grass	4	pc			
	Cutter, TD 40					
304.	Fan Belt, (A-1016)	5	pc			
	Sub Total for Lot 7					
	Total Bid Price					

[Signature]
[Name of Authorized Signatory]
[Position/Title of Authorized Signatory]