

Republic of the Philippine TARLAC STATE UNIVERSITY

Romulo Blvd., San Vicente, Tarlac City Tel. No.: (045) 982 4630 Website: www.tsu.edu.ph

Bidding Documents

(This Bidding Documents is in conformance with the Sixth Edition of the Philippine Bidding Documents for the Procurement of Goods)

For the Project

Supply and Delivery of Medical and Dental Supplies (APP 2023)

With an Approved Budget for the Contract (ABC) of Two Million Six Hundred Ninety Nine Thousand Four Hundred Thirty Three Pesos (₱ 2,699,433.00)

Invitation to Bid No. Goods 2023-052 PhilGeps Reference No.: 10124446

July 2020 6th Edition

TABLE OF CONTENTS

Glossary of Acronyms, Terms, and Abbreviations	1
Section I. Invitation to Bid	4
Section II. Instructions to Bidders	6
1. Scope of Bid	6
2. Funding Information	6
3. Bidding Requirements	6
4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	6
5. Eligible Bidders	6
6. Origin of Goods	7
7. Subcontracts	7
8. Pre-Bid Conference	7
9. Clarification and Amendment of Bidding Documents	7
10. Documents Comprising the Bid: Eligibility and Technical Components	7
11. Documents Comprising the Bid: Financial Component	7
12. Bid Prices	8
13. Bid and Payment Currencies	8
14. Bid Security	8
15. Sealing and Marking of Bids	8
16. Deadline for Submission of Bids	9
17. Opening and Preliminary Examination of Bids	9
18. Domestic Preference	9
19. Detailed Evaluation and Comparison of Bids	9
20. Post Qualification	10
21. Signing of the Contract	10
Section III. Bid Data Sheet	11
Section IV. General Conditions of Contract	12
1. Scope of Contract	12
2. Advance Payment and Terms of Payment	12
3. Performance Security	12
4. Inspection and Tests	12
5. Warranty	12
6. Liability of the Supplier	13
Section V. Special Conditions of Contract	14
Section VI. Schedule of Requirements	16
Section VII. Technical Specifications	17
Section VIII. Checklist of Technical and Financial Documents	19
Section IX. Bidding Forms	20

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI - Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid



Republic of the Philippine TARLAC STATE UNIVERSITY

Romulo Blvd., San Vicente, Tarlac City Tel. No.: (045) 982 4630 Website: www.tsu.edu.ph

INVITATION TO BID

For the Project

Supply and Delivery of Medical and Dental Supplies (APP 2023)

Invitation to Bid No. Goods 2023-052

1. The Tarlac State University, through Special Budget (SB) intends to apply the sum of **Two Million**Six Hundred Ninety Nine Thousand Four Hundred Thirty Three Pesos (₱ 2,699,433.00) to
payments under the contracts for the project: Supply and Delivery of Medical and Dental
Supplies (APP 2023).

Bids received in excess of the ABC for shall be automatically rejected at bid opening.

- 2. The Tarlac State University now invites bids for the project **Supply and Delivery of Medical and Dental Supplies (APP 2023)**. Delivery of the Goods is required within **thirty (30)** calendar days from the receipt of the Notice to Proceed. Bidders must have completed, within the last five (5) years prior to the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act".
 - Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.
- 4. Interested bidders may obtain further information from **Tarlac State University** and inspect the Bidding Documents at the address given below during Tuesday to Friday from 7:00 A.M. to 6:00 P.M:

BAC Secretariat

Motorpool and Administration Building Tarlac State University Romulo Blvd., San Vicente, Tarlac City Tel. No. (045) 606-8142 / 0998 846 0206

Email: bacsec@tsu.edu.ph

5. A complete set of Bidding Documents may be acquired by interested Bidders from **September 14**, **2023 to October 04**, **2023** from the aforementioned address upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of ₱ **5**,000.00.

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

- 6. The Tarlac State University will hold a Pre-Bid Conference on **September 22, 2023 (3:00 P.M.)** at the Business Center Audio-Visual Room, 2nd Floor, Business Center Bldg., Tarlac State University, Romulo Blvd., San Vicente, Tarlac City, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat at the address below on or before **October 04**, **2023**, **(3:00 P.M.)**.

BAC Secretariat

Motorpool and Administration Building Tarlac State University Romulo Blvd., San Vicente, Tarlac City Tel. No. (045) 606-8142 / 0998 846 0206

Email: bacsec@tsu.edu.ph

- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on **October 04, 2023** at **3:00 P.M.**, at the Business Center Audio-Visual Room, 2nd Floor, Business Center Bldg., Tarlac State University, Romulo Blvd., San Vicente, Tarlac City. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address below.
- 10. The Tarlac State University reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 Revised IRR of RA 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

Ms. Jhenna Micah A. Manankil/ Mr. Joshua Jonathan S. Jacinto BAC Secretariat
Motorpool and Administration Building
Tarlac State University
Romulo Blvd., San Vicente, Tarlac City
Tel. No. (045) 606-8142 / 0998 846 0206

Email: bacsec@tsu.edu.ph

DR. MURPHY P. MOHAMMEDBAC Chairperson

m/

Section II. Instructions to Bidders

1. Scope of Bid

- 1.1. The Tarlac State University wishes to receive Bids for the project: **Supply and Delivery of Medical and Dental Supplies (APP 2023)**, with identification number **Invitation to Bid No. Goods 2023-052.**
- 1.2. The procurement project (referred to herein as "Project") is composed of one hundred eleven (111) items the details of which are described in Section VII. Technical Specifications.

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2023 in the amount of ₱ 2,699,433.00
- 2.2. The source of funding is the **Special Budget (SB)**

3. Bidding Requirements

- 3.1. The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.
- 3.2. Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or IB by the BAC through the issuance of a supplemental or bid bulletin.
- 3.3. The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder must have a SLCC that is similar to the Project, as described in the **BDS**, with a value, adjusted to current prices using the PSA's CPI, that is at least equivalent to fifty percent (50 %) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that subcontracting is not allowed

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and at the address indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII. Checklist of Technical and Financial Documents**.
- 10.2. The Bidder's **SLCC** as indicated in **ITB** Clause 5.3 should have been completed **within five** (5) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII. Checklist of Technical and Financial Documents**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII. Technical Specifications**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **February 01, 2024**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

- 15.1. Each Bidder shall submit one copy of the first and second components of its Bid.
- 15.2. The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.
- 15.3. If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be

digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items are indicated in **Section VII. Technical Specifications**, and the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as one project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

ITB Clause		
5.3	For this purpose, contracts similar to the Project shall be the supply and delivery of similar goods comprising the Project.	
7.1	No further instructions.	
12	The price of the Goods shall be quoted DDP Tarlac City, Philippines or the applicable International Commercial Terms (INCOTERMS) for this Project.	
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than two percent (2 %) of ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than five percent (5 %) of ABC if bid security is in Surety Bond.	
19.3	The ABC for the project is ₱ 2,699,433.00	
20.2	No further requirements.	
21.2	No further requirements.	

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special** Conditions of Contract (SCC).

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV. Technical Specifications shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the

defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

GCC Clause	
1	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and oth trade terms used to describe the obligations of the parties shall have the meaning assigned to them by the current edition of INCOTERMS published by the Internation Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follow
	The delivery terms applicable to this Contract are delivered to Tarlac State Universit Romulo Blvd., San Vicente, Tarlac City. Risk and title will pass from the Supplier the Procuring Entity upon receipt and final acceptance of the Goods at their destination
	Delivery of the Goods shall be made by the Supplier in accordance with the term specified in Section VI. Schedule of Requirements.
	Packaging –
	The Supplier shall provide such packaging of the Goods as is required to prevent the damage or deterioration during transit to their final destination, as indicated in the Contract. The packaging shall be sufficient to withstand, without limitation, rough and ling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take in consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
	The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in an subsequent instructions ordered by the Procuring Entity.
	The outer packaging must be clearly marked on at least four (4) sides as follows:
	Name of the Procuring Entity
	Name of the Supplier Contract Description
	Final Destination
	Gross weight
	Any special lifting instructions Any special handling instructions
	Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be place on an accessible point of the outer packaging if practical. If not practical the packagin list is to be placed inside the outer packaging but outside the secondary packaging.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DD transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. **Intellectual Property Rights –** The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

The inspections and tests that will be conducted are: visual and sensory inspection and

4

Section VI. Schedule of Requirements

The delivery date for the Goods covered by the Contract shall be within thirty (30) calendar days upon receipt of the Notice to Proceed.

Section VII. Technical Specifications

Item	Description
No.	
1.	ALCOHOL, ISOPROPHYL,
	70% solution, ISO certified, FDA approved, antiseptic & antibacterial, with hand moisturizer and dermatology tested, with aloe vera scent, with Safety Data
	Sheet(SDS), 1gal (3.78 liters)
2.	ALCOHOL,
	spray, ethyl, 500ml, FDA approved
3.	BAGS, OB Bag,
	Sling bag only
4.	BAND AID,
	Plastic strips 100 pcs/box
5.	(Exp. Date not less than 2yrs) BED, "Fowler Bed with Side rails, head & foot panels, I.V Rod. Dimension: 206
3.	x 90 x 60 cm."
6.	BED, 3-fold orthopedic bed with traction
7.	BIB, Assorted Color 100 pcs/pack
8.	BLOOD LANCET,
	Disposable, Sterile, made of premium surgical steel.
	Easy twist to remove needle cover
	(Exp. Date not less than 2yrs)
9.	BP APPARATUS, Manual
10.	BP CUFF, for cardiac monitor, 22-40cm
11.	BUR SURGICAL, Round
12.	BUR SURGICAL, Straight
13.	BUR, Round
14.	BUR, Straight
15.	CANNULA, IV, Gauge, 20(Exp. Date not less than 2yrs)
16.	CANNULA, IV, Gauge, 22 (Exp. Date not less than 2yrs)
17.	CANNULA, IV, Gauge, 24 (Exp. Date not less than 2yrs)
18.	COMPOSITE FILLING NANO HYBRID UNIVERSAL RESTORATIVE-INTRO KIT,
	Contents: 12g Restorative paste, 3ml scotchbond universal etchant, 6g adhesive
19.	CONTAINER, for Sharps, 15 liters, puncture proof
20.	COTTON, Balls, pure and absorbent cotton, 150 pcs/pack
21.	COTTON, Rolls, #1, small, non-sterile (50 rolls/sleeve, 10 sleeves/bag)
22.	DESCOSEPT, AF, 100ml
23.	ECG PAPER, 80mm x 20mm
24.	ELASTIC BANDAGE, Brown 2"
25.	ELASTIC BANDAGE, Brown 3"
26.	ELASTIC BANDAGE, Brown 4"
27.	FIRST AID KIT, First Responder Emergency Trauma Bag Air tight and water
	tight kit made of thick polypropylene resin (43cmx32cmx25cm). The container's
	special characteristic permit to be used in all extreme conditions .Filled for
	emergency. Highly recommended for the boat, Sea Platform, Mountain fire
	brigade, etc. Contents: 01 Hand Suction Pump 1pc 02 Resuscitator bag 1pc 03 E-
	Mask 1pc 04 Guedel Airway 2pcs 05 Clinical Thermometer 1pc 06 Mouth Opener
	1pc 07 Disposable Syringe pcs 08 Tongue Forceps 1pc 09 Sterile Scalpel 1pc 10 Lancet 2pcd 11 Wooden Tongue Depressor 5pcs 12 Surgical Scissors 1pair 13
	Dressing Tweezers 1pair 14 Safety Pins 10pcs 15 Sterile Latex Gloves 2pairs 16

Sphygmomanometer 1pc 17 Stethoscope 1pc 18 Boston 1pc 19 Tourniquets 1pc 20 Ice Bag 2pcs 21 Alcohol Pre Pad 30pcs 22 Povidone-iodine Prep Pad 10pcs 23 Antiseptic towelette 5pcs 24 Wet tissue (soap) 5pcs 25 hammer 1pc 26 Adhesive Tape 3pcs 27 Sterile Eye Pad 5pcs 28 Triangular bandages TNT 2pcs 29 Sterile Gauze Pad 10pcs 30 Cotton Ball 5pkts 31 Adhesive Strip 50pcs 32 Cotton Applicator 20pcs 33 Elastic Bandage, 6cm 3rolls 34 Compressive Pad Bandages, medium 2rolls 35 Compressive Pad Bandages, max 1roll 36 Elastic Crepe Bandage, 2" 2rolls 37 Elastic Crepe Bandage, 4' 2rolls 38 Emergency Gold Blanket 2pcs 39 Diagnostic Penlight 1pc 40 Disposable Wastage Bags 3pcs Product Dimension: 46cmx31cmx28cm.

28. FIRST AID KIT/TRAUMA BAG.

large 2 front compartment with organizer and 2 Zippered Side Pockets, Comes with a shoulder strap, and a 3-side compartment, Dimension: 60cm x 6cm x 54cm

INCLUSIONS:

- Rubbing Alcohol (500ml)
- Povidone Iodine/Betadine-1 (125ml)
- Cotton- 1 pack (150 cotton balls)
- Gauge pads- 1 box (4x4x8 ply (5's) ORMED
- Wooden Tongue depressor- 1 box (100 pieces), 6 inches
- Penlight- 1 piece (lamp type: lens end lamp 2.2V 0.25, Luminous flux:
 4.8LM, Power Requirement: 3volts two AAA size batteries
- Band aid- 1 box (100 pieces)
- Plaster-3 pieces (6" longbone)
- Gloves- 1 box (Disposable medical gloves)
- Scissors-1 piece (HBW Scissors SP23007-B)
- Forceps- Stainless Steel, Length: 3.5inches, flat angled ends
- Bandage (Triangular)- 3 pieces (40"x40"x56")
- Elastic roller bandage- 3 pieces, 6"
- Digital Thermometer- 1 unit (Omron MC-246 Thermometer (White),

IN THE BOX Sales Package : Main Unit, Instruction Sheet, 5 Probe Covers, Test Battery, Protective Case,

DEVICECHARACTERISTICS

Temperature Display 3-digit, +° C (° F) Display In 0.1 Degree Increment

Auto Shut Off Yes
Flexible Tip No
Display LCD
Buzzer Yes
Water Resistant Yes
Memory Function Yes

MEASUREMENT

Accuracy Measurement Range 89.6 – 107.6° F

Accuracy Measurement Variance ±0.2°F

POWER REQUIREMENTS
Power Source Battery

29. FIRST AID KIT, OSHA-ANSI Approved

serves up to 25-50 persons, w/ compartmental organizers which include critical supplies like trauma pad, exam gloves, conforming gauze roll bandage and others.

Contents: (133 pieces)

- (10) Antiseptic cleansing wipes (sting free)
- (10) Alcohol cleansing pads
- (30) ³/₄" x 3" Adhesive plastic bandages

	(5) 1" x 3" Adhesive plastic bandages
	(35) 3/8" x 1-1/2"Junior plastic bandages
	(5) 1-1/2" x 1-1/2" Patch plastic bandages
	(2) 2" x 4" Elbow & knee plastic bandages
	(2) Butterfly wound closures
	(2) Knuckle fabric bandages
	(2) Fingertip fabric bandages
	(2) 2"x2" Gauze dressing pads
	(2) 3"x3" Gauze dressing pads
	(1) 2"x3" Dressing bandages
	(1) 2'x3" Non-stick pad
	(1) Sterile eye pad,1 2" x 4.1 yard conforming gauze roll bandage
	(1) ½" x 5 yard First aid tape roll
	(1) Scissors
	(1) Tweezers
	(2) Medium safety pins
	(10) 3" Cotton tipped applicators and 1 Carry anywhere plastic case.
30.	FORCEPS, Kelly, Curve, 5.5 inches
31.	FORCEPS, Kelly, Curve, 7 inches
32.	FORCEPS, Kelly, Straight, 5.5 inches
33.	FORCEPS, Kelly, Straight, 7 inches
34.	FORCEPS, needle holder, 7 inches
35.	FORCEPS, thumb
36.	FORCEPS, Tissue
37.	GAUZE PAD, Eye patch (Exp. Date not less than 2yrs)
38.	GAUZE PAD, Sterile, 2 x 2, 100 pcs/box (Exp. Date not less than 3yrs)
39.	GAUZE PAD, Sterile, 4 x 4, 100 pcs/box (Exp. Date not less than 3yrs)
40.	GLASS IONOMER, Glass, liquid, 20 ML
41.	GLASS IONOMER, Powder, 35g
42.	GLOVES, disposable, nitrile, powder free, large
43.	(Exp. Date not less than 3yrs) GLOVES, Disposable/Nitrile/Powder Free (Medium)
43.	(Exp. Date not less than 3yrs)
44.	GLOVES, Latex medical examination (large, 100/box, Micro SuperGloves)
45.	GLOVES, latex medical examination (medium, 100/box, Micro SuperGloves)
46.	GLOVES, Latex medical examination (SMALL, 100/box, Micro Super Gloves)
47.	GLOVES, sterile, size 7.5
77.	(Exp. Date not less than 3yrs)
48.	GLUCOMETER, TEST STRIP, One Touch Select: Code 25
10.	(Exp. Date not less than 2yrs)
49.	HAMMER, Percusion
50.	HAND PIECE,
	High speed ceramic bearing
	Cooling method: 3 holes spray water, uniform cooling and good all-round
	cooling effect. Speed: 350000-380000 Lighting: 25000 LUX fiber brightness
	Bearing: 2.78mm ceramic bearing Connector: 2-hole connector. Air pressure:
	0.2-0.3Mpa Size: 16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross
	weight: 200g/7.1oz
51.	HAND PIECE,
	Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (
	Mpa) -0.3 (Mpa. Water pressure : 198Kpa(2Kg). Forward rotation speed : 18
	(krpm.
	Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size:
	Φ 2.334- Φ 2.355 (mm). Water flow 90(min/ml)-110(min/ml). Water pressure
	0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise
	: ≤65dB. Chuck type: Push button type.

52.	HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free – using povidone-iodine, benzalkonium chloride or triclosan)	
53.	HAND SANITIZER, gel, 1 liter	
54.	HEAD CAP, For medical/dental use, 100 pcs/pack	
55.	INFUSION SET, IV, Macroset (Exp. Date not less than 2yrs)	
56.	INFUSION SET, IV, Microset (Exp. Date not less than 2yrs)	
57.	IRM, 38g (Liquid and Powder Set)	
58.	KIT SYSTEM, Finishing and Polishing System Kit	
	Specifications Diameter Size Multiple Diameters/Sizes Grit Size Multiple Grits Kit Type Finishing & Polishing System Kit National Product Type Extra-Thin Contouring and Polishing Disc Black: Trim Purple: rough polish Green: fine polish Red: superfine polish It used to polish the anterior teeth with composite resin step by step. Product List: 2 white sandstones are used for molding. 1 silicon rubber grinding head is used for primary polishing. 180 polishing discs 2	
	handles 40 composite resin molding polishing strips.	
59.	• • • • • • • • • • • • • • • • • • • •	
60.		
61.	MASK, Disposable One-way CPR Mask Training Valves	
62.	MASK, KN95, High-grade and Medical-grade Non-woven Fabric, FDA	
02.	Registered (Exp. Date not less than 2yrs)	
63.	MASK, Surgical Face Mask, 3 ply, with earloop, disposable, 50pcs/box, FDA	
03.	Registered	
64.	MICROSCOPE SLIDES, for tissues and cells	
65.	MICROSCOPE, Monocular	
66.	MOUTH MIRROR SUCTION, that can be attach our HVE or saliva ejector	
67.		
68.	NASAL CANNULA, For non-toxic PVC Compound, 1.8 meters of non-kink star lumen PVC tubing Nasal prongs made of soft PVC	
69.	NEBULIZING KIT, Nebulization kit with mouth piece	
70.	NEEDLE, Disposable Dental, (27G-long)	
71.	NEEDLE, Gauge 25 (25GX5/8")	
72.	PEAK FLOW METER, Specs to follow	
73.	PPE, Personal Protective Equipment -Suit	
	* *	
74.	PULSE OXIMETER, - Two standard AAA1.5v alkaline batteries support more 20 hours continuous work, Advanced DSP algorithm inside decreases the influence of motion artifical and improves accuracy of low perfusion, Hemoglobin saturation display:35-100%, Pulse rate display:30-250 BPM, Power consumption:smaller than 30mA(normal), Resolution: Hemoglobin saturation(SPO2):1%, Pulse rate:1 BPM, Measurement accuracy: Hemoglobin saturation(SPO2):+/-2%(70%-100%):unspecified (≤70), Pulse rate:+/-2 BPM, Measurement performance in low perfusion condition:0.3%, Dimension:60mm(L)*36mm(W)*28mm(H), Net weight:50g, Color box dimension:80mm(L)*60mm(W)*55mm(H), Gross weight:70g	
75.	RESEALABLE PLASTIC BAG, Ziplock bag 8x9 1/2 inches	
76.	RESEALABLE PLASTIC BAG, Ziplock bag Medium 5 1/2x8 inches	
77.	SALIVA EJECTOR, Disposable, PVC material	
78.	SCALP VEIN SET, Gauge 25, 50pcs/box (Exp. Date not less than 2yrs)	
79.	SCALPEL, Medical grade, #4	
80.	SCISSOR, Stitch Removal Scissor	
81.	SCISSOR, Bandage	

82.	SCISSOR, Mayo	
83.	SCISSOR, Mayo SCISSOR, Metzenbaum, 7 inches	
84.	SHOE COVER, Booties or shoe cover (disposable)	
85.	SPIROMETER, Incentive	
	, , , , , , , , , , , , , , , , , , ,	
86.	SPLINT, SAM splint Finger/Toe	
87.	SPLINT, SAM splint roll, 36inch	
88.	SPLINT, SAM splint Wrist, 9inch	
89.	SPLINT, SAM splint,18inch	
90.	SPRAY, Oil, Lubricant Handpiece	
91.	STERILE TONGUE DEPRESSOR, Wooden	
92.	STERILIZATION POUCH, Pouch-Self sealing, zise: 3.5"x10" (90x260mm)	
	200 pcs/box	
93.	SURGICAL BLADE, Stainless steel, #20, 100's	
94.	SURGICAL BLADE, Stainless steel, #21, 100's	
95.	SURGICAL GOWN, Disposable, for Medical/Surgical use	
96.	SURGICAL TAPE, Transparent, 1/2" x 10 yards	
97.	SURGICAL TAPE, Transparent, 2" x 10 yards	
98.	SURGICAL TAPE, Transparent, 1" x 10 yards	
99.	SUTURE NEEDLE, Silk 0	
77.	(Exp. Date not less than 3yrs)	
100.	SUTURE NEEDLE, Silk 3-0 (cutting needle)	
100.		
101	Exp. Date not less than 3yrs)	
101.	SYRINGE, 1cc, Luer Lock with needle	
102	(Exp. Date not less than 3yrs)	
102.	SYRINGE, 3cc, Luer Lock with needle	
100	(Exp. Date not less than 3yrs)	
103.	SYRINGE, 5cc, Luer Lock with needle (100/box)	
101	(Exp. Date not less than 3yrs)	
104.	SYRINGE, Flowable Composite, 2g	
105.	UVC ROOM STERILIZER, Room Sterilizer, UV Light trolley 1. Eliminates up	
	to 99.9% of harmful germs, viruses ,bacteria and molds.2. Perfect for sterilizing	
	rooms and spaces for homes, offices, schools, clinics, and hospitals. 3. Lab-tested,	
	chemical free, and doctor recommended 4. Sterilization Technology: UV-C	
	Surface Sterilization Technology, Ozone-free 5. Sterilization Efficiency: Kills up	
	to 99.9% of germs, viruses and bacteria 6.UV-C Wavelength: 253.7nm 7. UV-C	
	Lamp Life: 8,000hours 8. Coverage Area: Up to 60sqm (Unobstructed) 10.	
	Sterilization Time: 15 Minutes to 24 Hours 11. Safety Features: 30-Second Time	
	Delay Feature, Motion Sensor 12.Material: Carbon Steel (Body), Quartz Glass	
	(UV-C Lamp Wattage: 30 Watts x 4 13. Rated Power: 120 Watts 14. Power	
	Supply: 220 V, 60Hz- With Spare UV Light Lamp	
106.	WATER BAG, For hot water 1000ml	
107.	WATER BAG, Hot Water bag 500ml	
108.	WATER, Distilled, 6L	
109.	WEIGHING SCALE, - Weigh-Beam-Eye-Level - Capacity: 450 lb x 4 oz , 200	
	kg x 100 g, or 440 lb x 4 oz / 200 kg x 100 g, Height Measurement Range (on	
	select models): 24-84 in / 60-212 cm, Height Graduation (on select	
	models): 0.125 in / 0.1 cm, Platform Size: 14.75 in x 10.75 in / 37.5 cm x 27.3	
	cm, Overall Width: 17.5 in / 44.5 cm, Overall Height: 58.25 in / 148 cm, Overall	
	Depth (with wheels): 23.25 in / 59 cm, Construction: Mild steel with powder	
	coat paint finish	
110.	WHEEL CHAIR, 18"", Deluxe Obese Wheelchair, heavy duty, ideal for hospital	
110.	use. composed of heavy duty chrome plated steel frame with 24"" back	
	magwheels.	
	Legrest-: elevating legrest, seat width: 610mm, seat height: 510mm, height from	
	floor to seat: 530mm, max load weight: 350lbs., frame: steel, Cross bar: Steel cross bar, Upholstery, blue PVC, Armrest: Steel, Armrest Pad:	
	Blue PVC, Side Panel: Steel"	

111. WHEEL CHAIR, 24", Deluxe Obese Wheelchair, heavy duty, ideal for hospital use. composed of heavy duty chrome plated steel frame with 24" back magwheels. Legrest-: elevating legrest, seat width: 610mm, seat height: 510mm, height from floor to seat: 530mm, max load weight: 350lbs., frame: steel, Cross bar: Steel cross bar, Upholstery, blue PVC, Armrest: Steel, Armrest Pad: Blue PVC, Side Panel: Steel

Note: Bidders must state in the Statement of Compliance either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provision of **ITB** Clause 4.

Section VIII. Bid Documents Checklist

This Bid Documents Checklist is provided to guide the Bidder in preparing his/her bid. The checklist may be used by the Bidder to verify if the Bid includes all the prescribed documents.

The Bidder, in submitting the required documents, must use the prescribed forms found in Section X. Bidding Forms. However, should a bidder choose to use a different formatting style for a required document, the bidder must ensure that the substance in the form given in Section X for that particular document is substantially captured in the equivalent document.

I. TECHNICAL COMPONENT ENVELOPE

II.

	Class "A" Documents
Legal Do	 Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;
Technica	al Documents
	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether
(c)	similar or not similar in nature and complexity to the contract to be bid; <u>and</u> Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the
(d)	relevant period as provided in the Bidding Documents; and Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission or Original copy of
(e)	Notarized Bid Securing Declaration; <u>and</u> Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-
(f)	sales/parts, if applicable; <u>and</u> Original duly signed Omnibus Sworn Statement (OSS) <u>and</u> if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
	<u>l Documents</u>
[(g)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) <u>or</u> A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
	Class "B" Documents
(h)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence <u>or</u> duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
FINANC	IAL COMPONENT ENVELOPE
(i) (j)	Original of duly signed and accomplished Financial Bid Form; and Original of duly signed and accomplished Price Schedule(s).

Section IX. Bidding Forms

TABLE OF CONTENTS

A.	Elig	gibility and Technical Documents	
	b.	Statement of all on-going government and private contracts, including contracts awarded but not yet started, if any	25
	c.	Statement of Single Largest Completed Contract (SLCC), similar to the contract to be bid, in accordance with ITB Clause 5.3	26
	d.	Bid Securing Declaration or Bid Security, in the form, amount and validity period, as prescribed in ITB Clause 14.1	27
	e.	Bidder's Compliance to the Technical Specifications	29
	f.	Omnibus Sworn Statement, which shall be duly notarized	36
	g.	NFCC Computation	38
В.	Fina	ancial Documents	
	i.	Financial Bid Form	39
	i.	Schedule of Prices	40

[Bidder's Letterhead]

<i>Date</i>

To: Tarlac State University Re: Invitation to Bid No.

List of All Ongoing Government and Private Contracts, Including Contracts Awarded But Not Yet Started

Row 1: Name of Contract Row 2: Location of Project Row 3: Contract Price	Row 1: Procuring Entity Row 2: Contact Person/Address Row 3: Telephone No.	Description of Goods	Row 1: Date of Award Row 2: Date Started Row 3: Contract Duration	Value of Outstanding Goods

Attached herewith are the following documents: Notice of Award, Notice to Proceed, and Official Receipts/Invoices, as evidences in support of the foregoing information.

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[Signature]
[Name of Bidder or Authorized Representative]
[Position or Title]

[Bidder's Letterhead]

[Date]

To: Tarlac State University Re: Invitation to Bid No.

Statement of Single Largest Completed Contract Similar to the Contract to be Bid

Row 1: Name of Contract Row 2: Location	Contract Price	Row 1: Procuring Entity Row 2: Address Row 3: Contact Person/Tel. No.	Description of Goods	Date of Award	Date Completed

Attached herewith are the following documents: Contract Agreement, Notice of Award, Notice to Proceed, Official Receipt/Invoice, Certificate of Final Inspection, and Certificate of Acceptance, as evidences in support of the foregoing information.

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[Signature]
[Name of Bidder or Authorized Representative]
[Position or Title

Bid-Securing Declaration

Republic of the Philippines City/Municipality Of) 9 9
x	
Invitation to Bid [Insert refer	rence number]
To: Tanlas State University	
To: Tarlac State University	
I/We, the undersigned, declare	that:
1. I/We understand that, accord may be in the form of a Bid-	ding to your conditions, bids must be supported by a Bid Security, which -Securing Declaration.
procuring entity for a period will pay the applicable fine Declaration, within fifteen (commission of acts resulting	rill be automatically disqualified from bidding for any contract with any d of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we provided under Section 6 of the Guidelines on the Use of Bid Securing 15) days from receipt of written demand by the procuring entity for the ng to the enforcement of the bid securing declaration under Sections, except 69.1 (f), of the IRR of RA 9184; without prejudice to other legal undertake.
3. I/We understand that this circumstances:	Bid-Securing Declaration shall cease to be valid on the following
a. Upon expiration request;	of the bid validity period, or any extension thereof pursuant to your
b. I am/we are decl effect, and	lared ineligible or post-disqualified upon receipt of your notice to such
i) I/we fail	ed to timely file a request for reconsideration or
ii) I/we file	d a waiver to avail of said right;
	ared as the bidder with the Lowest Calculated Responsive Bid, and I/we ne performance security and signed the Contract.
IN WITNESS WHEREOF , In [place of execution].	We have hereunto set my/our hand/s this day of [month] [year] at

[Signature]
[Name of Bidder's Authorized Representative
[Signatory's legal capacity]
Affiant

SUBSCRIBED AND SWORN to before me this day of [month] [year] at [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no
Witness my hand and seal this day of [month] [year].
[Name and Signature of Notary Public]
Serial No. of Commission
Notary Public for until
Roll of Attorneys No
PTR No, [date issued], [place issued]
IBP No, [date issued], [place issued]
Doc. No
Page No
Book No
Series of

[Bidder's Letterhead]

[Date]

To: Tarlac State University Re: Invitation to Bid No.

Compliance to the Technical Specifications

Item No.	Description	Bidder's Compliance State "Comply" below if your offer is complying with the specifications, otherwise state "We are offering the same goods with the following specifications [State the complete specifications of the alternative offer]
1.	ALCOHOL, ISOPROPHYL,	
	70% solution, ISO certified, FDA approved, antiseptic &	
	antibacterial, with hand moisturizer and dermatology tested, with	
	aloe vera scent, with Safety Data Sheet(SDS), 1gal (3.78 liters)	
2.	ALCOHOL,	
	spray, ethyl, 500ml, FDA approved	
3.	BAGS, OB Bag,	
4	Sling bag only	
4.	BAND AID,	
	Plastic strips 100 pcs/box	
5.	(Exp. Date not less than 2yrs) BED, "Fowler Bed with Side rails, head & foot panels, I.V Rod.	
<i>J</i> .	Dimension: 206 x 90 x 60 cm."	
6.	BED, 3-fold orthopedic bed with traction	
7.	BIB, Assorted Color 100 pcs/pack	
8.	BLOOD LANCET,	
	Disposable, Sterile, made of premium surgical steel.	
	Easy twist to remove needle cover	
	(Exp. Date not less than 2yrs)	
9.	BP APPARATUS, Manual	
10.	BP CUFF, for cardiac monitor, 22-40cm	
11.	BUR SURGICAL, Round	
12.	BUR SURGICAL, Straight	
13.	BUR, Round	
14.	BUR, Straight	
15.	CANNULA, IV, Gauge, 20(Exp. Date not less than 2yrs)	
16.	CANNULA, IV, Gauge, 22 (Exp. Date not less than 2yrs)	
17.	CANNULA, IV, Gauge, 24 (Exp. Date not less than 2yrs)	
18.	COMPOSITE FILLING NANO HYBRID UNIVERSAL RESTORATIVE-INTRO KIT,	
	Contents: 12g Restorative paste, 3ml scotchbond universal etchant,	
	6g adhesive	
19.	CONTAINER, for Sharps, 15 liters, puncture proof	
20.	COTTON, Balls, pure and absorbent cotton, 150 pcs/pack	
21.	COTTON, Rolls, #1, small, non-sterile (50 rolls/sleeve, 10	
	sleeves/bag)	
22.	DESCOSEPT, AF, 100ml	

-			
L	23.	ECG PAPER, 80mm x 20mm	
L	24.	ELASTIC BANDAGE, Brown 2"	
L	25.	ELASTIC BANDAGE, Brown 3"	
L	26.	ELASTIC BANDAGE, Brown 4"	
-	26. 27.	FIRST AID KIT, ,First Responder Emergency Trauma Bag Air tight and water tight kit made of thick polypropylene resin (43cmx32cmx25cm). The container's special characteristic permit to be used in all extreme conditions .Filled for emergency. Highly recommended for the boat, Sea Platform, Mountain fire brigade, etc. Contents: 01 Hand Suction Pump 1pc 02 Resuscitator bag 1pc 03 E-Mask 1pc 04 Guedel Airway 2pcs 05 Clinical Thermometer 1pc 06 Mouth Opener 1pc 07 Disposable Syringe pcs 08 Tongue Forceps 1pc 09 Sterile Scalpel 1pc 10 Lancet 2pcd 11 Wooden Tongue Depressor 5pcs 12 Surgical Scissors 1pair 13 Dressing Tweezers 1pair 14 Safety Pins 10pcs 15 Sterile Latex Gloves 2pairs 16 Sphygmomanometer 1pc 17 Stethoscope 1pc 18 Boston 1pc 19 Tourniquets 1pc 20 Ice Bag 2pcs 21 Alcohol Pre Pad 30pcs 22 Povidone-iodine Prep Pad 10pcs 23 Antiseptic towelette 5pcs 24 Wet tissue (soap) 5pcs 25 hammer 1pc 26 Adhesive Tape 3pcs 27 Sterile Eye Pad 5pcs 28 Triangular bandages TNT 2pcs 29 Sterile Gauze Pad 10pcs 30 Cotton Ball 5pkts 31 Adhesive Strip 50pcs 32 Cotton Applicator 20pcs 33 Elastic Bandage, 6cm 3rolls 34 Compressive Pad Bandages, max 1roll 36 Elastic Crepe Bandage, 2" 2rolls 37 Elastic Crepe Bandage,4' 2rolls 38 Emergency Gold Blanket 2pcs 39 Diagnostic Penlight 1pc 40 Disposable Wastage Bags 3pcs Product Dimension: 46cmx31cmx28cm. FIRST AID KIT/TRAUMA BAG, large 2 front compartment with organizer and 2 Zippered Side	
		large 2 front compartment with organizer and 2 Zippered Side Pockets, Comes with a shoulder strap, and a 3-side compartment, Dimension: 60cm x 6cm x 54cm INCLUSIONS: Rubbing Alcohol – (500ml) Povidone Iodine/Betadine-1 (125ml) Cotton-1 pack (150 cotton balls) Gauge pads-1 box (4x4x8 ply (5's) ORMED Wooden Tongue depressor-1 box (100 pieces), 6 inches Penlight-1 piece (lamp type: lens end lamp 2.2V 0.25, Luminous flux: 4.8LM, Power Requirement: 3volts two AAA size batteries Band aid-1 box (100 pieces) Plaster-3 pieces (6" longbone) Gloves-1 box (Disposable medical gloves) Scissors-1 piece (HBW Scissors SP23007-B) Forceps- Stainless Steel, Length: 3.5inches, flat angled ends Bandage (Triangular)- 3 pieces (40"x40"x56") Elastic roller bandage- 3 pieces, 6" Digital Thermometer- 1 unit (Omron MC-246 Thermometer (White), IN THE BOX Sales Package: Main Unit, Instruction Sheet, 5 Probe Covers, Test Battery, Protective Case,	
		11000 Covois, 1000 Buttory, 1100000140 Cuse,	

DEVICECHARACTERISTICS
Temperature Display 3-digit, +° C (° F) Display In 0.1 Degree

	Increment	
	Auto Shut Off Yes	
	Flexible Tip No	
	Display LCD	
	Buzzer Yes	
	Water Resistant Yes	
	Memory Function Yes	
	MEASUREMENT	
	Accuracy Measurement Range 89.6 – 107.6° F	
	Accuracy Measurement Variance ±0.2°F	
	POWER REQUIREMENTS	
	Power Source Battery	
29.	FIRST AID KIT, OSHA-ANSI Approved	
	serves up to 25-50 persons, w/ compartmental organizers which	
	include critical supplies like trauma pad, exam gloves,	
	conforming gauze roll bandage and	
	others.	
	Contents: (133 pieces)	
	, , , , , , , , , , , , , , , , , , ,	
	(10) Antiseptic cleansing wipes (sting free)	
	(10) Alcohol cleansing pads	
	(30) ³ / ₄ " x 3" Adhesive plastic bandages	
	(5) 1" x 3" Adhesive plastic bandages	
	(35) 3/8" x 1-1/2"Junior plastic bandages	
	(5) 1-1/2" x 1-1/2" Patch plastic bandages	
	(2) 2" x 4" Elbow & knee plastic bandages	
	(2) Butterfly wound closures	
	(2) Knuckle fabric bandages	
	(2) Fingertip fabric bandages	
	(2) 2"x2" Gauze dressing pads	
	(2) 3"x3" Gauze dressing pads	
	(1) 2"x3" Dressing bandages	
	(1) 2'x3" Non-stick pad	
	(1) Sterile eye pad,1 2" x 4.1 yard conforming gauze roll bandage	
	(1) ½" x 5 yard First aid tape roll	
	(1) Scissors	
	(1) Tweezers	
	(2) Medium safety pins	
	(10) 3" Cotton tipped applicators and 1 Carry anywhere plastic	
20	Case.	
30.	FORCEPS, Kelly, Curve, 5.5 inches	
31.	FORCEPS, Kelly, Curve, 7 inches	
32.	FORCEPS, Kelly, Straight, 5.5 inches	
33.	FORCEPS, Kelly, Straight, 7 inches	
34.	FORCEPS, needle holder, 7 inches	
35.	FORCEPS, thumb	
36.	FORCEPS, Tissue	
37.	GAUZE PAD, Eye patch (Exp. Date not less than 2yrs)	
38.	GAUZE PAD, Sterile, 2 x 2, 100 pcs/box (Exp. Date not less than	
	3yrs)	
39.	GAUZE PAD, Sterile, 4 x 4, 100 pcs/box (Exp. Date not less than	
	3yrs)	
40.	GLASS IONOMER, Glass, liquid, 20 ML	
41.	GLASS IONOMER, Powder, 35g	
42.	GLOVES, disposable, nitrile, powder free, large	
	(Exp. Date not less than 3yrs)	

 43. GLOVES, Disposable/Nitrile/Powder Free (Medium) (Exp. Date not less than 3yrs) 44. GLOVES, Latex medical examination (large, 100/box, Micro SuperGloves) 45. GLOVES, latex medical examination (SMALL, 100/box, Micro Super Gloves) 46. GLOVES, Latex medical examination (SMALL, 100/box, Micro Super Gloves) 47. GLOVES, sterile, size 7.5 (Exp. Date not less than 3yrs) 48. GLUCOMETER, TEST STRIP, One Touch Select: Code 25 (Exp. Date not less than 2yrs) 49. HAMMER, Percusion 50. HAND PIECE, High speed ceramic bearing Cooling method: 3 holes spray water, uniform cooling and good all-round cooling effect. Speed: 350000-380000 Lighting: 25000 LUX fiber brightness Bearing: 2.78mm ceramic bearing Connector: 2-hole connector. Air pressure: 0.2-0.3Mpa Size: 16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross weight: 200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)-110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free – using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
44. GLOVES, Latex medical examination (large, 100/box, Micro SuperGloves) 45. GLOVES, latex medical examination (medium, 100/box, Micro Super Gloves) 46. GLOVES, Latex medical examination (SMALL, 100/box, Micro Super Gloves) 47. GLOVES, sterile, size 7.5 (Exp. Date not less than 3yrs) 48. GLUCOMETER, TEST STRIP, One Touch Select: Code 25 (Exp. Date not less than 2yrs) 49. HAMMER, Percusion 50. HAND PIECE, High speed ceramic bearing Cooling method: 3 holes spray water, uniform cooling and good all-round cooling effect. Speed: 350000-380000 Lighting: 25000 LUX fiber brightness Bearing: 2.78mm ceramic bearing Connector: 2-hole connector. Air pressure: 0.2-0.3Mpa Size: 16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross weight: 200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: 42.334-402.355 (mm). Water flow 90(min/ml)-110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free − using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
SuperGloves) 45. GLOVES, latex medical examination (medium, 100/box, Micro SuperGloves) 46. GLOVES, Latex medical examination (SMALL, 100/box, Micro Super Gloves) 47. GLOVES, sterile, size 7.5 (Exp. Date not less than 3yrs) 48. GLUCOMETER, TEST STRIP, One Touch Select: Code 25 (Exp. Date not less than 2yrs) 49. HAMMER, Percusion 50. HAND PIECE, High speed ceramic bearing Cooling method: 3 holes spray water, uniform cooling and good all-round cooling effect. Speed: 350000-380000 Lighting: 25000 LUX fiber brightness Bearing: 2.78mm ceramic bearing Connector: 2-hole connector. Air pressure: 0.2-0.3Mpa Size: 16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross weight: 200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mpm). Water flow 90(min/ml)-110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free − using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
 45. GLOVES, latex medical examination (medium, 100/box, Micro SuperGloves) 46. GLOVES, Latex medical examination (SMALL, 100/box, Micro Super Gloves) 47. GLOVES, sterile, size 7.5 (Exp. Date not less than 3yrs) 48. GLUCOMETER, TEST STRIP, One Touch Select: Code 25 (Exp. Date not less than 2yrs) 49. HAMMER, Percusion 50. HAND PIECE, High speed ceramic bearing Cooling method: 3 holes spray water, uniform cooling and good all-round cooling effect. Speed: 350000-380000 Lighting: 25000 LUX fiber brightness Bearing: 2.78mm ceramic bearing Connector: 2-hole connector. Air pressure: 0.2-0.3Mpa Size: 16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross weight: 200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)-110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free – using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
SuperGloves) 46. GLOVES, Latex medical examination (SMALL, 100/box, Micro Super Gloves) 47. GLOVES, sterile, size 7.5 (Exp. Date not less than 3yrs) 48. GLUCOMETER, TEST STRIP, One Touch Select: Code 25 (Exp. Date not less than 2yrs) 49. HAMMER, Percusion 50. HAND PIECE, High speed ceramic bearing Cooling method: 3 holes spray water, uniform cooling and good all-round cooling effect. Speed: 350000-380000 Lighting: 25000 LUX fiber brightness Bearing: 2.78mm ceramic bearing Connector: 2-hole connector. Air pressure: 0.2-0.3Mpa Size: 16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross weight: 200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)-110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free – using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
 46. GLOVES, Latex medical examination (SMALL, 100/box, Micro Super Gloves) 47. GLOVES, sterile, size 7.5 (Exp. Date not less than 3yrs) 48. GLUCOMETER, TEST STRIP, One Touch Select: Code 25 (Exp. Date not less than 2yrs) 49. HAMMER, Percusion 50. HAND PIECE, High speed ceramic bearing Cooling method: 3 holes spray water, uniform cooling and good all-round cooling effect. Speed: 350000-380000 Lighting: 25000 LUX fiber brightness Bearing: 2.78mm ceramic bearing Connector: 2-hole connector. Air pressure: 0.2-0.3Mpa Size: 16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross weight: 200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)-110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free – using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
Super Gloves) 47. GLOVES, sterile, size 7.5 (Exp. Date not less than 3yrs) 48. GLUCOMETER, TEST STRIP, One Touch Select: Code 25 (Exp. Date not less than 2yrs) 49. HAMMER, Percusion 50. HAND PIECE, High speed ceramic bearing Cooling method: 3 holes spray water, uniform cooling and good all-round cooling effect. Speed: 350000-380000 Lighting: 25000 LUX fiber brightness Bearing: 2.78mm ceramic bearing Connector: 2-hole connector. Air pressure: 0.2-0.3Mpa Size: 16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross weight: 200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Ф2.334-Ф2.355 (mm). Water flow 90(min/ml)-110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free – using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
 47. GLOVES, sterile, size 7.5 (Exp. Date not less than 3yrs) 48. GLUCOMETER, TEST STRIP, One Touch Select: Code 25 (Exp. Date not less than 2yrs) 49. HAMMER, Percusion 50. HAND PIECE, High speed ceramic bearing Cooling method: 3 holes spray water, uniform cooling and good all-round cooling effect. Speed: 350000-380000 Lighting: 25000 LUX fiber brightness Bearing: 2.78mm ceramic bearing Connector: 2-hole connector. Air pressure: 0.2-0.3Mpa Size: 16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross weight: 200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)-110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free − using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
 (Exp. Date not less than 3yrs) 48. GLUCOMETER, TEST STRIP, One Touch Select: Code 25 (Exp. Date not less than 2yrs) 49. HAMMER, Percusion 50. HAND PIECE, High speed ceramic bearing Cooling method: 3 holes spray water, uniform cooling and good all-round cooling effect. Speed: 350000-380000 Lighting: 25000 LUX fiber brightness Bearing: 2.78mm ceramic bearing Connector: 2-hole connector. Air pressure: 0.2-0.3Mpa Size: 16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross weight: 200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)-110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free – using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
 48. GLUCOMETER, TEST STRIP, One Touch Select: Code 25 (Exp. Date not less than 2yrs) 49. HAMMER, Percusion 50. HAND PIECE, High speed ceramic bearing Cooling method: 3 holes spray water, uniform cooling and good all-round cooling effect. Speed: 350000-380000 Lighting: 25000 LUX fiber brightness Bearing: 2.78mm ceramic bearing Connector: 2-hole connector. Air pressure: 0.2-0.3Mpa Size: 16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross weight: 200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)-110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free – using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
 (Exp. Date not less than 2yrs) 49. HAMMER, Percusion 50. HAND PIECE, High speed ceramic bearing Cooling method: 3 holes spray water, uniform cooling and good all-round cooling effect. Speed: 350000-380000 Lighting: 25000 LUX fiber brightness Bearing: 2.78mm ceramic bearing Connector: 2-hole connector. Air pressure: 0.2-0.3Mpa Size: 16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross weight: 200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)- 110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free – using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
 49. HAMMER, Percusion 50. HAND PIECE, High speed ceramic bearing Cooling method: 3 holes spray water, uniform cooling and good all-round cooling effect. Speed: 350000-380000 Lighting: 25000 LUX fiber brightness Bearing: 2.78mm ceramic bearing Connector: 2-hole connector. Air pressure: 0.2-0.3Mpa Size: 16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross weight: 200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)- 110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free – using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
 50. HAND PIECE, High speed ceramic bearing Cooling method: 3 holes spray water, uniform cooling and good all-round cooling effect. Speed: 350000-380000 Lighting: 25000 LUX fiber brightness Bearing: 2.78mm ceramic bearing Connector: 2-hole connector. Air pressure: 0.2-0.3Mpa Size: 16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross weight: 200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)-110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free – using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
High speed ceramic bearing Cooling method: 3 holes spray water, uniform cooling and good all-round cooling effect. Speed: 350000-380000 Lighting: 25000 LUX fiber brightness Bearing: 2.78mm ceramic bearing Connector: 2-hole connector. Air pressure: 0.2-0.3Mpa Size: 16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross weight: 200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)-110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free − using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
Cooling method: 3 holes spray water, uniform cooling and good all-round cooling effect. Speed: 350000-380000 Lighting: 25000 LUX fiber brightness Bearing: 2.78mm ceramic bearing Connector: 2-hole connector. Air pressure: 0.2-0.3Mpa Size: 16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross weight: 200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)-110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free − using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
all-round cooling effect. Speed: 350000-380000 Lighting: 25000 LUX fiber brightness Bearing: 2.78mm ceramic bearing Connector: 2-hole connector. Air pressure: 0.2-0.3Mpa Size: 16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross weight: 200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)- 110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free − using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
LUX fiber brightness Bearing: 2.78mm ceramic bearing Connector: 2-hole connector. Air pressure: 0.2-0.3Mpa Size: 16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross weight: 200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)- 110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free − using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
Connector: 2-hole connector. Air pressure: 0.2-0.3Mpa Size: 16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross weight: 200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)- 110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free − using povidone- iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
16.5*8*3cm/6.5*3.1*1.2in Net weight: 165g/5.8oz Gross weight: 200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)- 110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free – using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
200g/7.1oz 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)- 110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free − using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
 51. HAND PIECE, Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)- 110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free – using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
Low speed straight nose hand piece contra angle air motor Air Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)- 110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free − using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
Pressure: 0.25 (Mpa) -0.3 (Mpa. Water pressure: 198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)- 110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free − using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
198Kpa(2Kg). Forward rotation speed: 18 (krpm. Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)- 110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free − using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
Reversal rotation speed: 16 (krpm). Torque 0.4 (N) -0.45 (N. Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)- 110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free − using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
Bur size: Φ2.334-Φ2.355 (mm). Water flow 90(min/ml)- 110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise: ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free − using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise : ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free – using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
110(min/ml). Water pressure 0.2 (Mpa)-0.23 (Mpa). Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise : ≤65dB. Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free – using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
Atomization pressure 0.3 (Mpa)-0.35 (Mpa). Noise : ≤65dB. Chuck type : Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free – using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
Chuck type: Push button type. 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free – using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
 52. HAND SANITIZER, 500ml, Alcohol-based (isopropyl/ethyl alcohol/n-propanol 60%-95%) or Alcohol free – using povidone-iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
alcohol/n-propanol 60%-95%) or Alcohol free – using povidone- iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
iodine, benzalkonium chloride or triclosan) 53. HAND SANITIZER, gel, 1 liter
53. HAND SANITIZER, gel, 1 liter
1 FA I I III / A D C A D For modical / dontal was 100 mag/magle
54. HEAD CAP, For medical/dental use, 100 pcs/pack
55. INFUSION SET, IV, Macroset
(Exp. Date not less than 2yrs)
56. INFUSION SET, IV, Microset
(Exp. Date not less than 2yrs)
57. IRM, 38g (Liquid and Powder Set)
58. KIT SYSTEM, Finishing and Polishing System Kit
Specifications Diameter Size Multiple Diameters/Sizes
Grit Size Multiple Grits Kit Type Finishing & Polishing
System Kit National Product Type Extra-Thin Contouring and
Polishing Disc
Black: Trim Purple: rough polish Green: fine polish
Red: superfine polish It used to polish the anterior teeth with
composite resin step by step. Product List: 2 white sandstones are
used for molding. 1 silicon rubber grinding head is used for
primary polishing. 180 polishing discs 2 handles 40 composite
resin molding polishing strips.
59. MASK, , CPR Breathing Mask Resuscitator CHILD
60. MASK, ,CPR Breathing Mask Resuscitator ADULT
 60. MASK, ,CPR Breathing Mask Resuscitator ADULT 61. MASK, Disposable One-way CPR Mask Training Valves
 60. MASK, ,CPR Breathing Mask Resuscitator ADULT 61. MASK, Disposable One-way CPR Mask Training Valves 62. MASK, KN95, High-grade and Medical-grade Non-woven
 60. MASK, ,CPR Breathing Mask Resuscitator ADULT 61. MASK, Disposable One-way CPR Mask Training Valves

-62	MACIN CO. L. D. M. L. O. L. M. L.	
63.	MASK, Surgical Face Mask, 3 ply, with earloop, disposable,	
	50pcs/box, FDA Registered	
64.	MICROSCOPE SLIDES, for tissues and cells	
65.	MICROSCOPE, Monocular	
66.	MOUTH MIRROR SUCTION, that can be attach our HVE or	
	saliva ejector	
67.	MOUTH MIRROR, #4	
68.	NASAL CANNULA, For non-toxic PVC Compound, 1.8 meters	
00.	of non-kink star lumen PVC tubing Nasal prongs made of soft PVC	
69.	NEBULIZING KIT, Nebulization kit with mouth piece	
	•	
70.	NEEDLE, Disposable Dental, (27G-long)	
71.	NEEDLE, Gauge 25 (25GX5/8")	
72.	PEAK FLOW METER, Specs to follow	
73.	PPE, Personal Protective Equipment -Suit	
74.	PULSE OXIMETER, - Two standard AAA1.5v alkaline batteries	
	support more 20 hours continuous work, Advanced DSP algorithm	
	inside decreases the influence of motion artifical and improves	
	accuracy of low perfusion, Hemoglobin saturation display:35-	
	100%, Pulse rate display:30-250 BPM, Power	
	consumption:smaller than 30mA(normal), Resolution:	
	Hemoglobin saturation(SPO2):1%, Pulse rate:1 BPM,	
	Measurement accuracy: Hemoglobin saturation(SPO2):+/-	
	$2\%(70\%-100\%)$:unspecified (\leq 70), Pulse rate:+/-2 BPM,	
	Measurement performance in low perfusion condition:0.3%,	
	Dimension:60mm(L)*36mm(W)*28mm(H), Net weight:50g,	
	Color box dimension:80mm(L)*60mm(W)*55mm(H), Gross	
75	weight:70g	
75.	RESEALABLE PLASTIC BAG, Ziplock bag 8x9 1/2 inches	
76.	RESEALABLE PLASTIC BAG, Ziplock bag Medium 5 1/2x8	
77	inches	
77.	SALIVA EJECTOR, Disposable, PVC material	
78.	SCALP VEIN SET, Gauge 25, 50pcs/box	
	(Exp. Date not less than 2yrs)	
79.	SCALPEL, Medical grade, #4	
80.	SCISSOR, Stitch Removal Scissor	
81.	SCISSOR, Bandage	
82.	SCISSOR, Mayo	
83.	SCISSOR, Metzenbaum, 7 inches	
84.	SHOE COVER, Booties or shoe cover (disposable)	
85.	SPIROMETER, Incentive	
86.	SPLINT, SAM splint Finger/Toe	
87.	SPLINT, SAM splint roll, 36inch	
88.	SPLINT, SAM splint Wrist, 9inch	
89.	SPLINT, SAM splint,18inch	
90.	SPRAY, Oil, Lubricant Handpiece	
91.	STERILE TONGUE DEPRESSOR, Wooden	
92.	STERILIZATION POUCH, Pouch-Self sealing, zise: 3.5"x10"	
	(90x260mm) 200 pcs/box	
93.	SURGICAL BLADE, Stainless steel, #20, 100's	
94.	SURGICAL BLADE, Stainless steel, #21, 100's	
95.	SURGICAL GOWN, Disposable, for Medical/Surgical use	
96.	SURGICAL TAPE, Transparent, 1/2" x 10 yards	
97.	SURGICAL TAPE, Transparent, 2" x 10 yards	
98.	SURGICAL TAPE, Transparent, 1" x 10 yards	
99.	SUTURE NEEDLE, Silk 0	
77.	(Exp. Date not less than 3yrs)	
	(Exp. Date not less than 3y18)	

100.	SUTURE NEEDLE, Silk 3-0 (cutting needle)	
100.	Exp. Date not less than 3yrs)	
101.	SYRINGE, 1cc, Luer Lock with needle	
101.	(Exp. Date not less than 3yrs)	
102.	SYRINGE, 3cc, Luer Lock with needle	
	(Exp. Date not less than 3yrs)	
103.	SYRINGE, 5cc, Luer Lock with needle (100/box)	
100.	(Exp. Date not less than 3yrs)	
104.	SYRINGE, Flowable Composite, 2g	
105.	UVC ROOM STERILIZER, Room Sterilizer, UV Light trolley 1.	
	Eliminates up to 99.9% of harmful germs, viruses ,bacteria and	
	molds.2. Perfect for sterilizing rooms and spaces for homes,	
	offices, schools, clinics, and hospitals. 3. Lab-tested, chemical free,	
	and doctor recommended 4. Sterilization Technology: UV-C	
	Surface Sterilization Technology, Ozone-free 5. Sterilization	
	Efficiency: Kills up to 99.9% of germs, viruses and bacteria 6.UV-	
	C Wavelength: 253.7nm 7. UV-C Lamp Life: 8,000hours 8.	
	Coverage Area: Up to 60sqm (Unobstructed) 10. Sterilization	
	Time: 15 Minutes to 24 Hours 11. Safety Features: 30-Second	
	Time Delay Feature, Motion Sensor 12.Material: Carbon Steel (
	Body), Quartz Glass (UV-C Lamp Wattage: 30 Watts x 4 13. Rated	
	Power: 120 Watts 14. Power Supply: 220 V, 60Hz- With Spare UV	
	Light Lamp	
106.	WATER BAG, For hot water 1000ml	
107.	WATER BAG, Hot Water bag 500ml	
108.	WATER, Distilled, 6L	
109.	WEIGHING SCALE, - Weigh-Beam-Eye-Level - Capacity: 450	
	lb x 4 oz , 200 kg x 100 g, or 440 lb x 4 oz / 200 kg x 100 g, Height	
	Measurement Range (on select models): 24-84 in / 60-212 cm,	
	Height Graduation (on select models): 0.125 in / 0.1 cm, Platform	
	Size: 14.75 in x 10.75 in / 37.5 cm x 27.3 cm, Overall Width: 17.5	
	in / 44.5 cm, Overall Height: 58.25 in / 148 cm, Overall Depth	
	(with wheels): 23.25 in / 59 cm, Construction: Mild steel with	
110	powder coat paint finish	
110.	WHEEL CHAIR, 18"", Deluxe Obese Wheelchair, heavy duty,	
	ideal for hospital use. composed of heavy duty chrome plated	
	steel frame with 24"" back magwheels.	
	Legrest-: elevating legrest, seat width: 610mm, seat height:	
	510mm, height from floor to seat: 530mm, max load weight:	
	350lbs., frame: steel, Cross bar: Steel cross bar, Upholstery, blue	
	PVC, Armrest: Steel, Armrest Pad: Blue PVC, Side Panel: Steel"	
111.	WHEEL CHAIR, 24", Deluxe Obese Wheelchair, heavy duty,	
111.	ideal for hospital use. composed of heavy duty chrome plated	
	steel frame with 24" back magwheels.	
	Legrest-: elevating legrest, seat width: 610mm, seat height:	
	510mm, height from floor to seat: 530mm, max load weight:	
	350lbs., frame: steel, Cross bar: Steel cross bar, Upholstery, blue	
	PVC, Armrest: Steel, Armrest Pad: Blue PVC, Side Panel: Steel	
<u> </u>	1 ve, minest. Steel, minest I au. Diue I ve, Siue I aliei. Steel	

Attached herewith are the manufacturer's product literature(s) and certification(s) that we are authorized to sell the goods.

We certify that the foregoing information and the supporting documents are true and correct.

[Signature]
[Name of Authorized Signatory]
[Position/Title of Authorized Signatory]

Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES)	
CITY/MUNICIPALITY OF)	S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. Select one, delete the other:

- b. *If a sole proprietorship:* I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[address of Bidder]*;
- c. *If a partnership, corporation, cooperative, or joint venture:* I am the duly authorized and designated representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

2. Select one, delete the other:

- a. If a sole proprietorship: As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;
- b. If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];
- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. Select one, delete the rest:

- a. *If a sole proprietorship:* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;
- b. *If a partnership or cooperative:* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of

the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- c. *If a corporation or joint venture:* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;
- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:
 - a. Carefully examine all of the Bidding Documents;
 - b. Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract:
 - c. Made an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to delivery certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

amended, or the Revised Penal Co	de.
IN WITNESS WHEREOF, I have here Philippines.	eunto set my hand this day of, 20 at,
	Bidder's Representative/Authorized Signatory
execution], Philippines. Affiant/s is/are pe competent evidence of identity as defined SC). Affiant/s exhibited to me his/her [ins	to before me this day of [month] [year] at [place of resonally known to me and was/were identified by me through I in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-ert type of government identification card used], with his/her on, with no and his/her Community Tax Certificate
Doc. No	NAME OF NOTARY PUBLIC Serial No. of Commission Notary Public for until Roll of Attorneys No PTR No [date issued], [place issued] IBP No [date issued], [place issued]
Page No.	

Book No. _____ Series of _____

[Bidder's Letterhead]

[Date]

To: Tarlac State University Re: Invitation to Bid No.

NET FINANCIAL CONTRACTING CAPACITY

Based on our Income Tax Return and Audited Financial Statement for the Fiscal Year [YEAR], duly submitted to the Bureau of Internal Revenue, and which form part of our Bid, the summary of our firm's financial condition is as given below:

	Year [YEAR]
1. Total Assets	
2. Current Assets	
3. Total Liabilities	
4. Current Liabilities	
5. Net Worth (1-3)	
6. Net Working Capital (2-4)	

Based on the aforementioned data and the Value of Outstanding Works from the Statement of All Ongoing Government and Private Contracts, which also form part of our Bid, our Net Financial Contracting Capacity (NFCC) is:

NFCC = $[(current \ asset \ minus \ current \ liabilities) (15)]$ minus $[value \ of \ all \ outstanding \ or \ uncompleted \ portions \ of \ the \ projects \ under \ ongoing \ contracts \ including \ awarded \ contracts \ yet \ to \ be \ started \ coinciding \ with \ the \ contract \ to \ be \ bid].$

NFCC =

I/We certify that the foregoing information and all of the supporting documents are true and correct.

[Signature]
[Name of Bidder or Authorized Representative]
[Position or Title]

[Bidder's Letterhead]

[Date]

FINANCIAL BID FORM

To: Tarlac State University Re: Invitation to Bid No.

Dated this

Having examined the Bidding Documents [insert if any or delete, if none: including Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged], we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said Bidding Documents for the sum of [total Bid amount in words and figures] or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

If our Bid is accepted, we commit to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we undertake to provide a performance security in the form, amounts, and within the times specified in the Bidding Documents.

We agree to abide by this Bid for the Bid Validity Period specified in **ITB** Clause 14.2 and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements as per **ITB** Clause 5 of the Bidding Documents.

We likewise certify/confirm that the undersigned, [for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of [Bidder], has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the [Name of Project] of the Tarlac State University] [for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the [Bidder], to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for [Name of Project] of the Tarlac State University.

We acknowledge that failure to sign each and every page of this Financial Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

20

	day or	
[signature]		[in the capacity of]
Duly authorized to sign Bi	d for and on behalf of _	

day of

[Bidder's Letterhead]

[Date]

To: Tarlac State University Re: Invitation to Bid No.

SCHEDULE OF PRICES

Item No.	Description	Qty.	Unit	Unit Price	Total Price
1.	ALCOHOL, ISOPROPHYL, 70% solution, ISO certified, FDA approved, antiseptic & antibacterial, with hand moisturizer and dermatology tested, with aloe vera scent, with Safety Data Sheet(SDS), 1gal (3.78 liters)	1307	gal.		
2.	ALCOHOL, spray, ethyl, 500ml, FDA approved	108	bottle		
3.	BAGS, OB Bag, Sling bag only	10	piece		
4.	BAND AID, Plastic strips 100 pcs/box (Exp. Date not less than 2yrs)	52	box		
5.	BED, "Fowler Bed with Side rails, head & foot panels, I.V Rod. Dimension: 206 x 90 x 60 cm."	2	piece		
6.	BED, 3-fold orthopedic bed with traction	1	set		
7.	BIB, Assorted Color 100 pcs/pack	15	pack		
8.	BLOOD LANCET, Disposable, Sterile, made of premium surgical steel. Easy twist to remove needle cover (Exp. Date not less than 2yrs)	2	box		
9.	BP APPARATUS, Manual	10	piece		
10.	BP CUFF, for cardiac monitor, 22-40cm	2	piece		
11.	BUR SURGICAL, Round	10	piece		
12.	BUR SURGICAL, Straight	10	piece		
13.	BUR, Round	10	piece		
14.	BUR, Straight	10	piece		
15.	CANNULA, IV, Gauge, 20(Exp. Date not less than 2yrs)	100	piece		
16.	CANNULA, IV, Gauge, 22 (Exp. Date not less than 2yrs)	100	piece		
17.	CANNULA, IV, Gauge, 24 (Exp. Date not less than 2yrs)	100	piece		
18.	COMPOSITE FILLING NANO HYBRID UNIVERSAL RESTORATIVE-INTRO KIT, Contents: 12g Restorative paste, 3ml scotchbond universal etchant, 6g adhesive	4	box		
19.	CONTAINER, for Sharps, 15 liters, puncture proof	5	piece		

20.	COTTON, Balls, pure and absorbent cotton, 150 pcs/pack	10	pack	
21.	COTTON, Rolls, #1, small, non-sterile (50 rolls/sleeve, 10 sleeves/bag)	20	bag	
22.	DESCOSEPT, AF, 100ml	10	bottle	
23.	ECG PAPER, 80mm x 20mm	5	roll	
24.	ELASTIC BANDAGE, Brown 2"	30	piece	
25.	ELASTIC BANDAGE, Brown 3"	30	piece	
26.	ELASTIC BANDAGE, Brown 4"	30	piece	
27.	FIRST AID KIT, First Responder	4	set	
	Emergency Trauma Bag Air tight and water			
	tight kit made of thick polypropylene resin			
	(43cmx32cmx25cm). The container's			
	special characteristic permit to be used in all extreme conditions .Filled for emergency.			
	Highly recommended for the boat, Sea			
	Platform, Mountain fire brigade, etc.			
	Contents: 01 Hand Suction Pump 1pc 02			
	Resuscitator bag 1pc 03 E-Mask 1pc 04			
	Guedel Airway 2pcs 05 Clinical Thermometer 1pc 06 Mouth Opener 1pc 07			
	Disposable Syringe pcs 08 Tongue Forceps			
	1pc 09 Sterile Scalpel 1pc 10 Lancet 2pcd			
	11 Wooden Tongue Depressor 5pcs 12			
	Surgical Scissors 1pair 13 Dressing			
	Tweezers 1pair 14 Safety Pins 10pcs 15			
	Sterile Latex Gloves 2pairs 16 Sphygmomanometer 1pc 17 Stethoscope			
	1pc 18 Boston 1pc 19 Tourniquets 1pc 20			
	Ice Bag 2pcs 21 Alcohol Pre Pad 30pcs 22			
	Povidone-iodine Prep Pad 10pcs 23			
	Antiseptic towelette 5pcs 24 Wet tissue (
	soap) 5pcs 25 hammer 1pc 26 Adhesive			
	Tape 3pcs 27 Sterile Eye Pad 5pcs 28 Triangular bandages TNT 2pcs 29 Sterile			
	Gauze Pad 10pcs 30 Cotton Ball 5pkts 31			
	Adhesive Strip 50pcs 32 Cotton Applicator			
	20pcs 33 Elastic Bandage, 6cm 3rolls 34			
	Compressive Pad Bandages, medium 2rolls			
	35 Compressive Pad Bandages, max 1roll			
	36 Elastic Crepe Bandage, 2" 2rolls 37 Elastic Crepe Bandage,4' 2rolls 38			
	Emergency Gold Blanket 2pcs 39			
	Diagnostic Penlight 1pc 40 Disposable			
	Wastage Bags 3pcs Product Dimension:			
20	46cmx31cmx28cm.	2	• .	
28.	FIRST AID KIT/TRAUMA BAG, large 2 front compartment with organizer	3	unit	
	and 2 Zippered Side Pockets, Comes with a			
	shoulder strap, and a 3-side compartment,			
	Dimension: 60cm x 6cm x 54cm			
	INGLUCIONS			
	INCLUSIONS:			
	 Rubbing Alcohol – (500ml) Povidone Iodine/Betadine-1 			
	(125ml)			
	• Cotton- 1 pack (150 cotton balls)			
	• ,			

				•
	• Gauge pads- 1 box (4x4x8 ply (5's) ORMED			
	Wooden Tongue depressor- 1 box			
	(100 pieces), 6 inchesPenlight- 1 piece (lamp type: lens			
	end lamp 2.2V 0.25, Luminous flux:			
	4.8LM, Power Requirement: 3volts two AAA size batteries			
	Band aid- 1 box (100 pieces)			
	• Plaster-3 pieces (6" longbone)			
	Gloves- 1 box (Disposable medical			
	gloves) • Scissors-1 piece (HBW Scissors SP23007-B)			
	• Forceps- Stainless Steel, Length:			
	3.5inches, flat angled ends			
	• Bandage (Triangular)- 3 pieces (40"x40"x56")			
	• Elastic roller bandage- 3 pieces, 6"			
	• Digital Thermometer- 1 unit (Omron MC-246 Thermometer			
	(White),			
	IN THE BOX Sales Package: Main Unit,			
	Instruction Sheet, 5 Probe Covers, Test			
	Battery, Protective Case,			
	DEVICECHARACTERISTICS			
	Temperature Display 3-digit, +° C (° F)			
	Display In 0.1 Degree Increment Auto Shut Off Yes			
	Flexible Tip No			
	Display LCD			
	Buzzer Yes Water Resistant Yes			
	Memory Function Yes			
	MEASUREMENT			
	Accuracy Measurement Range 89.6 –			
	107.6° F Accuracy Measurement Variance ±0.2°F			
	POWER REQUIREMENTS			
20	Power Source Battery		- 4	
29.	FIRST AID KIT, OSHA-ANSI Approved	5	set	
	serves up to 25-50 persons, w/			
	compartmental organizers which include			
	critical supplies like trauma pad, exam gloves, conforming gauze roll bandage and			
	others.			
	Contents: (133 pieces)			
	(10) Antiseptic cleansing wipes (sting free)			
	(10) Alcohol cleansing pads			
	(30) 3/4" x 3" Adhesive plastic bandages (5) 1" x 3" Adhesive plastic bandages			
	(35) 3/8" x 1-1/2"Junior plastic bandages			
	. , ,			•

			1		
	(5) 1-1/2" x 1-1/2" Patch plastic bandages (2) 2" x 4" Elbow & knee plastic bandages (2) Butterfly wound closures (2) Knuckle fabric bandages (2) Fingertip fabric bandages (2) 2"x2" Gauze dressing pads (2) 3"x3" Gauze dressing pads (1) 2"x3" Dressing bandages (1) 2'x3" Non-stick pad				
	(1) Sterile eye pad,1 2" x 4.1 yard				
	conforming gauze roll bandage				
	(1) ½" x 5 yard First aid tape roll				
	(1) Scissors (1) Tweezers				
	(2) Medium safety pins				
	(10) 3" Cotton tipped applicators and 1				
	Carry anywhere plastic case.				
30.	FORCEPS, Kelly, Curve, 5.5 inches	3	pair		
31.	FORCEPS, Kelly, Curve, 7 inches	3	piece		
32.	FORCEPS, Kelly, Straight, 5.5 inches	3	piece		
33.	FORCEPS, Kelly, Straight, 7 inches	3	piece		
34.	FORCEPS, needle holder, 7 inches	6	piece		
35.	FORCEPS, thumb	6	piece		
36.	FORCEPS, Tissue	6	piece		
37.	GAUZE PAD, Eye patch (Exp. Date not	100	piece		
37.	less than 2yrs)	100	piece		
38.	GAUZE PAD, Sterile, 2 x 2, 100 pcs/box (3	box		
	Exp. Date not less than 3yrs)				
39.	GAUZE PAD, Sterile, 4 x 4, 100 pcs/box (2	box		
	Exp. Date not less than 3yrs)				
40.	GLASS IONOMER, Glass, liquid, 20 ML	4	bottle		
41.	GLASS IONOMER, Powder, 35g	4	piece		
42.	GLOVES, disposable, nitrile, powder free,	10	box		
	large				
43.	(Exp. Date not less than 3yrs) GLOVES, Disposable/Nitrile/Powder Free	15	boy		
43.	(Medium)	13	box		
	(Exp. Date not less than 3yrs)				
44.	GLOVES, Latex medical examination	10	box		
	(large, 100/box, Micro SuperGloves)				
45.	GLOVES, latex medical examination	20	box		
4 -	(medium, 100/box, Micro SuperGloves)	10	1		
46.	GLOVES, Latex medical examination	10	box		
47.	(SMALL, 100/box, Micro Super Gloves) GLOVES, sterile, size 7.5	20	piece		
7/.	(Exp. Date not less than 3yrs)	20	Picce		
48.	GLUCOMETER, TEST STRIP, One	15	box		
	Touch Select: Code 25				
	(Exp. Date not less than 2yrs)				
49.	HAMMER, Percusion	5	piece		
50.	HAND PIECE,	2	piece		
	High speed ceramic bearing				
	Cooling method: 3 holes spray water,				
	uniform cooling and good all-round cooling effect. Speed: 350000-380000 Lighting:				
	25000 LUX fiber brightness Bearing:				
L	site and the state of the state		ı	1	

	0.70			
	2.78mm ceramic bearing Connector: 2-hole			
	connector. Air pressure: 0.2-0.3Mpa Size:			
	16.5*8*3cm/6.5*3.1*1.2in Net weight:			
	165g/5.8oz Gross weight: 200g/7.1oz			
51.	HAND PIECE,	2	piece	
	Low speed straight nose hand piece contra			
	angle air motor Air Pressure: 0.25 (Mpa			
) -0.3 (Mpa. Water pressure :			
	198Kpa(2Kg). Forward rotation speed: 18			
	(krpm.			
	1			
	Reversal rotation speed: 16 (krpm).			
	Torque 0.4 (N) -0.45 (N. Bur size :			
	Φ 2.334- Φ 2.355 (mm). Water flow			
	90(min/ml)-110(min/ml). Water pressure			
	0.2 (Mpa)-0.23 (Mpa). Atomization			
	pressure 0.3 (Mpa)-0.35 (Mpa). Noise:			
	≤65dB. Chuck type: Push button type.			
52.	HAND SANITIZER, 500ml, Alcohol-	420	bottle	
	based (isopropyl/ethyl alcohol/n-propanol			
	60%-95%) or Alcohol free – using			
	povidone-iodine, benzalkonium chloride or			
	triclosan)			
53.	HAND SANITIZER, gel, 1 liter	12	bottle	
54.	HEAD CAP, For medical/dental use, 100	10	pack	
	pcs/pack	10	pack	
55.	INFUSION SET, IV, Macroset	20	piece	
33.	(Exp. Date not less than 2yrs)	20	piece	
56.	INFUSION SET, IV, Microset	20	piece	
50.	(Exp. Date not less than 2yrs)	20	piece	
57.	IRM, 38g (Liquid and Powder Set)	2	box	
58.	KIT SYSTEM, Finishing and Polishing	1	box	
56.	System Kit	1	DOX	
	Specifications Diameter Size Multiple			
	Diameters/Sizes			
	Grit Size Multiple Grits Kit Type			
	Finishing & Polishing System Kit National			
	Product Type Extra-Thin Contouring and			
	Polishing Disc			
	Black: Trim Purple: rough polish Green:			
	fine polish			
	Red: superfine polish It used to polish the			
	anterior teeth with composite resin step by			
	step. Product List: 2 white sandstones are			
	used for molding. 1 silicon rubber grinding			
	head is used for primary polishing. 180			
	polishing discs 2 handles 40 composite			
	resin molding polishing strips.			
59.	MASK, CPR Breathing Mask Resuscitator	20	piece	
	CHILD	20	Picce	
60.	MASK, CPR Breathing Mask Resuscitator	20	piece	
	ADULT	20	Picce	
61.	MASK, Disposable One-way CPR Mask	100	piece	
	Training Valves	100	Picce	
62.	MASK, KN95, High-grade and Medical-	388	piece	
02.	grade Non-woven Fabric, FDA Registered	200	1000	
	(Exp. Date not less than 2yrs)			
<u> </u>	r = ==================================		1	<u>I</u>

63.	MASK, Surgical Face Mask, 3 ply, with earloop, disposable, 50pcs/box, FDA Registered	2018	box	
64.	MICROSCOPE SLIDES, for tissues and cells	3	set	
65.	MICROSCOPE, Monocular	5	piece	
66.	MOUTH MIRROR SUCTION, that can be attach our HVE or saliva ejector	2	box	
67.	MOUTH MIRROR, #4	10	piece	
68.	NASAL CANNULA, For non-toxic PVC	50	piece	
- 10	Compound, 1.8 meters of non-kink star lumen PVC tubing Nasal prongs made of soft PVC	20		
69.	NEBULIZING KIT, Nebulization kit with mouth piece	20	piece	
70.	NEEDLE, Disposable Dental, (27G-long)	3	box	
71.	NEEDLE, Gauge 25 (25GX5/8")	1	piece	
72.	PEAK FLOW METER, Specs to follow	5	piece	
73.	PPE, Personal Protective Equipment -Suit	46	piece	
74.	PULSE OXIMETER, - Two standard AAA1.5v alkaline batteries support more 20 hours continuous work, Advanced DSP algorithm inside decreases the influence of	10	unit	
	motion artifical and improves accuracy of low perfusion, Hemoglobin saturation display:35-100%, Pulse rate display:30-250 BPM, Power consumption:smaller than 30mA(normal), Resolution: Hemoglobin saturation(SPO2):1%, Pulse rate:1 BPM, Measurement accuracy: Hemoglobin saturation(SPO2):+/-2%(70%-100%):unspecified (≤70), Pulse rate:+/-2 BPM, Measurement performance in low perfusion condition:0.3%, Dimension:60mm(L)*36mm(W)*28mm(H			
), Net weight:50g, Color box dimension:80mm(L)*60mm(W)*55mm(H) , Gross weight:70g			
75.	RESEALABLE PLASTIC BAG, Ziplock bag 8x9 1/2 inches	3	pack	
76.	RESEALABLE PLASTIC BAG, Ziplock bag Medium 5 1/2x8 inches	3	pack	
77.	SALIVA EJECTOR, Disposable, PVC material	10	pack	
78.	SCALP VEIN SET, Gauge 25, 50pcs/box (Exp. Date not less than 2yrs)	1	box	
79.	SCALPEL, Medical grade, #4	6	piece	
80.	SCISSOR, Stitch Removal Scissor	3	piece	
81.	SCISSOR, Bandage	6	piece	
82.	SCISSOR, Mayo	6	piece	
83.	SCISSOR, Metzenbaum, 7 inches	6	pair	
84.	SHOE COVER, Booties or shoe cover (disposable)	500	pair	
85.	SPIROMETER, Incentive	5	piece	
86.	SPLINT, SAM splint Finger/Toe	10	piece	

87.	SPLINT, SAM splint roll, 36inch	10	piece	
88.	SPLINT, SAM splint Wrist, 9inch	10	piece	
89.	SPLINT, SAM splint, 18inch	10	piece	
90.	SPRAY, Oil, Lubricant Handpiece	2	canister	
	*			
91.	STERILE TONGUE DEPRESSOR, Wooden	2	box	
92.	STERILIZATION POUCH, Pouch-Self sealing, zise: 3.5"x10" (90x260mm) 200 pcs/box	10	box	
93.	SURGICAL BLADE, Stainless steel, #20, 100's	1	box	
94.	SURGICAL BLADE, Stainless steel, #21, 100's	1	box	
95.	SURGICAL GOWN, Disposable, for Medical/Surgical use	434	piece	
96.	SURGICAL TAPE, Transparent, 1/2" x 10 yards	3	box	
97.	SURGICAL TAPE, Transparent, 2" x 10 yards	1	box	
98.	SURGICAL TAPE, Transparent,1" x 10 yards	3	box	
99.	SUTURE NEEDLE, Silk 0 (Exp. Date not less than 3yrs)	5	piece	
100.	SUTURE NEEDLE, Silk 3-0 (cutting needle) Exp. Date not less than 3yrs)	5	piece	
101.	SYRINGE, 1cc, Luer Lock with needle (Exp. Date not less than 3yrs)	1	box	
102.	SYRINGE, 3cc, Luer Lock with needle (Exp. Date not less than 3yrs)	1	box	
103.	SYRINGE, 5cc, Luer Lock with needle (100/box) (Exp. Date not less than 3yrs)	2	box	
104.	SYRINGE, Flowable Composite, 2g	2	box	
105.	UVC ROOM STERILIZER, Room	4	unit	
	Sterilizer, UV Light trolley 1. Eliminates up to 99.9% of harmful germs, viruses ,bacteria and molds.2. Perfect for sterilizing rooms and spaces for homes, offices, schools, clinics, and hospitals. 3. Lab-tested, chemical free, and doctor recommended 4. Sterilization Technology: UV-C Surface Sterilization Technology, Ozone-free 5. Sterilization Efficiency: Kills up to 99.9% of germs, viruses and bacteria 6.UV-C Wavelength: 253.7nm 7. UV-C Lamp Life: 8,000hours 8. Coverage Area: Up to 60sqm (Unobstructed) 10. Sterilization Time: 15 Minutes to 24 Hours 11. Safety Features: 30-Second Time Delay Feature, Motion Sensor 12.Material: Carbon Steel (Body), Quartz Glass (UV-C Lamp Wattage: 30 Watts x 4 13. Rated Power: 120 Watts 14. Power Supply: 220 V, 60Hz- With Spare UV Light Lamp			
106.	WATER BAG, For hot water 1000ml	6	piece	

107.	WATER BAG, Hot Water bag 500ml	6	piece	
108.	WATER, Distilled, 6L	20	bottle	
109.	WEIGHING SCALE, - Weigh-Beam-Eye-Level - Capacity: 450 lb x 4 oz , 200 kg x 100 g, or 440 lb x 4 oz / 200 kg x 100 g, Height Measurement Range (on select models): 24-84 in / 60-212 cm, Height Graduation (on select models): 0.125 in / 0.1 cm, Platform Size: 14.75 in x 10.75 in / 37.5 cm x 27.3 cm, Overall Width: 17.5 in / 44.5 cm, Overall Height: 58.25 in / 148 cm, Overall Depth (with wheels): 23.25 in / 59 cm, Construction: Mild steel with powder coat paint finish	1	unit	
110.	WHEEL CHAIR, 18"", Deluxe Obese Wheelchair, heavy duty, ideal for hospital use. composed of heavy duty chrome plated steel frame with 24"" back magwheels. Legrest-: elevating legrest, seat width: 610mm, seat height: 510mm, height from floor to seat: 530mm, max load weight: 350lbs., frame: steel, Cross bar: Steel cross bar, Upholstery, blue PVC, Armrest: Steel, Armrest Pad: Blue PVC, Side Panel: Steel"	3	unit	
111.	WHEEL CHAIR, 24", Deluxe Obese Wheelchair, heavy duty, ideal for hospital use. composed of heavy duty chrome plated steel frame with 24" back magwheels. Legrest-: elevating legrest, seat width: 610mm, seat height: 510mm, height from floor to seat: 530mm, max load weight: 350lbs., frame: steel, Cross bar: Steel cross bar, Upholstery, blue PVC, Armrest: Steel, Armrest Pad: Blue PVC, Side Panel: Steel	3	unit	
		Total Bi	d Price	

[Signature]
[Name of Authorized Signatory]
[Position/Title of Authorized Signatory]